

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 31-Aug-2023

Revision date 25-Feb-2025

Revision Number 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s)	56456
Safety data sheet number	56456
Product Name	XIAMETER OFX 0193 FLUID
CAS No	68937-54-2
Synonyms	XIAMETER OFX-0193 FLUID IND
Pure substance/mixture	Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Cosmetics Surface active agents Chemical intermediate
-----------------	---

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address	SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone	SGS - +32 (0)3 575 55 55 (24h)
---------------------	--------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Chronic aquatic toxicity	Category 3 - (H412)
--------------------------	---------------------

2.2. Label elements

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P234 - Keep only in original packaging

P273 - Avoid release to the environment

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: Water. Alcohols. Acidic. Bases. Oxidising Agent.

SECTION 3: Composition/information on ingredients**3.1 Substances**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
DIMETHYL METHYL(PROPYL(POLY(EO(HYDROXY) SILOXANE, TRIMETHYL SILOXY TERM 68937-54-2	90 - 100%	614-822-8	-	Not Classified	-	-	-
POLYETHYLENE GLYCOL 25322-68-3	>= 6.0 - <= 8.0 %	500-038-2	-	Not Classified	-	-	-
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	>= 0.043 - <= 0.052 %	209-136-7 (014-018-00-1)	-	Flam. Liq. 3 (H226) Aquatic Chronic 1 (H410) Repr. 2 (H361f)	-	-	10

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures****General advice**

First aid personnel should wear appropriate protective equipment during any rescue. Use personal protection recommended in Section 8.

Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

Eyes May cause slight eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Alcohol resistant foam. Carbon dioxide (CO ₂). Water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams. Dry chemical.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed. Applying foam will release significant amounts of hydrogen gas that can be trapped under the foam blanket. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	Carbon oxides. Silicon oxides. Formaldehyde. Aldehydes. Alcohol. Ether. Organic Acids.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Follow precautions for safe handling described in this safety data sheet.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: Water. Acidic. Bases. Oxidising Agent. Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Avoid contact with water. Protect from moisture. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice.

General hygiene considerations Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Product may evolve minute quantities of flammable hydrogen gas which can accumulate. Do not repackage. Closed containers can burst violently when heated, due to excess pressure build-up. Store away from the following materials. Strong oxidising agents.

Packaging materials Unsuitable container/equipment material. Do not store in or use containers except the original product package.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure This product, as supplied, does not contain any hazardous materials with biological limits

limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
POLYETHYLENE GLYCOL 25322-68-3		112 mg/kg bw/day [4] [6]	40.2 mg/m ³ [4] [6]
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2			73 mg/m ³ [4] [6] 73 mg/m ³ [5] [6]

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
POLYETHYLENE GLYCOL 25322-68-3	40 mg/kg bw/day [4] [6]		7.14 mg/m ³ [4] [6]
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	3.7 mg/kg bw/day [4] [6]		13 mg/m ³ [4] [6] 13 mg/m ³ [5] [6]

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
POLYETHYLENE GLYCOL 25322-68-3	0.273 g/L	1 mg/L	27.3 mg/L	0.1 mg/L	
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	0.0015 mg/L		0.00015 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
POLYETHYLENE GLYCOL 25322-68-3	1030 mg/kg sediment dw	103 mg/kg sediment dw		46.4 mg/kg soil dw	
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves	> 0.35 mm	> 120 minutes
	Ethyl vinyl alcohol laminate ("EVAL")	> 0.35 mm	> 120 minutes
	Wear protective Neoprene™ gloves	> 0.35 mm	> 120 minutes
	Nitrile/butadiene rubber ("nitrile" or "NBR").	> 0.35 mm	> 120 minutes
	Polyvinyl chloride (PVC)	> 0.35 mm	> 120 minutes

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection Use appropriate respiratory protection.
Organic gases and vapours filter conforming to EN 14387. Type AP2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Liquid
Colour	Amber
Odour	Characteristic.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		Not determined.
Initial boiling point and boiling range	> 35 °C	@ 760 mmHg.
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	113 °C	Setaflash closed cup.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	260 mm ² /s	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility		Not determined.
Solubility(ies)		No information available.
Partition coefficient		Not determined.
Vapour pressure		No information available.
Relative density	1.07	
Bulk density		No information available

Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		Not applicable.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity	No known effects under normal use conditions.
------------	---

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	The following materials may react with the product: Strong oxidising agents. Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: Water. Alcohols. Acidic. Bases. Oxidising Agent. Hazardous decomposition products will be formed at elevated temperatures.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Protect from moisture.
---------------------	------------------------

10.5. Incompatible materials

Incompatible materials	Strong oxidising agents.
------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon oxides. Silicon oxides. Formaldehyde. Aldehydes. Alcohols. Ether. Organic Acids.
----------------------------------	---

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	Inhalation of vapours in high concentration may cause irritation of respiratory system.
Eye contact	May cause slight eye irritation. Corneal injury is unlikely.
Skin contact	Brief contact may cause slight skin irritation with local redness.
Ingestion	May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms**Acute toxicity**Numerical measures of toxicity****Oral LD50**

No deaths occurred at this concentration Oral LD50 > 1500 mg/kg

Dermal LD50

Dermal LD50 > 5000 mg/kg

Inhalation LC50

No deaths occurred at this concentration Inhalation LC50 > 0.68 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
DIMETHYL METHYL(PROPYL(POLY(EO(HYDROXY) SILOXANE, TRIMETHYL SILOXY TERM	> 1500 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
POLYETHYLENE GLYCOL	> 10000 mg/kg (Rat)	> 20000 mg/kg (Rat)	> 2.5 mg/l (Rat) (6h)
OCTAMETHYLCYCLOTETRASILOXANE	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat)	= 36 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Brief contact may cause slight skin irritation with local redness.

DIMETHYL METHYL(PROPYL(POLY(EO(HYDROXY) SILOXANE, TRIMETHYL SILOXY TERM (68937-54-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Brief contact may cause slight skin irritation with local redness.

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Prolonged exposure not likely to cause significant skin irritation. May cause more severe response if skin is abraded (scratched or cut).

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use Brief contact is essentially non-irritating to skin.

Serious eye damage/eye irritation

May cause slight eye irritation. Corneal injury is unlikely.

DIMETHYL METHYL(PROPYL(POLY(EO(HYDROXY) SILOXANE, TRIMETHYL SILOXY TERM (68937-54-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause temporary eye

					irritation
--	--	--	--	--	------------

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause temporary eye irritation Corneal injury is unlikely

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

Respiratory or skin sensitisation Not a skin sensitiser.

DIMETHYL METHYL(PROPYL(POLY(EO(HYDROXY) SILOXANE, TRIMETHYL SILOXY TERM (68937-54-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser
	Human evidence	Dermal	Negative

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

Germ cell mutagenicity No information available.

Component Information

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

Carcinogenicity No information available.

Component Information

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Results
		Did not cause cancer in laboratory animals.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Results from a 2 year repeated vapour

		inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.
--	--	--

Reproductive toxicity No information available.

Chemical name	United Kingdom
OCTAMETHYLCYCLOTETRASILOXANE	Repr. 2

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Suspected of damaging fertility

STOT - single exposure No information available.

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Evaluation of available data suggests that this material is not an STOT-SE toxicant

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Evaluation of available data suggests that this material is not an STOT-SE toxicant

STOT - repeated exposure Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Component Information

DIMETHYL METHYL(PROPYL(POLY(EO(HYDROXY) SILOXANE, TRIMETHYL SILOXY TERM (68937-54-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, repeated exposures are not anticipated to cause significant adverse effects

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, repeated exposures are not anticipated to cause significant adverse effects Recent findings of kidney failure and death in burn patients, as well as some studies using animal burn models, suggest that polyethylene glycol may have been a factor. The use of topical applications containing this material may not be appropriate in severely burned patients.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Kidney Liver respiratory tract Female reproductive organs

Aspiration hazard

Based on available data the classification criteria are not met.

Other adverse effects

No information available.

SECTION 12: Ecological information**12.1. Toxicity****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Method	Species	Endpoint type	Effective dose	Exposure time	Results
Acute toxicity	Cyprinodon variegatus	LC50	> 1080 mg/L	96 hours	
Acute toxicity	Oncorhynchus mykiss (rainbow	LC50	892 mg/L	96 hours	

	trout)				
Acute toxicity	Daphnia magna	EC50	> 1040 mg/L	48 hours	
Acute toxicity	Mysidopsis bahia	LC50	11 mg/L	96 hours	
Acute toxicity	Skeletonema costatum	ErC50	14 mg/L	72 hours	
Acute toxicity	Skeletonema costatum	NOEC	3 mg/L	72 hours	
Acute toxicity	Lemna gibba	ErC50	> 1020 mg/L	7 days	
Acute toxicity	Pseudokirchneriella subcapitata	EyC50	746 mg/L	96 hours	
Acute toxicity	Pseudokirchneriella subcapitata	NOEC	< 78.1 mg/L	96 hours	
Acute toxicity	activated sludge	EC50	115 mg/L	3 hours	

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Pimephales promelas	LC50	58900 mg/L	96 hours	
	Daphnia magna	EC50	22100 mg/L	48 hours	
	Bacteria toxicity	EC50	> 10000 mg/L	16 hours	

OCTAMETHYLCYCLOTETRASIOXANE (556-67-2)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
Acute toxicity	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.022 mg/L	96 hours	
Acute toxicity	Cyprinodon variegatus	LC50	> 0.0063 mg/L	14 days	
Acute toxicity	Mysidopsis bahia	EC50	> 0.0091 mg/L	96 hours	
Acute toxicity	Daphnia magna	EC50	> 0.015 mg/L	48 hours	
Acute toxicity	Pseudokirchneriella subcapitata	ErC50	> 0.022 mg/L	96 hours	
Acute toxicity	Pseudokirchneriella subcapitata	EC10	>= 0.022 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.0044 mg/L	93 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0079 mg/L	21 days	

12.2. Persistence and degradability

Persistence and degradability Expected to biodegrade very slowly.

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	Biodegradation 15.6 %	Expected to biodegrade very slowly

POLYETHYLENE GLYCOL (25322-68-3)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	Biodegradation 90 %	Readily biodegradable

OCTAMETHYLCYCLOTETRASIOXANE (556-67-2)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 3.7%	Expected to biodegrade very slowly

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
OCTAMETHYLCYCLOTETRASILOXANE	6.49

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
POLYETHYLENE GLYCOL	The substance is not PBT / vPvB
OCTAMETHYLCYCLOTETRASILOXANE	PBT substance vPvB substance

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

- 14.1 UN number or ID number Not regulated
- 14.2
- 14.3 Transport hazard class(es) Not regulated
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards No
- 14.6 Special precautions for user
- Special Provisions None

IMDG

- 14.1 UN number or ID number Not regulated
- 14.3 Transport hazard class(es) Not regulated
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards No
- 14.6 Special precautions for user
- Special Provisions None
- 14.7 Maritime transport in bulk according to IMO instruments No information available

RID

- 14.1 UN number or ID number Not regulated
- 14.2 UN proper shipping name Not regulated
- 14.3 Transport hazard class(es) Not regulated

14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Product restricted per REACH Annex XVII: 3. 75

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
OCTAMETHYLCYCLOTETRAILOXANE - 556-67-2	Use restricted. See item 70. 75	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status

AIIC
NZIoC

Contact supplier for inventory compliance status
Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment**Chemical Safety Report**

No Chemical Safety Assessment has been carried out for this substance/mixture

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note [SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16](#)

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Lisa Bland

Supersedes date 31-Aug-2023

Revision date 25-Feb-2025

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet