

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 14-Dec-2023

Revision date 05-Mar-2025

Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 52446
Safety data sheet number 52446
Product Name XIAMETER OFX 5330 FLUID
CAS No 68037-64-9
Synonyms DOW CORNING 5330 FLUID
Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cosmetics

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Chronic aquatic toxicity	Category 3 - (H412)
---------------------------------	---------------------

2.2. Label elements

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: . Water. Alcohols. Acidic. Bases. Oxidising Agent.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER 68037-64-9	90 - 100%	-	-	Not Classified	-	-	-
DECAMETHYLCYCLOPENTASILOXANE 541-02-6	>= 0.13 - <= 0.16 %	208-764-9	01-3283125615-4-XXX X	Not Classified	-	-	-
OCTAMETHYLCYCLOTETRAASILOXANE 556-67-2	>= 0.09 - <= 0.18 %	209-136-7 (014-018-00-1)	-	Flam. Liq. 3 (H226) Aquatic Chronic 1 (H410) Repr. 2 (H361f)	-	-	10

Full text of H- and EUH-phrases: see section 16

Chemical name	CAS No	SVHC candidates
DECAMETHYLCYCLOPENTASILOXANE	541-02-6	X
OCTAMETHYLCYCLOTETRAASILOXANE	556-67-2	X

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

Eyes	May cause slight eye irritation.
-------------	----------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Water spray. Alcohol resistant foam. Carbon dioxide (CO2).
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams. Dry chemical.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed. Applying foam will release significant amounts of hydrogen gas that can be trapped under the foam blanket. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	Carbon oxides. Silicon oxides. Acetic acid. Formaldehyde.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours.
-----------------------------	---

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take up mechanically, placing in appropriate containers for disposal. Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: Water. Acidic. Bases. Alcohols. Oxidising Agent.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Do not swallow. Protect from moisture. Water. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice. Empty containers retain product residue and can be hazardous.

General hygiene considerations Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Store locked up. This product slowly evolves hydrogen on storage. Do not repackage. Closed containers can burst violently when heated, due to excess pressure build-up. Store away from the following materials. Strong oxidising agents.

Packaging materials Do not store in or use containers except the original product package.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
DECAMETHYLCYCLOPENTASILOXANE 541-02-6			97.3 mg/m ³ [4] [6] 24.2 mg/m ³ [5] [6]
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2			73 mg/m ³ [4] [6] 73 mg/m ³ [5] [6]

[4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
DECAMETHYLCYCLOPENTASILOXANE 541-02-6	5 mg/kg bw/day [4] [6]		17.3 mg/m ³ [4] [6] 4.3 mg/m ³ [5] [6]
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	3.7 mg/kg bw/day [4] [6]		13 mg/m ³ [4] [6] 13 mg/m ³ [5] [6]

[4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
DECAMETHYLCYCLOPENTASILOXANE 541-02-6	> 0.0012 mg/l		> 0.00012 mg/l		
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	0.0015 mg/L		0.00015 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
DECAMETHYLCYCLOPENTASILOXANE 541-02-6	2.4 mg/kg	0.24 mg/kg	> 10 mg/l	1.1 mg/kg	16 mg/kg food
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves	> 0.35 mm	> 60 minutes
	Ethyl vinyl alcohol laminate ("EVAL")	> 0.35 mm	> 60 minutes
	Wear protective Neoprene™ gloves	> 0.35 mm	> 60 minutes
	Nitrile/butadiene rubber ("nitrile" or "NBR").	> 0.35 mm	> 60 minutes
	Polyvinyl chloride (PVC)	> 0.35 mm	> 60 minutes

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection Use appropriate respiratory protection.
Organic gases and vapours filter conforming to EN 14387. Type A.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state Liquid
Appearance Liquid
Colour light Amber
Odour Slight.
Odour threshold No information available

Property	Values	Remarks • Method
Melting point / freezing point		Not determined.
Initial boiling point and boiling range	> 100 °C	@ 760 mmHg.
Flammability		Not applicable.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	102.7 °C	Setaflash closed cup.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	1945 cSt	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility		Not determined.
Solubility(ies)		No information available.
Partition coefficient		Not determined.

Vapour pressure		No information available.
Relative density	1	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		Not applicable.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No known effects under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react with the product:. Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Water. Alcohols. Acidic. Bases. Oxidising Agent. Metals. Hazardous decomposition products will be formed at elevated temperatures.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Silicon oxides. Acetic acid. Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Inhalation of vapours in high concentration may cause irritation of respiratory system.
Eye contact	May cause slight eye irritation.
Skin contact	Non-irritating during normal use. Brief contact is essentially non-irritating to skin.

Ingestion

May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms****Acute toxicity****Numerical measures of toxicity****Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
DECAMETHYLCYCLOPENTASILOXANE	> 24134 mg/kg (Rat)	> 2000 (Rabbit)	8.67 mg/l (Rat) 4h
OCTAMETHYLCYCLOTETRAILOXANE	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat)	= 36 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Non-irritating during normal use. Brief contact is essentially non-irritating to skin.

SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER (68037-64-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Brief contact is essentially non-irritating to skin.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

OCTAMETHYLCYCLOTETRAILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use Brief contact is essentially non-irritating to skin.

Serious eye damage/eye irritation

May cause slight eye irritation.

SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER (68037-64-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause slight eye irritation Corneal injury is unlikely

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

OCTAMETHYLCYCLOTETRAISILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

Respiratory or skin sensitisation No information available.

SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER (68037-64-9)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Results
	Mouse	Dermal	Not a skin sensitiser

OCTAMETHYLCYCLOTETRAISILOXANE (556-67-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

Germ cell mutagenicity No information available.

Component Information

SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER (68037-64-9)

Method	Species	Results
	in vitro	Negative

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

OCTAMETHYLCYCLOTETRAISILOXANE (556-67-2)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

Carcinogenicity No information available.

Component Information

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of decamethylcyclpentasiloxane (D5) indicate effects (uterine endometrial tumors) in female animals. This finding occurred at the highest exposure dose

		(160 ppm) only. Studies to date have not demonstrated if this effect occurs through a pathway that is relevant to humans.
--	--	---

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

Reproductive toxicity

Contains a known or suspected reproductive toxin.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	United Kingdom
OCTAMETHYLCYCLOTETRASILOXANE	Repr. 2

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Suspected of damaging fertility

STOT - single exposure

Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Evaluation of available data suggests that this material is not an STOT-SE toxicant

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Evaluation of available data

					suggests that this material is not an STOT-SE toxicant
--	--	--	--	--	--

STOT - repeated exposure No information available.

Component Information

SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER (68037-64-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, repeated exposures are not anticipated to cause significant adverse effects

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, repeated exposures are not anticipated to cause significant adverse effects

OCTAMETHYLCYCLOTETRASIOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Kidney Liver respiratory tract Female reproductive organs

Aspiration hazard Based on available data the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER (68037-64-9)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test or Equivalent.	Oncorhynchus mykiss (rainbow trout)	LC50	> 884 mg/L	96 hours	
OECD Test No. 203: Fish, Acute Toxicity Test or Equivalent.	Cyprinodon variegatus	LC50	> 972 mg/L	96 hours	
OECD Test No. 202:	Daphnia magna	EC50	> 963 mg/L	48 hours	

Daphnia sp., Acute Immobilisation Test or Equivalent.					
Acute toxicity	Mysidopsis bahia	LC50	183 mg/L	96 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test or Equivalent.	Skeletonema costatum	ErC50	7.6 mg/L	96 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test or Equivalent.	Skeletonema costatum	NOEC	3.0 mg/L	96 hours 96	
Acute toxicity	Lemna gibba G3	EC50	> 977 mg/L	7 days	
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	activated sludge	EC50	> 2000 mg/L	3 hours	

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 204: Fish, Prolonged Toxicity Test: 14-Day Study or Equivalent.	Oncorhynchus mykiss (rainbow trout)	LC50	>16 µg/l	96 hours	No toxicity up to the limit of solubility
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test or Equivalent.	aquatic invertebrates Daphnia magna	EC50	>2.9 mg/L	48 hours	No toxicity up to the limit of solubility
Acute toxicity	Pseudokirchneriella subcapitata	ErC50	>0.012 mg/L	96 hours	No toxicity up to the limit of solubility
Acute toxicity	Pseudokirchneriella subcapitata	NOEC	0.012 mg/L	96 hours	No toxicity up to the limit of solubility
Chronic toxicity	Oncorhynchus mykiss (rainbow trout)	LC50	> 16 mg/L	14 days	No toxicity up to the limit of solubility
Chronic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.017 mg/L	14 days	No toxicity up to the limit of solubility
Chronic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.014 mg/L	14 days	No toxicity up to the limit of solubility
	Daphnia magna	NOEC	0.015 mg/L	21 days	
	Eisenia fetida	NOEC	>= 76 mg/L		

OCTAMETHYLCYCLOTETRAILOXANE (556-67-2)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
Acute toxicity	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.022 mg/L	96 hours	
Acute toxicity	Cyprinodon variegatus	LC50	> 0.0063 mg/L	14 days	
Acute toxicity	Mysidopsis bahia	EC50	> 0.0091 mg/L	96 hours	
Acute toxicity	Daphnia magna	EC50	> 0.015 mg/L	48 hours	
Acute toxicity	Pseudokirchneriella subcapitata	ErC50	> 0.022 mg/L	96 hours	

Acute toxicity	Pseudokirchneriella subcapitata	EC10	≥ 0.022 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	≥ 0.0044 mg/L	93 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0079 mg/L	21 days	

12.2. Persistence and degradability

Persistence and degradability No information available.

SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER (68037-64-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO ₂ Evolution Test (TG 301 B)	28 days	Biodegradation 9.9 %	Expected to biodegrade very slowly

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 0.14%	Expected to biodegrade very slowly

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 3.7%	Expected to biodegrade very slowly

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
DECAMETHYLCYCLOPENTASILOXANE	5.2
OCTAMETHYLCYCLOTETRASILOXANE	6.49

12.4. Mobility in soil

Mobility in soil Not determined.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
DECAMETHYLCYCLOPENTASILOXANE	PBT substance vPvB substance
OCTAMETHYLCYCLOTETRASILOXANE	PBT substance vPvB substance

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
SILOXANES AND SILICONES, DI-ME, ME HYDROGEN, REACTION PRODUCTS WITH	Use restricted. See item 75	-

POLYETHYLENE-POLYPROPYLENE GLYCOL MONOACETATE ALLYL ETHER - 68037-64-9		
DECAMETHYLCYCLOPENTASILOXANE - 541-02-6	Use restricted. See item 70.	-
OCTAMETHYLCYCLOTETRAISILOXANE - 556-67-2	Use restricted. See item 70. 75	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories**TSCA**

Contact supplier for inventory compliance status

DSL/NDL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC

Contact supplier for inventory compliance status

KECI

Contact supplier for inventory compliance status

PICCS

Contact supplier for inventory compliance status

AIIC

Contact supplier for inventory compliance status

NZIoC

Contact supplier for inventory compliance status

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**15.2. Chemical safety assessment****Chemical Safety Report**

No Chemical Safety Assessment has been carried out for this substance/mixture

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet**

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H361f - Suspected of damaging fertility

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

Ceiling Maximum limit value

+ Sensitisers

STEL

*

STEL (Short Term Exposure Limit)

Skin designation

Revision Note **SDS sections updated 1 4 5 7 8 9 11 15 16****Classification procedure**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute oral toxicity

Acute dermal toxicity

Acute inhalation toxicity - gas

Acute inhalation toxicity - vapour

Acute inhalation toxicity - dust/mist

Skin corrosion/irritation

Serious eye damage/eye irritation

Respiratory sensitisation

Skin sensitisation

Mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Acute aquatic toxicity

Chronic aquatic toxicity

Aspiration hazard

Ozone

Method Used

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared By Lisa Bland

Supersedes date 14-Dec-2023

Revision date 05-Mar-2025

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet