

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 16-Mar-2021

Revision date 16-Apr-2024

Revision Number 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 10893

Safety data sheet number 10893

Product Name XIAMETER OFX-8220 FLUID

Substance Name DIMETHYL, METHYL(AMINOETHYLAMINOISOBUTYL) SILOXANE,
TRIMETHYLSILOXY-TERMINATED

CAS No 106842-44-8

Pure substance/mixture Substance

Contains DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED;
OCTAMETHYLCYCLOTETRASILOXANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Textiles Leather treatment

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute toxicity - Inhalation (Dusts/Mists)	Category 2 - (H330)
--	---------------------

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Reproductive toxicity	Category 2 - (H361)
Chronic aquatic toxicity	Category 1 - (H410)

2.2. Label elements

Contains DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED; OCTAMETHYLCYCLOTETRASIOXANE



Signal word

Danger

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H361f - Suspected of damaging fertility

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P260 - Do not breathe mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P391 - Collect spillage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
DIMETHYL,METHYL(AMINOETHYLAM	>= 86.0 - <= 92.0	-	-	Aquatic Chronic 2 (H411)	-	-	-

INOSIOBUYTL), SILOXANE TRIMETHYLSILOX Y-TERMINATED 106842-44-8	%			Eye Irrit. 2 (H319) Skin Irrit. 2 (H315) Acute Tox. 2 (H300)			
OCTAMETHYLCYC LOTETRASIOLOXAN E 556-67-2	5.4%	209-136-7 (014-018-00 -1)	-	Flam. Liq. 3 (H226) Aquatic Chronic 1 (H410) Repr. 2 (H361f)	-	-	10
DECAMETHYLCYC LOPENTASIOLOXAN E 541-02-6	3.7%	208-764-9	01-3283125615-4-XXX X	-	-	-	-
DODECAMETHYLC YCLOHEXASIOLOX ANE 540-97-6	1.2%	208-762-8	-	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Chemical name	CAS No	SVHC candidates
OCTAMETHYLCYCLOTETRASIOLOXANE	556-67-2	X
DECAMETHYLCYCLOPENTASIOLOXANE	541-02-6	X
DODECAMETHYLCYCLOHEXASIOLOXANE	540-97-6	X

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	First aid personnel should wear appropriate protective equipment during any rescue. Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. If breathing is irregular or stopped, administer artificial respiration. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur. Ensure that eyewash stations and safety showers are close to the workstation location.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Suspected of damaging fertility.
Inhalation	Fatal if inhaled.

Eyes Causes serious eye irritation.

Dermal Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Alcohol resistant foam. Dry chemical. Dry sand.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical When heated and in case of fire, toxic vapours/gases may be formed. Flash back possible over considerable distance. Closed containers can burst violently when heated, due to excess pressure build-up. Fire burns more vigorously than would be expected. Vapours may form explosive mixtures with air.

Hazardous combustion products Carbon oxides. Silicon oxides. Nitrogen oxides (NOx). Formaldehyde.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Evacuate personnel to safe areas. Remove all sources of ignition. No action shall be taken involving any personal risk or without suitable training.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use non-sparking tools. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Suppress (knock down) gases/vapours/mists with a water spray jet. Do not allow run-off from fire-fighting to enter drains or water courses.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Do not swallow. Keep container closed when not in use. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice. Empty containers retain product residue and can be hazardous.

General hygiene considerations Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Store locked up. Keep away from open flames, hot surfaces and sources of ignition. Store away from the following materials. Strong oxidising agents. Flammable liquid. Flammable solid. Pyrophoric liquids. Pyrophoric solids. Self-heating substances and mixtures. Substances and mixtures, which in contact with water, emit flammable gases. Explosives. Gases.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2			73 mg/m ³ [4] [6] 73 mg/m ³ [5] [6]
DECAMETHYLCYCLOPENTASILOXANE			97.3 mg/m ³ [4] [6] 24.2 mg/m ³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
541-02-6			
DODECAMETHYLCYCLOHEXASILOXANE 540-97-6			11 mg/m ³ [4] [6] 1.22 mg/m ³ [5] [6] 6.1 mg/m ³ [5] [7]

[4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
OCTAMETHYLCYCLOTETRAILOXANE 556-67-2	3.7 mg/kg bw/day [4] [6]		13 mg/m ³ [4] [6] 13 mg/m ³ [5] [6]
DECAMETHYLCYCLOPENTASILOXANE 541-02-6	5 mg/kg bw/day [4] [6]		17.3 mg/m ³ [4] [6] 4.3 mg/m ³ [5] [6]
DODECAMETHYLCYCLOHEXASILOXANE 540-97-6	1.7 mg/kg bw/day [4] [6] 1.7 mg/kg bw/day [4] [7]		2.7 mg/m ³ [4] [6] 0.3 mg/m ³ [5] [6] 1.5 mg/m ³ [5] [7]

[4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	0.0015 mg/L		0.00015 mg/L		
DECAMETHYLCYCLOPE NTASILOXANE 541-02-6	>0.0012 mg/l		>0.00012 mg/l		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food
DECAMETHYLCYCLOPE NTASILOXANE 541-02-6	11 mg/kg sediment dw	1.1 mg/kg sediment dw	10 mg/L	2.54 mg/kg soil dw	16 mg/kg food
DODECAMETHYLCYCLO HEXASILOXANE 540-97-6	13 mg/kg sediment dw	1.3 mg/kg sediment dw			66.7 mg/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves	> 0.35 mm	> 120 minutes
	Rubber (natural, latex)	> 0.35 mm	> 120 minutes
	Wear protective Neoprene™ gloves	> 0.35 mm	> 120 minutes
	Wear protective nitrile rubber gloves	> 0.35 mm	> 120 minutes
	Ethyl vinyl alcohol laminate ("EVAL")	> 0.35 mm	> 120 minutes
	Polyvinyl chloride (PVC)	> 0.35 mm	> 120 minutes

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection Use appropriate respiratory protection.
Organic gases and vapours filter conforming to EN 14387. Type AP2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state Liquid
Appearance Liquid
Colour Colourless To Light (or pale) yellow
Odour Fishy.
Odour threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		Not determined.
Initial boiling point and boiling range	> 65 °C	@ 760 mmHg.
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	62.7 °C	Pensky-Martens closed cup.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	130 cSt	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility		Not determined.
Solubility(ies)		No information available.

Partition coefficient		Not determined.
Vapour pressure		No information available.
Relative density	0.97	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		Not applicable. liquid.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity No known effects under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react with the product:.. Strong oxidising agents. Vapours may form explosive mixtures with air. Combustible liquid.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Silicon oxides. Nitrogen oxides (NOx). Formaldehyde.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	Fatal if inhaled.
Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation.

Ingestion

May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms**

Suspected of damaging fertility.

Acute toxicity**Numerical measures of toxicity**

> 5000 mg/kg > 2000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED	> 8000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 0.204 mg/l (Rat) 4 h
OCTAMETHYLCYCLOTETRASILOXANE	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat)	= 36 mg/L (Rat) 4 h
DECAMETHYLCYCLOPENTASILOXANE	> 24134 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 8.67 mg/L (Rat) 4 h
DODECAMETHYLCYCLOHEXASILOXANE	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Causes skin irritation.

DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED (106842-44-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes skin irritation Redness

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

Serious eye damage/eye irritation

Causes serious eye irritation.

DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED (106842-44-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes serious eye irritation

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause temporary eye irritation

Respiratory or skin sensitisation Not classified. Not sensitizing in animals.

DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED (106842-44-8)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser
	Human evidence	Dermal	Not a skin sensitiser

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Results
	Mouse	Dermal	Not a skin sensitiser

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

Germ cell mutagenicity Did not show mutagenic effects in animal experiments.

Component Information

DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED (106842-44-8)

Method	Species	Results
	in vitro	Negative

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

Carcinogenicity

No information available.

Component Information

OCTAMETHYLCYCLOTETRAILOXANE (556-67-2)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of decamethylcyclopentasiloxane (D5) indicate effects (uterine endometrial tumors) in female animals. This finding occurred at the highest exposure dose (160 ppm) only. Studies to date have not demonstrated if this effect occurs through a pathway that is relevant to humans.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Results
		Did not cause cancer in laboratory animals.

Reproductive toxicity

Suspected of damaging fertility.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	United Kingdom
OCTAMETHYLCYCLOTETRAILOXANE	Repr. 2

OCTAMETHYLCYCLOTETRAILOXANE (556-67-2)

Method	Species	Results
		Suspected of damaging fertility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
		This product does not contain any

		known or suspected reproductive hazards
--	--	---

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

Teratogenicity Suspected of damaging fertility.

STOT - single exposure No information available.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Kidney Liver respiratory tract Female reproductive organs

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

STOT - repeated exposure No information available.

DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED (106842-44-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single

					oral, single inhalation, or single dermal exposure.
--	--	--	--	--	---

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

Aspiration hazard

Based on available data the classification criteria are not met.

Other adverse effects

No information available.

SECTION 12: Ecological information**12.1. Toxicity****Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	1.6 mg/L	48 hours	

DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED (106842-44-8)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	1.6 mg/L	48 hours	

OCTAMETHYLCYCLOTETRASIOXANE (556-67-2)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.022 mg/L	96 hours	
	Cyprinodon variegatus	LC50	> 0.0063 mg/L	14 days	
	Mysidopsis bahia	EC50	> 0.0091 mg/L	96 hours	
	Daphnia magna	EC50	> 0.015 mg/L	48 hours	
	Pseudokirchneriella subcapitata	ErC50	> 0.022 mg/L	96 hours	
	Pseudokirchneriella	EC10	>= 0.022 mg/L	96 hours	

	subcapitata				
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	≥ 0.0044 mg/L	93 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0079 mg/L	21 days	

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 204: Fish, Prolonged Toxicity Test: 14-Day Study	Oncorhynchus mykiss (rainbow trout)	LC50	> 16 µg/l	96 hours	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	> 2.9 mg/L	48 hours	
	Pseudokirchneriella subcapitata	ErC50	> 0.012 mg/L	96 hours	
	Pseudokirchneriella subcapitata	NOEC	0.012 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	LC50	> 16 mg/L	14 days	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	≥ 0.017 mg/L	45 days	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	≥ 0.014 mg/L	90 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.015 mg/L	21 days	
	Eisenia fetida	NOEC	≥ 76 mg/kg		

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Pseudokirchneriella subcapitata	ErC50	> 0.002 mg/L	72 hours	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0046 mg/L	21 days	

12.2. Persistence and degradability

Persistence and degradability Expected to biodegrade very slowly.

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO ₂ Evolution Test (TG 301 B) or Equivalent.		Biodegradation 0.43 %	Expected to biodegrade very slowly

DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED (106842-44-8)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO ₂ Evolution Test (TG 301 B) or Equivalent.		Biodegradation 0.43 %	Expected to biodegrade very slowly

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 3.7%	Expected to biodegrade very slowly

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Exposure time	Value	Results
--------	---------------	-------	---------

OECD 310	28 days	Biodegradation 0.14%	Expected to biodegrade very slowly
----------	---------	----------------------	------------------------------------

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	Biodegradation 4.5%	Not readily biodegradable

12.3. Bioaccumulative potential**Bioaccumulation**

There is no data for this product.

Component Information

Chemical name	Partition coefficient
OCTAMETHYLCYCLOTETRASILOXANE	6.49
DECAMETHYLCYCLOPENTASILOXANE	5.2
DODECAMETHYLCYCLOHEXASILOXANE	8.87

12.4. Mobility in soil**Mobility in soil**

No information available.

12.5. Results of PBT and vPvB assessment**PBT and vPvB assessment**

The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
OCTAMETHYLCYCLOTETRASILOXANE	PBT substance vPvB substance
DECAMETHYLCYCLOPENTASILOXANE	PBT substance vPvB substance
DODECAMETHYLCYCLOHEXASILOXANE	vPvB substance

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

SECTION 14: Transport information**IATA****14.1 UN number or ID number**

UN3082

14.2 UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED, OCTAMETHYLCYCLOTETRASILOXANE)

14.3 Transport hazard class(es)

9

14.4 Packing group

III

14.5 Environmental hazards

Yes

14.6 Special precautions for user**Special Provisions**

A97, A158, A197

ERG Code

9L

IMDG

14.1 UN number or ID number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED, OCTAMETHYLCYCLOTETRASIOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 969
EmS-No	F-A, S-F
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED, OCTAMETHYLCYCLOTETRASIOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601
Classification code	M6

ADR

14.1 UN number or ID number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (DIMETHYL,METHYL(AMINOETHYLAMINOSIOBUYTL), SILOXANE TRIMETHYLSILOXY-TERMINATED, OCTAMETHYLCYCLOTETRASIOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 601, 375
Classification code	M6
Tunnel restriction code	(-)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
OCTAMETHYLCYCLOTETRASIOXANE - 556-67-2	Use restricted. See item 70.	-
DECAMETHYLCYCLOPENTASILOXANE - 541-02-6	Use restricted. See item 70.	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

H2 - ACUTE TOXIC

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status

DSL/NDSL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC

Contact supplier for inventory compliance status

KECI

Contact supplier for inventory compliance status

PICCS

Contact supplier for inventory compliance status

AIIC

Contact supplier for inventory compliance status

NZIoC

Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H226 - Flammable liquid and vapour

H300 - Fatal if swallowed

H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H361f - Suspected of damaging fertility
 H410 - Very toxic to aquatic life with long lasting effects
 H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note **SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16**

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Prepared By Lisa Bland
Supersedes date 16-Mar-2021
Revision date 16-Apr-2024

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet