

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 02-Apr-2020

Revision date 12-Aug-2024

Revision Number 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 10849

Safety data sheet number 10849

Product Name DOWSIL 67 ADDITIVE

Synonyms DC 67 ADDITIVE, DOW CORNING 67 ADDITIVE

Pure substance/mixture Substance

Contains 3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Surface active agents
Additive
Softeners

1.3. Details of the supplier of the safety data sheet

Supplier
Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains 3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE

**Signal word**

Danger

Hazard statements

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P234 - Keep only in original packaging

P261 - Avoid breathing spray

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P391 - Collect spillage

P403 - Store in a well-ventilated place

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: Water. Alcohols. Acidic. Bases. Oxidising Agent.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
3-(POLYOXYETHYLENE)	>= 72.0 - <= 88.0	-	-	Eye Dam. 1 (H318) Acute Tox. 4 (H332)	-	-	-

PROPYLHEPTAMETHYLTRISILOXANE 67674-67-3	%			Aquatic Chronic 2 (H411)			
POLYETHYLENE GLYCOL 25322-68-3	<= 9.0 %	500-038-2	-	-	-	-	-
HEXAMETHYLDISILOXANE 107-46-0	<= 0.15 %	203-492-7	-	Aquatic Chronic 2 (H411) Aquatic Acute 1 (H400) Flam. Liq. 2 (H225)	-	1	-
OCTAMETHYLCYCLOTETRA-SILOXANE 556-67-2	<= 0.029 %	209-136-7 (014-018-00-1)	-	Flam. Liq. 3 (H226) Aquatic Chronic 1 (H410) Repr. 2 (H361f)	-	-	10

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	First aid personnel should wear appropriate protective equipment during any rescue. Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

Inhalation	Harmful if inhaled.
Eyes	Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. Causes eye burns.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Maintain adequate ventilation and oxygenation of the patient. Chemical eye burns may require extended irrigation. Chemical burns must be treated promptly by a physician.
------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Alcohol resistant foam. Carbon dioxide (CO ₂). Water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams. Dry chemical.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed. Applying foam will release significant amounts of hydrogen gas that can be trapped under the foam blanket. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	Carbon oxides. Silicon oxides. Formaldehyde. Aldehydes. Alcohols. Ether. Organic Acids.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take up mechanically, placing in appropriate containers for disposal. Do not allow run-off from fire-fighting to enter drains or water courses. Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: Water. Acidic. Bases. Alcohols. Oxidising Agent.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Advice on safe handling	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid
--------------------------------	--

contact with skin, eyes and inhalation of vapours. Do not swallow. Keep container closed when not in use. Protect from moisture. Water. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice. Empty containers retain product residue and can be hazardous.

General hygiene considerations Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Product may evolve minute quantities of flammable hydrogen gas which can accumulate. Do not repackage. Closed containers can burst violently when heated, due to excess pressure build-up. Store away from the following materials. Strong oxidising agents.

Packaging materials Unsuitable container/equipment material. Do not store in or use containers except the original product package.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
POLYETHYLENE GLYCOL 25322-68-3		112 mg/kg bw/day [4] [6]	40.2 mg/m ³ [4] [6]
HEXAMETHYLDISILOXANE 107-46-0		333 mg/kg bw/day [4] [6]	53.4 mg/m ³ [4] [6]
OCTAMETHYLCYCLOTETRAILOXANE 556-67-2			73 mg/m ³ [4] [6] 73 mg/m ³ [5] [6]

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
POLYETHYLENE GLYCOL 25322-68-3	40 mg/kg bw/day [4] [6]		7.14 mg/m ³ [4] [6]

Chemical name	Oral	Dermal	Inhalation
HEXAMETHYLDISILOXANE 107-46-0	0.27 mg/kg bw/day [4] [6]		13.3 mg/m ³ [4] [6]
OCTAMETHYLCYCLOTETRASIOXA NE 556-67-2	3.7 mg/kg bw/day [4] [6]		13 mg/m ³ [4] [6] 13 mg/m ³ [5] [6]

[4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
POLYETHYLENE GLYCOL 25322-68-3	0.273 g/L	1 mg/L	27.3 mg/L	0.1 mg/L	
HEXAMETHYLDISILOXA NE 107-46-0	0.002 mg/L	0.003 mg/L	0.0 mg/l		
OCTAMETHYLCYCLOTE TRASIOXANE 556-67-2	0.0015 mg/L		0.00015 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
POLYETHYLENE GLYCOL 25322-68-3	1030 mg/kg sediment dw	103 mg/kg sediment dw		46.4 mg/kg soil dw	
HEXAMETHYLDISILOXA NE 107-46-0	8.9 mg/kg sediment dw	0.89 mg/kg sediment dw	10 mg/L	0.083 mg/kg soil dw	5.3 mg/kg food
OCTAMETHYLCYCLOTE TRASIOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves	> 0.35 mm	> 120 minutes
	Ethyl vinyl alcohol laminate ("EVAL")	> 0.35 mm	> 120 minutes

	Wear protective Neoprene™ gloves	> 0.35 mm	> 120 minutes
	Wear protective nitrile rubber gloves	> 0.35 mm	> 120 minutes
	Polyvinyl chloride (PVC)	> 0.35 mm	> 120 minutes

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection Use appropriate respiratory protection.
Organic gases and vapours filter conforming to EN 14387. Type AP2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	Amber
Odour	Characteristic.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point		Not determined.
Initial boiling point and boiling range	100 °C	@ 760 mmHg.
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	> 101.1 °C	Closed cup.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	40 cSt	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility		Not determined.
Solubility(ies)		No information available.
Partition coefficient		Not determined.
Vapour pressure		No information available.
Relative density	1.02	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		Not applicable.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No known effects under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react with the product: Strong oxidising agents. Some hydrogen gas may be released. Hydrogen is flammable and can form explosive mixtures with air. Avoid contact with: Water. Alcohols. Acidic. Bases. Oxidising Agent. Metals. Hazardous decomposition products will be formed at elevated temperatures.

10.4. Conditions to avoid

Conditions to avoid Excessive heat. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Silicon oxides. Formaldehyde. Aldehydes. Alcohols. Ether. Organic Acids.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Harmful if inhaled.

Eye contact Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. Causes eye burns.

Skin contact May cause slight skin irritation. Redness.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 Oral LD50 > 5050 mg/kg

Dermal LD50 Dermal LD50 > 2000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE	> 5050 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	2.3 mg/L (Rabbit) 4h
POLYETHYLENE GLYCOL	> 10000 mg/kg (Rat)	> 10000 mg/kg (Rat)	> 2.5 mg/l (Rat) (6h)
HEXAMETHYLDISILOXANE	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	106 mg/l (Rat) 4 h
OCTAMETHYLCYCLOTETRASILOXANE	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat)	= 36 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause slight skin irritation. Redness.

3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE (67674-67-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause slight irritation Redness

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Prolonged contact may cause redness and irritation

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

Serious eye damage/eye irritation Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. Causes eye burns.

3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE (67674-67-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes serious eye damage May cause permanent damage if eye is not immediately irrigated. Causes eye burns

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause temporary eye irritation Corneal injury is unlikely

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause slight eye irritation

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

Respiratory or skin sensitisation No information available.

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser
	Human evidence	Dermal	Negative

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Exposure route	Results
	Guinea pig human data	Dermal	Not a skin sensitiser

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

Germ cell mutagenicity Did not show mutagenic effects in animal experiments.

Product Information		
Method	Species	Results
	in vitro	Negative

Component Information

3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE (67674-67-3)

Method	Species	Results
	in vitro	Negative

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

Carcinogenicity No information available.

Component Information

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Results
		Did not cause cancer in laboratory animals.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

Reproductive toxicity

Contains a known or suspected reproductive toxin.

Chemical name	United Kingdom
OCTAMETHYLCYCLOTETRASILOXANE	Repr. 2

3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE (67674-67-3)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Suspected of damaging fertility

STOT - single exposure

No information available.

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

OCTAMETHYLCYCLOTETRAISILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

STOT - repeated exposure

No information available.

Component Information

3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE (67674-67-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Liver Testes Kidney However, the effects are species specific and are not relevant to humans.

					This material contains hexamethyldisiloxane (HMDS). Repeated inhalation exposure in rats to HMDS resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.
--	--	--	--	--	---

OCTAMETHYLCYCLOTETRAISILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Kidney Liver respiratory tract Female reproductive organs

Aspiration hazard Based on available data the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information**12.1. Toxicity**

Ecotoxicity Toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE (67674-67-3)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Fish	LC50	> 1 - 10 mg/L	96 hours	
	Daphnia sp.	EC50	> 1 - 10 mg/L	48 hours	

POLYETHYLENE GLYCOL (25322-68-3)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Pimephales promelas	LC50	58900 mg/L	96 hours	
	Daphnia magna	EC50	22100 mg/L	48 hours	
	Bacteria toxicity	EC50	> 10000 mg/L	16 hours	

HEXAMETHYLDISILOXANE (107-46-0)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Oncorhynchus mykiss (rainbow trout)	LC50	0.46 mg/L	96 hours	

	Selenastrum capricornutum	ErC50	> 0.55 mg/L	72 hours	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.08 mg/L	21 days	

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.022 mg/L	96 hours	
	Cyprinodon variegatus	LC50	> 0.0063 mg/L	14 days	
	Mysidopsis bahia	EC50	> 0.0091 mg/L	96 hours	
	Daphnia magna	EC50	> 0.015 mg/L	48 hours	
	Pseudokirchneriella subcapitata	ErC50	> 0.022 mg/L	96 hours	
	Pseudokirchneriella subcapitata	EC10	>= 0.022 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.0044 mg/L	93 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0079 mg/L	21 days	

12.2. Persistence and degradability

Persistence and degradability No information available.

3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE (67674-67-3)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	Biodegradation 24.63 %	Not readily biodegradable

POLYETHYLENE GLYCOL (25322-68-3)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	Biodegradation 90 %	Readily biodegradable

HEXAMETHYLDISILOXANE (107-46-0)

Method	Exposure time	Value	Results
OECD Test No. 301C: Ready Biodegradability: Modified MITI Test (I) (TG 301 C)	28 days	Biodegradation 2%	Expected to biodegrade very slowly

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 3.7%	Expected to biodegrade very slowly

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
HEXAMETHYLDISILOXANE	5.06
OCTAMETHYLCYCLOTETRASILOXANE	6.49

12.4. Mobility in soil

Mobility in soil Not determined.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
POLYETHYLENE GLYCOL	The substance is not PBT / vPvB
HEXAMETHYLDISILOXANE	The substance is not PBT / vPvB
OCTAMETHYLCYCLOTETRASILOXANE	PBT substance vPvB substance

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number UN3082
 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE, OCTAMETHYLCYCLOTETRASILOXANE)
 14.3 Transport hazard class(es) 9
 14.4 Packing group III
 14.5 Environmental hazards Yes
 14.6 Special precautions for user
 Special Provisions A97, A158, A197
 ERG Code 9L

IMDG

14.1 UN number or ID number UN3082
 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE, OCTAMETHYLCYCLOTETRASILOXANE)
 14.3 Transport hazard class(es) 9
 14.4 Packing group III
 14.5 Environmental hazards Yes
 14.6 Special precautions for user
 Special Provisions 274, 335, 969
 EmS-No F-A, S-F
 14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number UN3082
 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

	(3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE, OCTAMETHYLCYCLOTETRASILOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601
Classification code	M6

ADR

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (3-(POLYOXYETHYLENE) PROPYLHEPTAMETHYLTRISILOXANE, OCTAMETHYLCYCLOTETRASILOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 601, 375
Classification code	M6
Tunnel restriction code	(-)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
OCTAMETHYLCYCLOTETRASILOXANE - 556-67-2	Use restricted. See item 70. 75	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECI - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H225 - Highly flammable liquid and vapour
H318 - Causes serious eye damage
H332 - Harmful if inhaled
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note **SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16**

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method

Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Lisa Bland
Supersedes date 02-Apr-2020
Revision date 12-Aug-2024

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet