

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 16-Sep-2024

Revision date 15-Jul-2026

Revision Number 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 13890
Safety data sheet number 13890
Product Name DOWSIL 9506 POWDER
CAS No 153668-87-2
Synonyms DC 9506 POWDER, DOW CORNING 9506 POWDER
Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cosmetics
Additive

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2 - (H319)
-----------------------------------	---------------------

2.2. Label elements

**Signal word**

Warning

Hazard statements

H319 - Causes serious eye irritation

Precautionary statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
REACTION MASS OF A-TRIMETHYLSILYL-Q-TRIMETHYLSILOXYPOLY(OXYDIMETHYLSILYLENE)(OXYMETHYLSILYLENE), POLY(METHYLSILSESQUIOXANE), AND A-ETHENYLDIMETHYLSILYL-Q-ETHENYLDIMETHYLSILOXYPOLY(OXYDIMETHYLSILYLENE) 153668-87-2	< 100 %	-	-	Eye Irrit. 2 (H319)	-	-	-
3,6,9,12-TETRAOXATETRACOSAN-1-OL 5274-68-0	>= 1.7 - <= 2.3 %	226-097-1	-	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400)	-	1	-

				Aquatic Chronic 3 (H412)			
--	--	--	--	-----------------------------	--	--	--

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	First aid personnel should wear appropriate protective equipment during any rescue. Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

Eyes	Causes serious eye irritation.
-------------	--------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	Carbon oxides. Silicon oxides. Formaldehyde.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Keep the working area free of spilled material (pellets, flakes and powder). In case of spills, beware of slippery floors and surfaces. Follow precautions for safe handling described in this safety data sheet.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Contain spilled material if possible. Use vacuums or brooms to clean it up. Hierarchy of clean-up methods: 1. Vacuum it 2. Sweep it 3. Wash it down (only with appropriate containment system in place) 4. Blow it (only as a last option). Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with eyes, skin and clothing. Do not breathe dust. Do not swallow. Keep container closed when not in use. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice. Empty containers retain product residue and can be hazardous. This material contains synthetic polymer microparticles (SPM) within the meaning of Commission Regulation (EU) 2023/2055. Identify potential sources of SPM emissions during handling, use, transport, and disposal of this material. Consider all stages of relevance to potential emissions of SPM to the environment, including and not limited to facility set-up, containment systems, employee equipment, bulk transport, loading, unloading, sampling, filtering, packaging, filling, transport, plant/facility maintenance, recycling and disposal. Ensure measures are in place to minimize the potential SPM emissions to the environment. Establish and enforce procedures. Provide employees with adequate training and equipment. Proper bag and pallet selection can help reduce damage and spill. Use packaging designed to minimise the possibility of breakage and pellet leakage. Where possible use puncture-resistant shipping containers or line them with puncture-resistant material. Keep storage silos, tanks and containers in good condition, to help avoid holes, cracks or leaks. Maintain loading/unloading and transfer equipment with good seals. Place collecting trays under
--------------------------------	--

discharge/loading valves and connecting points. Conveying equipment should be appropriate for the task and maintained in good condition. Use properly designed and sized dust collection equipment (e.g. cyclones) in all operations that generate or liberate plastic dust. Maintain the dust collection equipment according to manufacturer's recommendations. Use the recommended filters for the type and amount of dust generated. Clean or replace filters or other collection equipment as needed. Remove spilled material (pellets, flakes, powders) from the top of the car/truck before leaving the containment area - residual pellets will fall to the ground as cars/trucks move outside the plant. Marine transport of pellets, flakes and powders requires special attention due to the high potential for release into the environment. Anyone handling this material directly or managing its shipment must be well informed about the importance of spill prevention, the need for prompt clean-up and proper disposal practices. DO NOT SWEEP pellets/material into the water. For instructions on handling of waste material see Section 13.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Store away from the following materials. Strong oxidising agents.

Packaging materials Unsuitable container/equipment material. None known.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN ISO 16321-1.

Hand protection Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Polyvinyl chloride (PVC)	> 0.35 mm	
	Wear protective Neoprene™ gloves	> 0.35 mm	
	Nitrile/butadiene rubber ("nitrile" or "NBR").	> 0.35 mm	

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Powder
 Appearance Dusty powder
 Colour white
 Odour Slight.
 Odour threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		Not determined.
Initial boiling point and boiling range		Not applicable.
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point		Not applicable.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		Not applicable.
pH (as aqueous solution)		No information available.
Kinematic viscosity		Not applicable.
Dynamic viscosity		Not applicable.
Water solubility		Not determined.
Solubility(ies)		No information available.
Partition coefficient		Not determined.
Vapour pressure		Not applicable.
Relative density	0.98	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		
Particle Size	3 µm	
Particle Size Distribution	No information available	

Explosive properties	Not considered to be explosive.
Oxidising properties	The product contains a substance classified as oxidising

9.2. Other information

Evaporation rate	Not applicable
------------------	----------------

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	No known effects under normal use conditions.
------------	---

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact	None.
----------------------------------	-------

Sensitivity to static discharge	None.
---------------------------------	-------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	The following materials may react with the product:. Strong oxidising agents.
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid	None known based on information supplied.
---------------------	---

10.5. Incompatible materials

Incompatible materials	Strong oxidising agents.
------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon oxides. Silicon oxides. Formaldehyde.
----------------------------------	--

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
------------	--

Eye contact	Causes serious eye irritation.
-------------	--------------------------------

Skin contact	Brief contact may cause slight skin irritation with local redness.
--------------	--

Ingestion	May cause discomfort if swallowed.
-----------	------------------------------------

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms****Acute toxicity****Numerical measures of toxicity**

No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
REACTION MASS OF A-TRIMETHYLSILYL-Ω-TRIMETHYLSILOXYPOLY(OXYDIMETHYLSILOXANE)(OXYMETHYLSILOXANE), POLY(METHYLSILOXANE), AND A-ETHENYLDIMETHYLSILYL-Ω-ETHENYLDIMETHYLSILOXYPOLY(OXYDIMETHYLSILOXANE)	> 5000 mg/kg (Rat)	> 2000 (Rabbit)	-
3,6,9,12-TETRAOXATETRACOSAN-1-OL	> 1000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Brief contact may cause slight skin irritation with local redness.

REACTION MASS OF

A-TRIMETHYLSILYL-Ω-TRIMETHYLSILOXYPOLY(OXYDIMETHYLSILOXANE)(OXYMETHYLSILOXANE), POLY(METHYLSILOXANE), AND A-ETHENYLDIMETHYLSILYL-Ω-ETHENYLDIMETHYLSILOXYPOLY(OXYDIMETHYLSILOXANE) (153668-87-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Brief contact may cause slight skin irritation with local redness.

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes skin irritation Prolonged contact may cause skin burns. Symptoms may include pain, severe local redness, swelling, and tissue damage. Dryness and/or cracking

Serious eye damage/eye irritation

Causes serious eye irritation.

REACTION MASS OF

A-TRIMETHYLSILYL-Ω-TRIMETHYLSILOXYPOLY(OXYDIMETHYLSILOXANE)(OXYMETHYLSILOXANE), POLY(METHYLSILOXANE), AND A-ETHENYLDIMETHYLSILYL-Ω-ETHENYLDIMETHYLSILOXYPOLY(OXYDIMETHYLSILOXANE) (153668-87-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes serious eye irritation

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes serious eye damage Effects may

					be slow to heal.
--	--	--	--	--	------------------

Respiratory or skin sensitisation Not a skin sensitiser.

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

REACTION MASS OF

A-TRIMETHYLSILYL- α -TRIMETHYLSILOXYPOLY(OXYDIMETHYLSILYLENE)(OXYMETHYLSILYLENE), POLY(METHYLSILSESQUIOXANE), AND A-ETHENYLDIMETHYLSILYL- α -ETHENYLDIMETHYLSILOXYPOLY(OXYDIMETHYLSILYLENE) (153668-87-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

Germ cell mutagenicity No information available.

Component Information

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Species	Results
	in vitro	Negative

Carcinogenicity No information available.

Reproductive toxicity No information available.

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

STOT - single exposure No information available.

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Evaluation of available data suggests that this material is not an STOT-SE toxicant

STOT - repeated exposure No information available.

Aspiration hazard Based on available data the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
Acute toxicity	Pimephales promelas	LC50	> 0.1 - 1 mg/L	96 hours	
Chronic toxicity	Daphnia magna	NOEC	> 0.1 - 1 mg/L	21 days	

12.2. Persistence and degradability

Persistence and degradability No information available.

3,6,9,12-TETRAOXATETRACOSAN-1-OL (5274-68-0)

Method	Exposure time	Value	Results
			Expected to be readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
3,6,9,12-TETRAOXATETRACOSAN-1-OL	3.67

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Do not permit loose material (pellets, flakes or powder) to accumulate on the ground or floors. Use properly labelled separate containers for recyclable and non-recyclable pellets. Use only covered containers or vehicles without leaks. Do not dump into any sewers, on the ground, or into any body of water. This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 2008/98/EC, provided it fulfils the criteria listed in Annex III of this directive. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Product restricted per REACH Annex XVII: 75, 78

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
IECSC	- China Inventory of Existing Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AIIC	- Australian Inventory of Industrial Chemicals
NZIoC	- New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report

No Chemical Safety Assessment has been carried out for this substance/mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H400 - Very toxic to aquatic life
H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note **SDS sections updated 4 6 7 8 11 12 13 15 16****Classification procedure**

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Lisa Bland**Supersedes date** 16-Sep-2024**Revision date** 15-Jul-2026

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet