

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 24-Mar-2022

Revision date 12-Jul-2024

Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 56268
Safety data sheet number 56268
Product Name DOWSIL 52 ADDITIVE
Pure substance/mixture Mixture

Contains ALCOHOLS C12 14 SECONDARY ETHOXYLATED

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Formulation & (re)packing of substances and mixtures.
Textiles
Leather and paper industry
Coatings
Water-based process
Ink and toners
Industrial use
Professional use
Consumer use

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)

2.2. Label elements

Contains ALCOHOLS C12 14 SECONDARY ETHOXYLATED



Signal word

Danger

Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

EUH208 - Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

Precautionary statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
ALCOHOLS C12 14 SECONDARY ETHOXYLATED 84133-50-6	>= 9.0 - <= 14.0 %	-	-	Acute Tox. 4 (H332) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	-	-	-

OCTAMETHYLCYC LOTETRASIOXAN E 556-67-2	>= 0.012 - <= 0.023 %	209-136-7 (014-018-00 -1)	-	Flam. Liq. 3 (H226) Aquatic Chronic 1 (H410) Repr. 2 (H361f)	-	-	10
REACTION MASS OF: 5-CHLORO-2-MET HYL-4-ISOTHIAZOL IN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H -ISOTHIAZOL-3-ON E [EC NO. 220-239-6] (3:1) 55965-84-9	<= 0.0004 %	(613-167-00 -5)	-	Acute Tox. 3 (H301) Acute Tox. 2 (H330) Acute Tox. 2 (H310) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Eye Irrit. 2 :: 0.06%<=C<0.6 % Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6 % Skin Sens. 1A :: C>=0.0015% Eye Dam. 1 :: C>=0.6%	100	100

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	First aid personnel should wear appropriate protective equipment during any rescue. Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Ensure that eyewash stations and safety showers are close to the workstation location.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	The product contains a sensitising substance which may provoke an allergic reaction among sensitive individuals.
Eyes	Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. Causes eye burns.
Dermal	Causes skin irritation. Dryness and/or cracking. May cause itching.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically. Chemical eye burns may require extended irrigation. Chemical burns must be treated promptly by a physician. Treat any burns as thermal burns, after decontamination. Skin contact may aggravate preexisting dermatitis.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed.
Hazardous combustion products	Carbon oxides. Silicon oxides. Formaldehyde.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Do not swallow. Keep container closed
--------------------------------	---

when not in use. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice. Empty containers retain product residue and can be hazardous.

General hygiene considerations Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Keep from freezing. Material damaged if frozen. Stir well before use.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
OCTAMETHYLCYCLOTETRASIOXANE 556-67-2			73 mg/m ³ [4] [6] 73 mg/m ³ [5] [6]
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) 55965-84-9			0.02 mg/m ³ [5] [6] 0.04 mg/m ³ [5] [7]

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
OCTAMETHYLCYCLOTETRASIOXANE 556-67-2	3.7 mg/kg bw/day [4] [6]		13 mg/m ³ [4] [6] 13 mg/m ³ [5] [6]
REACTION MASS OF:	0.09 mg/kg bw/day [4] [6]		0.02 mg/m ³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) 55965-84-9	0.11 mg/kg bw/day [4] [7]		0.04 mg/m ³ [5] [7]

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	0.0015 mg/L		0.00015 mg/L		
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) 55965-84-9	0.00339 mg/l	0.00339 mg/l	0.00339 mg/l	3.39 µg/L	

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) 55965-84-9	0.027 mg/kg sediment dw	0.027 mg/kg sediment dw	0.23 mg/L	0.01 mg/kg soil dw	

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Impervious gloves. Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves

Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves	> 0.35 mm	> 240 minutes
	Rubber (natural, latex)	> 0.35 mm	> 240 minutes
	Wear protective Neoprene™ gloves	> 0.35 mm	> 240 minutes
	Wear protective nitrile rubber gloves	> 0.35 mm	> 240 minutes
	Polyethylene (PE)	> 0.35 mm	> 240 minutes
	Ethyl vinyl alcohol laminate ("EVAL")	> 0.35 mm	> 240 minutes
	Polyvinyl chloride (PVC)	> 0.35 mm	> 240 minutes
	Wear protective Viton™ gloves	> 0.35 mm	> 240 minutes
	Chlorinated polyethylene (CPE)	> 0.35 mm	> 240 minutes
Avoid contact with:	Polyvinyl alcohol (PVA)		

Skin and body protection

Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection

Use appropriate respiratory protection.

Organic gases and vapours filter conforming to EN 14387. Type AP2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Liquid
Colour	white
Odour	Slight.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		Not determined.
Initial boiling point and boiling range	> 100 °C	@ 760 mmHg.
Flammability		Not applicable.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	> 101.1 °C	Closed cup.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH	6	
pH (as aqueous solution)		No information available.
Kinematic viscosity	3500 cSt	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility	No data available	No information available.
Solubility(ies)		Not determined.
Partition coefficient		Not determined.
Vapour pressure		No information available.
Relative density	0.98	
Bulk density		No information available

Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		Not applicable.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity	No information available.
------------	---------------------------

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	The following materials may react with the product:. Strong oxidising agents.
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid	None known based on information supplied.
---------------------	---

10.5. Incompatible materials

Incompatible materials	Strong oxidising agents.
------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon oxides. Silicon oxides. Formaldehyde.
----------------------------------	--

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	Inhalation of vapours in high concentration may cause irritation of respiratory system.
Eye contact	Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. Causes eye burns.
Skin contact	Causes skin irritation. Dryness and/or cracking. May cause itching.
Ingestion	May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 Oral LD50 > 3000 mg/kg
Dermal LD50 Dermal LD50 > 2000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ALCOHOLS C12 14 SECONDARY ETHOXYLATED	> 214 mg/kg (Rat)	> 2800 mg/kg (Rabbit)	= 1.06 mg/L (Rat) 4 h
OCTAMETHYLCYCLOTETRAS ILOXANE	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat)	= 36 mg/L (Rat) 4 h
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOT HIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H -ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)	= 64 mg/kg (Rat)	= 87.12 mg/kg (Rabbit)	= 0.33 mg/l (Rat) (4h)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation. Dryness and/or cracking. May cause itching.

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes skin irritation Dryness and/or cracking May cause itching.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H -ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes severe burns Symptoms may include pain, severe local redness and tissue damage.

Serious eye damage/eye irritation Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. Causes eye burns.

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes serious eye damage May cause permanent damage if eye is not

					immediately irrigated. Causes eye burns
--	--	--	--	--	---

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes serious eye damage May cause permanent damage if eye is not immediately irrigated. Causes eye burns

Respiratory or skin sensitisation The product contains a sensitising substance which may provoke an allergic reaction among sensitive individuals.

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Exposure route	Results
	Human evidence	Dermal	Not a skin sensitiser

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	May cause an allergic skin reaction

Germ cell mutagenicity No information available.

Component Information

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Results
	in vitro	Negative

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Results
	in vitro	Not mutagenic
	in vivo	Not mutagenic

Carcinogenicity No information available.

Component Information

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Results
		Did not cause cancer in laboratory animals.

Reproductive toxicity No information available.

Chemical name	United Kingdom
OCTAMETHYLCYCLOTETRASILOXANE	Repr. 2

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Suspected of damaging fertility

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

STOT - single exposure No information available.

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based

					on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.
--	--	--	--	--	--

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

STOT - repeated exposure

No information available.

Component Information

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Kidney Liver respiratory tract Female reproductive organs

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Excessive exposure may cause irritation to upper respiratory tract (nose and

					throat).
--	--	--	--	--	----------

Aspiration hazard Based on available data the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Pimephales promelas	LC50	3.2 - 3.6 mg/L	96 hours	
	Daphnia magna	EC50	7.3 mg/L	48 hours	
	Bacteria toxicity	EC50	> 1000 mg/L	16 hours	

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.022 mg/L	96 hours	
	Cyprinodon variegatus	LC50	> 0.0063 mg/L	14 days	
	Mysidopsis bahia	EC50	> 0.0091 mg/L	96 hours	
	Daphnia magna	EC50	> 0.015 mg/L	48 hours	
	Pseudokirchneriella subcapitata	ErC50	> 0.022 mg/L	96 hours	
	Pseudokirchneriella subcapitata	EC10	>= 0.022 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.0044 mg/L	93 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0079 mg/L	21 days	

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Oncorhynchus mykiss (rainbow trout)	LC50	0.19 mg/L	96 hours	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	LC50	0.16 mg/L	48 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Skeletonema costatum	NOEC	0.00049 mg/L	48 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Skeletonema costatum	ErC50	0.0052 mg/L	48 hours	
Chronic aquatic toxicity	Oncorhynchus	NOEC	0.05 mg/L	14 days	

	mykiss (rainbow trout)				
Chronic aquatic toxicity	Daphnia magna	NOEC	0.1 mg/L	21 days	

12.2. Persistence and degradability

Persistence and degradability No information available.

ALCOHOLS C12 14 SECONDARY ETHOXYLATED (84133-50-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	Biodegradation > 60 %	Readily biodegradable

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 3.7%	Expected to biodegrade very slowly

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (55965-84-9)

Method	Exposure time	Value	Results
	10 days	Biodegradation < 50%	Rapidly biodegradable

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
ALCOHOLS C12 14 SECONDARY ETHOXYLATED	2.72
OCTAMETHYLCYCLOTETRASILOXANE	6.49
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)	0.401

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
OCTAMETHYLCYCLOTETRASILOXANE	PBT substance vPvB substance
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Product restricted per REACH Annex XVII: 3. 75

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
---------------	--------------------------------	--

	Annex XVII	REACH Annex XIV
OCTAMETHYLCYCLOTETRASILOXANE - 556-67-2	Use restricted. See item 70. 75	-
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H -ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) - 55965-84-9	75	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H -ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) - 55965-84-9	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
IECSC	- China Inventory of Existing Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AIIC	- Australian Inventory of Industrial Chemicals
NZIoC	- New Zealand Inventory of Chemicals

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

EUH071 - Corrosive to the respiratory tract

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

*

Skin designation

+ Sensitisers

Revision Note **SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16****Classification procedure**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Method Used

Acute oral toxicity

Calculation method

Acute dermal toxicity

Calculation method

Acute inhalation toxicity - gas

Calculation method

Acute inhalation toxicity - vapour

Calculation method

Acute inhalation toxicity - dust/mist

Calculation method

Skin corrosion/irritation

Calculation method

Serious eye damage/eye irritation

Calculation method

Respiratory sensitisation

Calculation method

Skin sensitisation

Calculation method

Mutagenicity

Calculation method

Carcinogenicity

Calculation method

Reproductive toxicity

Calculation method

STOT - single exposure

Calculation method

STOT - repeated exposure

Calculation method

Acute aquatic toxicity

Calculation method

Chronic aquatic toxicity

Calculation method

Aspiration hazard

Calculation method

Ozone

Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Lisa Bland
Supersedes date 24-Mar-2022
Revision date 12-Jul-2024

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet