

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 20-Dec-2023

Revision date 20-Mar-2026

Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 12750
Safety data sheet number 12750
Product Name KEM E
Pure substance/mixture Mixture

Contains BENZYL ALCOHOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Conservation agent (preservative) for cosmetics

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)

2.2. Label elements

Contains BENZYL ALCOHOL

**Signal word**

Warning

Hazard statements

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves and eye/face protection

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
BENZYL ALCOHOL 100-51-6	50%	202-859-9 (603-057-00-5)	-	Acute Tox. 4 (H302) Skin Sens. 1B (H317) Eye Irrit. 2 (H319)	-	-	-
POTASSIUM (E,E)-HEXA-2,4-DIE NOATE 24634-61-5	15%	246-376-1 (019-003-00-3)	-	Eye Irrit. 2 (H319)	-	-	-
SODIUM BENZOATE 532-32-1	10%	208-534-8	-	Eye Irrit. 2 (H319)	-	-	-

Full text of H- and EUH-phrases: see section 16This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.
Inhalation	Coughing and/or wheezing. Difficulty in breathing.
Eyes	Burning sensation. May cause redness and tearing of the eyes.
Dermal	Prolonged contact may cause redness and irritation. Hives. Itching. Rashes. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
-----------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Carbon dioxide (CO ₂). Foam. powder. Water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.
Hazardous combustion products	Carbon oxides. Nitrogen oxides (NO _x). Sodium Oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Prevent further leakage or spillage if safe to do so.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information. Keep out of drains, sewers, ditches and waterways.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Dyke far ahead of liquid spill for later disposal.
Methods for cleaning up	Ensure adequate ventilation. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Avoid release to the environment. Remove contaminated clothing and protective equipment before entering eating areas.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Ensure that eyewash stations and safety showers are close to the workstation location. Remove contaminated clothing and protective equipment before entering eating areas. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep only in original packaging. Protect from direct sunlight. See section 10 for more information.
---------------------------	--

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
BENZYL ALCOHOL 100-51-6		8 mg/kg [4] [6] 40 mg/kg [4] [7]	22 mg/m ³ [4] [6] 110 mg/m ³ [4] [7]
POTASSIUM (E,E)-HEXA-2,4-DIENOATE 24634-61-5		40 mg/kg [4] [6]	17.63 mg/m ³ [4] [6]
SODIUM BENZOATE 532-32-1		62.5 mg/kg [4] [6]	3 mg/m ³ [4] [6] 0.1 mg/m ³ [5] [6]

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
BENZYL ALCOHOL 100-51-6	4 mg/kg [4] [6] 20 mg/kg [4] [7]	4 mg/kg [4] [6] 20 mg/kg [4] [7]	5.4 mg/m ³ [4] [6] 27 mg/m ³ [4] [7]
POTASSIUM (E,E)-HEXA-2,4-DIENOATE 24634-61-5	2 mg/kg [4] [6]	20 mg/kg [4] [6] 0.17 mg/cm ² [5] [6]	52.17 mg/m ³ [4] [6] 26.08 mg/m ³ [5] [6]
SODIUM BENZOATE 532-32-1	16.6 mg/kg [4] [6]	31.25 mg/kg [4] [6]	1.5 mg/m ³ [4] [6] 0.06 mg/m ³ [5] [6]

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
BENZYL ALCOHOL 100-51-6	1 mg/L	2.3 mg/L	0.1 mg/L		

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
POTASSIUM (E,E)-HEXA-2,4-DIENOAT E 24634-61-5	1 mg/L	4.8 mg/L	0.1 mg/L		
SODIUM BENZOATE 532-32-1	0.581 mg/L	0.058 mg/L	0.058 mg/L	0.006 mg/L	

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
BENZYL ALCOHOL 100-51-6	5.27 mg/kg	0.527 mg/kg	39 mg/L	0.456 mg/kg	
POTASSIUM (E,E)-HEXA-2,4-DIENOAT E 24634-61-5	3.6 mg/kg	0.36 mg/kg	10 mg/L	1.67 mg/kg	
SODIUM BENZOATE 532-32-1	2.5 mg/kg	0.25 mg/kg	10 mg/L	0.159 mg/kg	300 mg/kg

8.2. Exposure controls

Engineering controls

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Use eye protection according to EN ISO 16321-1.

Hand protection

Wear suitable gloves. Category III. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. NOTE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Skin and body protection

Wear suitable protective clothing. Category II. According to regulation 2016/425 and standard EN ISO 20344. Wash face, hands and any exposed skin thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filter type: Type A. Choose class 1, 2, or 3 according to the limit of use concentration. According to standard EN 14387. If the substance is considered odourless or its olfactory threshold is higher than the corresponding TLV-TWA value, and in the case of an emergency, wear an open-circuit compressed air breathing apparatus according to standard EN 137, or an external air-intake breathing apparatus according to standard EN 138. For correct choice of respiratory protection device, see standard EN 529.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Ensure that eyewash stations and safety showers are close to the

workstation location. Remove contaminated clothing and protective equipment before entering eating areas. Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Local authorities should be advised if significant spillages cannot be contained. Ensure all waste water is collected and treated via a waste water treatment plant.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	Yellowish
Odour	Characteristic.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No information available.
Initial boiling point and boiling range		No information available.
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point		No information available.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH	8	No information available.
pH (as aqueous solution)		solution (100 %).
Kinematic viscosity		No information available.
Dynamic viscosity		No information available.
Water solubility	Soluble in water	No information available.
Solubility(ies)		No information available.
Partition coefficient		No information available.
Vapour pressure		No information available.
Relative density		No information available.
Bulk density		No information available.
Liquid Density	1.11 g/mL	@ 20 °C
Relative vapour density		No information available.
Particle characteristics		No information available.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No data available	
Oxidising properties	No data available	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from direct sunlight. Keep away from heat. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Acids. Oxidising agents. Metals. Iron Salts.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). Sodium Oxides.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
BENZYL ALCOHOL	1200 mg/kg	-	> 4.178 mg/L (Rat) (4 h)

			(Dust/mist)
POTASSIUM (E,E)-HEXA-2,4-DIENOATE	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
SODIUM BENZOATE	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5 mg/L (Rat) (4 h) (Dust/mist)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

BENZYL ALCOHOL (100-51-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 404	Rabbit	Dermal			Not classified

SODIUM BENZOATE (532-32-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 404	Rabbit	Dermal			Not classified

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

BENZYL ALCOHOL (100-51-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
		eye			Causes serious eye irritation

POTASSIUM (E,E)-HEXA-2,4-DIENOATE (24634-61-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
		eye			Causes serious eye irritation

SODIUM BENZOATE (532-32-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 405	Rabbit	eye			Causes serious eye irritation

Respiratory or skin sensitisation May cause an allergic skin reaction.

BENZYL ALCOHOL (100-51-6)

Method	Species	Exposure route	Results
		Dermal	May cause an allergic skin reaction

SODIUM BENZOATE (532-32-1)

Method	Species	Exposure route	Results
Read-across OECD 429	Mouse	Dermal	Not classified

Germ cell mutagenicity No information available.

Component Information

SODIUM BENZOATE (532-32-1)

Method	Species	Results
Ames Test OECD Test No. 471: Bacterial Reverse Mutation Test	S. typhimurium	Negative
Ames Test OECD Test No. 471: Bacterial Reverse Mutation Test	Escherichia coli	Negative
OECD Test No. 473: In vitro Mammalian	Chinese hamster cells	Positive

Chromosome Aberration Test		
OECD 479 sister chromatid exchange assay	Human lymphocytes	Positive
OECD 487: In Vitro Mammalian Cell Micronucleus Test	Human lymphocytes	Positive
OECD Test No. 475: Mammalian Bone Marrow Chromosome Aberration Test	Rat	Negative
OECD Test No. 478: Rodent Dominant Lethal Test	Rat	Negative

Carcinogenicity No information available.

Component Information
SODIUM BENZOATE (532-32-1)

Method	Species	Results
	Rat	Not classified

Reproductive toxicity No information available.

SODIUM BENZOATE (532-32-1)

Method	Species	Results
OECD Test No. 416: Two-Generation Reproduction Toxicity	Rat	Not classified No effects on fertility and early embryonic development were detected NOAEL $\geq$ 10,000 ppm
OECD Test No. 414: Pre-natal Development Toxicity Study	Rat	Not classified General Toxicity Maternal: NOAEL = 1.306 mg/kg bw/day
OECD Test No. 414: Pre-natal Development Toxicity Study	Rat	Not classified Developmental Toxicity: NOAEL = 1.306 mg/kg bw/day

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Component Information
BENZYL ALCOHOL (100-51-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat	Oral	400 mg/kg bw/d	90 days	NOAEL
	Rat	Oral	800 mg/kg bw/d	90 days	Not classified In animals, effects have been reported on the following organs: Central nervous system brain thymus Skeletal muscle

SODIUM BENZOATE (532-32-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Chronic toxicity	Rat	Oral	10,000 - 20,000 ppm, 7 days/week	18 - 24 months	NOAEL $\geq$ 20,000 ppm
OECD Test No. 412:	Rat	Inhalation	25; 250; 1200 mg/m ³	4 weeks	NOAEC = 250 mg/m ³

Sub-acute Inhalation Toxicity: 28-Day Study		Dust/Mist	6h/d, 5 days/week		Systemic Toxicity Test results on an analogous product Not classified
OECD Test No. 412: Sub-acute Inhalation Toxicity: 28-Day Study	Rat	Inhalation Dust/Mist	25; 250; 1200 mg/m ³ , 6h/d, 5 days/week	4 weeks	LOAEC =25 mg/m ³ respiratory tract Test results on an analogous product Not classified
Subacute Toxicity	Rabbit	Dermal	100; 500; 2500, mg/kg bw/day, 5h/d, 5 days/week	3 weeks	NOAEL >2500 mg/kg Test results on an analogous product

Aspiration hazard No information available.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

BENZYL ALCOHOL (100-51-6)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Fish	LC50	> 100 mg/L	96 hours	Not classified
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Crustacea	EC50	> 100 mg/L	48 hours	Not classified
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	ErC50	> 100 mg/L	72 hours	Not classified
OECD Test No. 204: Fish, Prolonged Toxicity Test: 14-Day Study	Fish	NOEC	> 1 mg/L	14 days	Not classified
OECD Test No. 211: Daphnia magna Reproduction Test	Crustacea	NOEC	> 1 mg/L	21 days	Not classified
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	NOEC	> 1 mg/L	72 hours	Not classified

POTASSIUM (E,E)-HEXA-2,4-DIENOATE (24634-61-5)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Fish	LC50	> 100 mg/L	96 hours	Not classified
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Crustacea	EC50	> 100 mg/L	48 hours	Not classified
Read-across OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	ErC50	77 mg/L	72 hours	Harmful to aquatic life
Read-across OECD Test	Crustacea	NOEC	> 1 mg/L	21 days	Not classified

No. 211: Daphnia magna Reproduction Test					
Read-across OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	NOEC	> 1 mg/L	72 hours	Not classified

SODIUM BENZOATE (532-32-1)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
EPA OPP 72-1	Fish	LC50	> 100 mg/L	96 hours	Not classified
	Crustacea	EC50	> 100 mg/L	48 hours	Not classified
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	ErC50	> 100 mg/L	72 hours	Not classified
	Fish	NOEC	> 1 mg/L	6 days	Not classified
OECD Test No. 211: Daphnia magna Reproduction Test	Crustacea	NOEC	> 1 mg/L	21 days	Not classified
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	NOEC	> 1 mg/L	72 hours	Not classified

12.2. Persistence and degradability

Persistence and degradability No information available.

BENZYL ALCOHOL (100-51-6)

Method	Exposure time	Value	Results
OECD Test No. 301C: Ready Biodegradability: Modified MITI Test (I) (TG 301 C)	14 days	92 - 96% Biodegradation	Readily biodegradable
OECD Test No. 301A: Ready Biodegradability: DOC Die-Away Test (TG 301 A)	21 days	95 - 97% Biodegradation	Readily biodegradable

POTASSIUM (E,E)-HEXA-2,4-DIENOATE (24634-61-5)

Method	Exposure time	Value	Results
Read-across OECD Test No. 301D: Ready Biodegradability: Closed Bottle Test (TG 301 D)	28 days	74.9% Biodegradation	Readily biodegradable

SODIUM BENZOATE (532-32-1)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B) or Equivalent.	28 days	> 74 % Biodegradation	Readily biodegradable
EEC-Directive 79/831, Annex V, Part C: Methods for the Determination of Ecotoxicity, 5.2 Degradation, Biotic Degradation: Closed Bottle Test	30 days	75% Biodegradation	Readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient
BENZYL ALCOHOL	1.05
POTASSIUM (E,E)-HEXA-2,4-DIENOATE	-1.72
SODIUM BENZOATE	1.88

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
BENZYL ALCOHOL	The substance is not PBT / vPvB
POTASSIUM (E,E)-HEXA-2,4-DIENOATE	The substance is not PBT / vPvB
SODIUM BENZOATE	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

- | | |
|-----------------------------------|----------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |
| 14.6 Special precautions for user | |
| Special Provisions | None |

IMDG

- | | |
|--|--------------------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |
| 14.6 Special precautions for user | |
| Special Provisions | None |
| 14.7 Maritime transport in bulk according to IMO instruments | No information available |

RID

- | | |
|---------------------------------|---------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |

14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Product restricted per REACH Annex XVII: 3

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
POTASSIUM (E,E)-HEXA-2,4-DIENOATE - 24634-61-5	75.	-
SODIUM BENZOATE - 532-32-1	75.	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
POTASSIUM (E,E)-HEXA-2,4-DIENOATE - 24634-61-5	Product-type 6: Preservatives for products during storage Product-type 8: Wood preservatives
SODIUM BENZOATE - 532-32-1	Simplified procedure - Category A

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories**TSCA**

Contact supplier for inventory compliance status

DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for one or more substances present in the material

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H302 - Harmful if swallowed
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note [SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 15 16](#)

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method

Acute aquatic toxicity
Chronic aquatic toxicity
Aspiration hazard
Ozone

Calculation method
Calculation method
Calculation method
Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By N Bajaj
Supersedes date 20-Dec-2023
Revision date 20-Mar-2026

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet