

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 04-Mar-2023

Revision date 18-Nov-2025

Revision Number 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 10776
Safety data sheet number 10776
Product Name MAXISTAB DJ-1N STABILIZER

Pure substance/mixture Mixture

Contains (TERT-BUTOXYMETHYL)OXIRANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Stabilizer Concentrate
Uses advised against Use only for intended applications

1.3. Details of the supplier of the safety data sheet

Supplier
Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable liquids	Category 3 - (H226)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity — single exposure	Category 3 - (H335)

Chronic aquatic toxicity

Category 3 - (H412)

2.2. Label elements

Contains (TERT-BUTOXYMETHYL)OXIRANE

**Signal word**

Danger

Hazard statements

H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H335 - May cause respiratory irritation
 H341 - Suspected of causing genetic defects
 H351 - Suspected of causing cancer
 H412 - Harmful to aquatic life with long lasting effects
 H226 - Flammable liquid and vapour
 EUH019 - May form explosive peroxides
 EUH205 - Contains epoxy constituents. May produce an allergic reaction

Precautionary statements

P201 - Obtain special instructions before use
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
(TERT-BUTOXYMETHYL)OXIRANE	>= 50 - < 70%	231-640-0	-	Flam. Liq. 3 (H226) Acute Tox. 4 (H302)	-	-	-

7665-72-7				Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Muta. 2 (H341) Carc. 2 (H351) Aquatic Chronic 3 (H412)			
-----------	--	--	--	---	--	--	--

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. May cause allergic respiratory reaction. Get immediate medical attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Rinse mouth thoroughly with water. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Asthma-like and/ or skin allergy-like symptoms.
Eyes	Burning sensation.
Dermal	Skin irritation. May cause an allergic skin reaction. Itching. Rashes.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
-------------------------------------	---

Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture**Specific hazards arising from the chemical**

Closed containers can burst violently when heated, due to excess pressure build-up. Vapours are heavier than air and may spread near ground to sources of ignition. Flash back possible over considerable distance. Exposure to combustion products may be a hazard to health.

Hazardous combustion products

Thermal decomposition may release: Carbon dioxide (CO₂). Carbon monoxide.

5.3. Advice for firefighters**Special protective equipment and precautions for fire-fighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. Collect contaminated fire extinguishing water separately. Do not allow it to enter drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin, eyes and inhalation of vapours. Ensure adequate ventilation. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Remove all sources of ignition. Do not touch or walk through spilled material. Keep unnecessary and unprotected personnel from entering. Keep people away from and upwind of spill/leak. Use personal protection recommended in Section 8.

Other information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not allow runoff to sewer, waterway or ground. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up**Methods for containment**

Floats on water. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Use non sparking handtools and explosion-proof electric equipment.

Methods for cleaning up

Take precautionary measures against static discharges. Clean contaminated objects and areas thoroughly observing environmental regulations. Use non-sparking tools.

Prevention of secondary hazards

Observe good chemical hygiene practices.

6.4. Reference to other sections**Reference to other sections**

See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Handle all packages and containers carefully to minimise spills. Use only in a well ventilated area. Avoid contact with skin, eyes and inhalation of vapours. Use personal protection recommended in Section 8. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Use spark-proof tools and explosion-proof equipment. Vapours may form explosive mixtures with air.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using the product. Remove contaminated clothing and protective equipment before entering eating areas. Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing and wash it before reuse. Keep away from food, drink and animal feedingstuffs. Ensure that eyewash stations and safety showers are close to the workstation location.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Protect from direct sunlight. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials. Amines. Strong acids. Oxidising agents. Absorbing materials.

7.3. Specific end use(s)**Specific use(s)**

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
(TERT-BUTOXYMETHYL)OXIRANE 7665-72-7		1.14 mg/kg/day [4] [6]	8.04 mg/m ³ [4] [6]

[4]

Systemic health effects.

[6]

Long term.

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
(TERT-BUTOXYMETHYL) OXIRANE 7665-72-7	14.9 µg/l		1.49 µg/l		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
(TERT-BUTOXYMETHYL) OXIRANE 7665-72-7	68 µg/kg	6.8 µg/kg			100 mg/l

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). According to EN 16321-1.

Hand protection

Chemical resistant gloves required for prolonged or repeated contact. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be removed and replaced if there are any signs of degradation or breakthrough. Examples of acceptable glove barrier materials include: Ethyl vinyl alcohol laminate ("EVAL"). Butyl rubber.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Short term	Ethyl vinyl alcohol laminate ("EVAL") Butyl rubber	> 0.35 mm	> 60 minutes
Long term (repeated)	Ethyl vinyl alcohol laminate ("EVAL") Butyl rubber	> 0.35 mm	> 240 minutes

Skin and body protection

Wear appropriate clothing to prevent reasonably probable skin contact. Chemical-resistant protective suit.

Respiratory protection

Recommended filter type:

In case of inadequate ventilation wear respiratory protection.
Type A.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using the product. Remove contaminated clothing and protective equipment before entering eating areas. Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing and wash it before reuse. Keep away from food, drink and animal feedingstuffs. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	Colourless
Odour	Characteristic.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	-65 °C	No information available.
Initial boiling point and boiling range	152 - 229 °C	No information available.
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	50.2 °C	(ASTM D93).
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	2.2 mm ² /s	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility	No data available	No information available.
Solubility(ies)		No information available.
Partition coefficient		No information available.
Vapour pressure	0.33 kPa	@ 20 °C.
Relative density	0.91	@ 25 °C.
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		Not applicable.
Particle Size	.	
Particle Size Distribution	.	
Explosive properties	Vapours may form explosive mixtures with air	
Oxidising properties	No information available	

9.2. Other information

VOC content	64%
-------------	-----

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	No information available.
------------	---------------------------

10.2. Chemical stability

Stability	Stable under recommended storage conditions. See section 7 for more information.
-----------	--

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Danger of polymerisation at increased temperatures. Polymerisation can be catalysed by contact with substances to be avoided. May form explosive peroxides.
------------------------------------	---

10.4. Conditions to avoid**Conditions to avoid**

static discharge (electrostatic discharge). Keep away from open flames, hot surfaces and sources of ignition. Protect from direct sunlight. Product may decompose at elevated temperatures.

10.5. Incompatible materials**Incompatible materials**

Amines. Strong acids. Oxidising agents. Absorbing materials.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	May cause irritation of respiratory tract.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Burning sensation. Erythema (skin redness). Rashes. Itching.

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) > 2000 mg/kg

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
(TERT-BUTOXYMETHYL)OXIRANE	2000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

(TERT-BUTOXYMETHYL)OXIRANE (7665-72-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal			Irritant

Serious eye damage/eye irritation Causes serious eye damage.

(TERT-BUTOXYMETHYL)OXIRANE (7665-72-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
--------	---------	----------------	----------------	---------------	---------

OECD 437	Rabbit	eye			Corrosive - causes irreversible eye damage
----------	--------	-----	--	--	--

Respiratory or skin sensitisation May cause an allergic skin reaction.

(TERT-BUTOXYMETHYL)OXIRANE (7665-72-7)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin Sensitization	Mouse	Dermal	Sensitising

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity Suspected of causing cancer.

Reproductive toxicity Based on available data the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard Based on available data the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

(TERT-BUTOXYMETHYL)OXIRANE (7665-72-7)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Pimephales promelas	LC50	172 mg/L	96 hours	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	14.92 mg/L	48 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Pseudokirchneriella subcapitata	EC50	35 mg/L	96 hours	
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	activated sludge	EC50	> 1000 mg/L		

12.2. Persistence and degradability

Persistence and degradability Not readily biodegradable.

(TERT-BUTOXYMETHYL)OXIRANE (7665-72-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	7% Biodegradation	Not readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
(TERT-BUTOXYMETHYL)OXIRANE	0.97

12.4. Mobility in soil

Mobility in soil Potential for mobility in soil is very high.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Do not reuse empty containers. Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	UN3271
14.2 UN proper shipping name	ETHERS, N.O.S. ((TERT-BUTOXYMETHYL)OXIRANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	A3
ERG Code	3L

IMDG

14.1 UN number or ID number	UN3271
14.2 UN proper shipping name	ETHERS, N.O.S. ((TERT-BUTOXYMETHYL)OXIRANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	223, 274
EmS-No	F-E, S-D
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3271
14.2 UN proper shipping name	ETHERS, N.O.S. ((TERT-BUTOXYMETHYL)OXIRANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	F1

ADR

14.1 UN number or ID number	UN3271
14.2 UN proper shipping name	ETHERS, N.O.S. ((TERT-BUTOXYMETHYL)OXIRANE)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	F1
Tunnel restriction code	(D/E)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Product restricted per REACH Annex XVII: 3

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
(TERT-BUTOXYMETHYL)OXIRANE - 7665-72-7	40	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No Chemical Safety Assessment has been carried out for this substance/mixture

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note **SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 15 16**

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method

Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By J Forth
Supersedes date 04-Mar-2023
Revision date 18-Nov-2025

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet