



SAFETY DATA SHEET 28147 WHITE PASTE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	28147 WHITE PASTE
Product number	60841
REACH registration notes	This product is not classified as hazardous, the information in this datasheet is given for guidance only.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Colourant
-----------------	-----------

1.3. Details of the supplier of the safety data sheet

Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford BD3 7AY +44 1274 267300 +44 1274 267306 SDS.EMEA@univarsolutions.com
----------	---

1.4. Emergency telephone number

Emergency telephone	SGS - +32 (0)3 575 55 55 (24h)
Sds No.	60841

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

2.2. Label elements

Hazard statements	NC Not Classified
Supplemental label information	EUH210 Safety data sheet available on request. EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

28147 WHITE PASTE

3.2. Mixtures

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER ≤ 10 µm]	30-60%
CAS number: 13463-67-7 EC number: 236-675-5 REACH registration number: 01-2119489379-17-XXXX Acute Toxicity Estimate (oral):> 10000 mg/kg Acute Toxicity Estimate (inhalation):> 6.82 mg/l4 hoursDust/Mist Acute Toxicity Estimate (dermal):10000 mg/kg	
Classification Carc. 2 - H351	
GLYCERINE	30-60%
CAS number: 56-81-5 EC number: 200-289-5 Exempt -Annex V exempted by Article 2(7) Acute Toxicity Estimate (oral):27200 mg/kg Acute Toxicity Estimate (dermal):56750 mg/kg Acute Toxicity Estimate (inhalation):> 2.75 mg/lDust/Mist	
Classification Not Classified	
SODIUM HEXA META PHOSPHATE	<1%
CAS number: 68915-31-1 EC number: 272-808-3	
Classification Not Classified	
WATER	<1%
CAS number: 7732-18-5 EC number: 231-791-2	
Classification Not Classified	

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention immediately.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if any discomfort continues.

28147 WHITE PASTE

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards When heated and in case of fire, toxic vapours/gases may be formed.

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon.

5.3. Advice for firefighters

Protective actions during firefighting No action shall be taken without appropriate training or involving any personal risk. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Do not use water jet as an extinguisher, as this will spread the fire. Contain and collect extinguishing water. Avoid the spillage or runoff entering drains, sewers or watercourses. Evacuate area.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

28147 WHITE PASTE

Usage precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

GLYCERINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

WEL = Workplace Exposure Limit.

Ingredient comments Observe any occupational exposure limits for the product or ingredients.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$] (CAS: 13463-67-7)

Ingredient comments	WEL = Workplace Exposure Limits
DNEL	Workers - Inhalation; Long term local effects: 0.170 mg/m ³ Consumer - Inhalation; Long term systemic effects: 0.028 mg/m ³
PNEC	- Fresh water; 0.184 mg/l - marine water; 0.0184 mg/l Intermittent release; 0.193 mg/l - Sediment (Freshwater); 1000 mg/kg - Sediment (Marinewater); 100 mg/kg - Soil; 100 mg/kg - STP; 100 mg/l

GLYCERINE (CAS: 56-81-5)

DNEL	Industry - Inhalation; Long term local effects: 56 mg/m ³ General population - Inhalation; Long term local effects: 33 mg/m ³ General population - Oral; Long term systemic effects: 229 mg/kg/day
PNEC	- Fresh water; 0.885 mg/l - marine water; 0.0885 mg/l - Intermittent release; 8.85 mg/l - STP; 1000 mg/l - Soil; 0.141 mg/kg - Sediment (Freshwater); 3.3 mg/kg - Sediment (Marinewater); 0.33 mg/kg

SODIUM HEXA META PHOSPHATE (CAS: 68915-31-1)

28147 WHITE PASTE

Ingredient comments

No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste.
Colour	No information available.
Odour	No information available.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Pour Point	No information available.
Freezing Point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.

28147 WHITE PASTE

Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Bulk density	No information available.
Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	No information available.
Oxidising properties	No information available.

9.2. Other information

Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable under the prescribed storage conditions.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not determined.
------------------------------------	-----------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
---------------------	---

10.5. Incompatible materials

28147 WHITE PASTE

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) No information available.

Acute toxicity - dermal

Notes (dermal LD₅₀) No information available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No information available.

Skin corrosion/irritation

Animal data No information available.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation

May cause respiratory irritation.

Ingestion

May cause discomfort if swallowed.

Skin contact

May be slightly irritating to skin.

Eye contact

May cause temporary eye irritation.

28147 WHITE PASTE

Toxicological information on ingredients.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 10,000.0

Species Rat

Notes (oral LD₅₀) LD₅₀ > 10000 mg/kg, Oral, Rat

ATE oral (mg/kg) 10,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 10000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ > 6.82 mg/l, 4 hours, Dust/Mist Rat

Skin corrosion/irritation

Animal data Not irritating. Rabbit OECD 404

Serious eye damage/irritation

Serious eye damage/irritation Solid particles trapped behind the eyelid may cause abrasive damage.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Not sensitising. Mouse Guinea pig

Germ cell mutagenicity

Genotoxicity - in vitro Ames test Negative. OECD 471

Carcinogenicity

Carcinogenicity Suspected of causing cancer by inhalation.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

28147 WHITE PASTE

Toxicokinetics	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Inhalation	Dust may irritate the respiratory system. Coughing, chest tightness, feeling of chest pressure. May cause cancer by inhalation.
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Solid particles trapped behind the eyelid may cause abrasive damage.
Route of exposure	Inhalation

GLYCERINE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 27,200.0

Species Rat

ATE oral (mg/kg) 27,200.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 56,750.0

Species Guinea pig

ATE dermal (mg/kg) 56,750.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ > 2.75 mg/l, Inhalation, Dust/Mist, Rat

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

28147 WHITE PASTE

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Toxicokinetics The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion May cause discomfort if swallowed.

Skin contact Slightly irritating.

Eye contact May cause temporary eye irritation.

SODIUM HEXA META PHOSPHATE

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

28147 WHITE PASTE

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation

Dust in high concentrations may irritate the respiratory system.

Ingestion

May cause discomfort if swallowed.

Skin contact

May be slightly irritating to skin.

Eye contact

Solid particles trapped behind the eyelid may cause abrasive damage.

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

Ecological information on ingredients.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

GLYCERINE

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SODIUM HEXA META PHOSPHATE

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish NOEC, 48 hours: >1000 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >1000 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: > 100 mg/l, Pseudokirchneriella subcapitata OECD 201

28147 WHITE PASTE

Acute toxicity - microorganisms	EC ₅₀ , 3 hours: > 1000 mg/l, OECD 209
--	--

GLYCERINE

Toxicity	Not considered toxic to fish.
-----------------	-------------------------------

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 54000 mg/l, Oncorhynchus mykiss (Rainbow trout) LC ₅₀ , 96 hour: >= 885 mg/l, Pimephales promelas (Fat-head Minnow)
------------------------------	--

Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hours: > 10000 mg/l, Daphnia magna
---	--

Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: > 2900 mg/l, Freshwater algae
--	--

Acute toxicity - microorganisms	EC ₅₀ , 3 hour: > 1000 mg/l, Activated sludge
--	--

SODIUM HEXA META PHOSPHATE

Toxicity	Not considered toxic to fish.
-----------------	-------------------------------

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.**TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER ≤ 10 µm]**

Persistence and degradability	The product contains inorganic substances which are not biodegradable.
--------------------------------------	--

GLYCERINE

Persistence and degradability	The product is readily biodegradable.
--------------------------------------	---------------------------------------

Biodegradation	- Degradation 82%: 20 days OECD 301D - Degradation 63%: 28 day OECD 301C
-----------------------	---

Biological oxygen demand	0.87 g O ₂ /g substance
---------------------------------	------------------------------------

SODIUM HEXA META PHOSPHATE

Persistence and degradability	There are no data on the degradability of this product.
--------------------------------------	---

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

28147 WHITE PASTE**TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]**

Bioaccumulative potential The product is not bioaccumulating. BCF: 19 - 352, Oncorhynchus mykiss (Rainbow trout)

Partition coefficient No information available.

GLYCERINE

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: -1.76

SODIUM HEXA META PHOSPHATE

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No information available.

Ecological information on ingredients.**TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]**

Mobility The product is insoluble in water.

GLYCERINE

Mobility The product is soluble in water.

SODIUM HEXA META PHOSPHATE

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.**TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]**

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

GLYCERINE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

SODIUM HEXA META PHOSPHATE

28147 WHITE PASTE

Results of PBT and vPvB assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ecological information on ingredients.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Other adverse effects

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

GLYCERINE

Other adverse effects

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SODIUM HEXA META PHOSPHATE

Other adverse effects

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

Waste should be treated as controlled waste. Do not puncture or incinerate, even when empty.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

28147 WHITE PASTE

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
COMMISSION REGULATION (EU) 2020/878 of 18 June 2020

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

28147 WHITE PASTE

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and sources for data

Supplier's information.

Classification procedures according to Regulation (EC) 1272/2008

Not classified.: Calculation method.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

12/01/2023

28147 WHITE PASTE

Version number	2.000
Supersedes date	17/09/2020
SDS number	60841
SDS status	Approved.
Hazard statements in full	H351 Suspected of causing cancer by inhalation.
Signature	Lisa Bland

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.