

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 30-Mar-2023

Revision date 12-May-2026

Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s)	57987
Safety data sheet number	57987
Product Name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
EC Number	918-481-9
CAS No	64742-48-9
Synonyms	EXXSOL D60
Pure substance/mixture	Substance
Molecular weight	160 g/mol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Solvent For further information, see attached Exposure Scenario
------------------------	--

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address	SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone	SGS - +32 (0)3 575 55 55 (24h)
----------------------------	--------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Aspiration hazard	Category 1 - (H304)
--------------------------	---------------------

2.2. Label elements



Signal word
Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways
EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P405 - Store locked up
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS 64742-48-9	100%	918-481-9	UK-01-0468758243-9-XXXX	Asp. Tox. 1 (H304) (EUH066)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Place unconscious person on the side in the recovery position and ensure breathing can take place.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor. Take off contaminated clothing and wash it before reuse.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention. Place unconscious person on the side in the recovery position and ensure breathing can take place.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. No action shall be taken involving any personal risk or without suitable training.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.
Inhalation	No information available.
Eyes	Pain. Irritation. Watering. Redness.
Dermal	Irritation. Redness. Repeated exposure may cause skin dryness or cracking.
Ingestion	Nausea Vomiting May be fatal if swallowed and enters airways

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances. Risk of chemical pneumonia after aspiration. Treat symptomatically. This material, or a component, may be associated with cardiac sensitization following very high exposures (well above occupational exposure limits) or with concurrent exposure to high stress levels or heart-stimulating substances like epinephrine. Administration of such substances should be avoided.
-----------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray or fog. Foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Combustible liquid. Runoff to sewer may create fire or explosion hazard. Containers can burst violently when heated, due to excess pressure build-up. The vapour/gas is heavier than air and will spread along the ground. Vapours may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.

Hazardous combustion products Carbon oxides. Smoke production. Fumes. Other products of incomplete combustion.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Evacuate personnel to safe areas. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. Do not allow runoff to sewer, waterway or ground. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. No action shall be taken involving any personal risk or without suitable training.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. No action shall be taken involving any personal risk or without suitable training. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Eliminate all ignition sources if safe to do so. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing vapours or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Do not allow runoff to sewer, waterway or ground. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Move containers from spill area. Use non sparking handtools and explosion-proof electric equipment. Approach the release from upwind. Prevent entry into waterways, sewers, basements or confined areas. Dyke far ahead of liquid spill for later disposal.

Methods for cleaning up Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. For waste disposal, see section 13.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Use personal protection recommended in Section 8. Do not swallow. Avoid contact with skin, eyes or clothing. Avoid breathing vapours or mists. Do not enter storage areas and confined spaces unless adequately ventilated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use spark-proof tools and explosion-proof equipment. Empty containers retain product residue and can be hazardous. Do not re-use container. Product is a static accumulator. Take precautionary measures against static discharge.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using the product. Wash face, hands and any exposed skin thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. Wear protective gloves, protective clothing, eye protection and face protection. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Ensure that eyewash stations and safety showers are close to the workstation location.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Store away from other materials. Store in accordance with local regulations. Keep only in original packaging. Protect from direct sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with: Oxidising agents. Store at ambient temperature and atmospheric pressure.
Packaging materials	Suitable container/equipment material: Carbon Steel. stainless steel. Polyethylene (PE). Polypropylene. Polyester. Teflon. Unsuitable container/equipment material. Butyl rubber. Polystyrene. Ethylene-propylene-diene monomer (EPDM). Natural rubber.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Biological occupational exposure limits	This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.
Derived No Effect Level (DNEL) - Workers	
[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Derived No Effect Level (DNEL) - General Public

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Ensure adequate ventilation. Use engineering controls to keep exposures below the OEL or DNEL. Use non sparking handtools and explosion-proof electric equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN ISO 16321-1.

Hand protection Wear suitable gloves. Impervious gloves. Gloves must conform to standard EN 374. EN 420.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Nitrile rubber	>= 0.38 mm	> 8 hours

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Chemical respirator with organic vapour cartridge. Type A. Refer to EN 136, 140 and 405 for respirator masks recommendations. Refer to EN 149 and 143 for filter recommendations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using the product. Wash face, hands and any exposed skin thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. Wear protective gloves, protective clothing, eye protection and face protection. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Ensure all waste water is collected and treated via a waste water treatment plant. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	Colourless
Odour	Slight.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	-54 °C	No information available.
Initial boiling point and boiling range	184 - 214 °C	ASTM D86.
Flammability		Combustible liquid.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits	6%	
Lower flammability or explosive limits	0.6%	
Flash point	65 °C	Closed cup. (ASTM D93).
Autoignition temperature	233 °C	ASTM E659.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	1.3 mm ² /s	@ 40 °C.
Dynamic viscosity		No information available.
Water solubility	negligible	No information available.
Solubility(ies)		No information available.
Partition coefficient	> 4	Estimated.
Vapour pressure	0.05 kPa	@ 20 °C.
Relative density	0.79	No information available.
Bulk density		No information available
Liquid Density	0.79 g/mL	@ 15 °C ISO 12185
Relative vapour density	5.5	No information available.
Particle characteristics		No information available.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No data available	
Oxidising properties	No data available	
9.2. Other information		
Pour Point	-54 °C (ASTM D5950)	
Molecular weight	160 g/mol 0.05 (butyl acetate = 1)	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapour to accumulate in low or confined areas. Protect from direct sunlight.

10.5. Incompatible materials

Incompatible materials Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. Inhalation of vapours in high concentration may cause irritation of respiratory system. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Exposure to this material, or one of its components, in situations where there is the potential for high levels, such as in confined spaces or with abuse, may result in abnormal heart rhythm (arrhythmia). High-level exposure to hydrocarbons (above occupational exposure limits) may initiate arrhythmia in a worker that is undergoing stress or is taking a heart-stimulating substance such as epinephrine, a nasal decongestant, or an asthma or cardiovascular drug.
Eye contact	Specific test data for the substance or mixture is not available. Vapour may cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking. May cause skin irritation and/or dermatitis.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 6.1 mg/L (Rat) (4 h) (Vapour)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data the classification criteria are not met.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Read-across OECD 404	Rabbit	Dermal			Not classified

Serious eye damage/eye irritation Based on available data the classification criteria are not met.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Read-across OECD 405	Rabbit	eye			Not classified

Respiratory or skin sensitisation No information available.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Exposure route	Results
Read-across OECD 406	Guinea pig	Dermal	Not classified

Germ cell mutagenicity Based on available data the classification criteria are not met.

Component Information

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Results
Read-across OECD 471 OECD 473 OECD 474 OECD 476 OECD 478 OECD 479		Not classified

Carcinogenicity Based on available data the classification criteria are not met.

Component Information

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Results
Read-across		Not classified

Reproductive toxicity Based on available data the classification criteria are not met.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Results
Read-across		Not classified

STOT - single exposure No information available.

STOT - repeated exposure Repeated exposure may cause skin dryness or cracking.

Component Information

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Read-across OECD 408	Rat	Oral	>= 5000 mg/kg bw/d	90 days	NOAEL Not classified
Read-across OECD 413	Rat	Inhalation	>= 10.4 mg/l/6h/d	90 days	NOAEL Not classified

		Dermal			Repeated exposure may cause skin dryness or cracking
--	--	--------	--	--	--

Aspiration hazard May be fatal if swallowed and enters airways.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Fish	LL50	> 100 mg/L	96 hours	Not classified
Read-across	Crustacea	EL50	> 100 mg/L	48 hours	Not classified
Read-across	Algae	EL50	> 100 mg/L	72 hours	Not classified
Read-across	Crustacea	NOELR	> 1 mg/L	21 days	Not classified
Read-across	Algae	NOELR	> 1 mg/L	72 hours	Not classified

12.2. Persistence and degradability

Persistence and degradability Readily biodegradable.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS (64742-48-9)

Method	Exposure time	Value	Results
Read-across OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	80% Biodegradation	Readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient
HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS	> 4

12.4. Mobility in soil

Mobility in soil Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.
Contaminated packaging	Do not reuse empty containers. Empty containers retain product residue and can be hazardous. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Product restricted per REACH Annex XVII: 3

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS - 64742-48-9	3, 75.	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
IECSC	- China Inventory of Existing Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H304 - May be fatal if swallowed and enters airways

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

Ceiling Maximum limit value

+ Sensitisers

STEL

*

STEL (Short Term Exposure Limit)

Skin designation

Revision Note SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 15 16

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute oral toxicity

Acute dermal toxicity

Acute inhalation toxicity - gas

Acute inhalation toxicity - vapour

Acute inhalation toxicity - dust/mist

Skin corrosion/irritation

Serious eye damage/eye irritation

Respiratory sensitisation

Skin sensitisation

Mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Acute aquatic toxicity

Chronic aquatic toxicity

Aspiration hazard

Ozone

Method Used

On basis of test data

On basis of test data

Calculation method

On basis of test data

Calculation method

On basis of test data

On basis of test data

Calculation method

On basis of test data

On basis of test data

On basis of test data

On basis of test data

Calculation method

On basis of test data

Calculation method

On basis of test data

Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By	N Bajaj
Supersedes date	30-Mar-2023
Revision date	12-May-2026

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Manufacture of substance
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC15 - Use as laboratory reagent
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites SU8 - Manufacture of bulk, large scale chemicals (including petroleum products) SU9 - Manufacture of fine chemicals SU10 - Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and	Supervision in place to check that the RMMs in place are being used correctly and OCs followed

exposure	
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

**Predicted No Effect Concentration
(PNEC)**

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Distribution of substance
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC15 - Use as laboratory reagent
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites SU8 - Manufacture of bulk, large scale chemicals (including petroleum products) SU9 - Manufacture of fine chemicals

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent	Supervision in place to check that the RMMs in place are being used correctly and OCs

/limit releases, dispersion and exposure	followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Formulation & (re)packing of substances and mixtures
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact) PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC14 - Production of preparations or articles by tableting, compression, extrusion, pelettising PROC15 - Use as laboratory reagent
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites SU10 - Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to	See Section 8 for information on appropriate personal protective equipment

personal protection, hygiene and health evaluation	
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Coatings
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact) PROC7 - Industrial spraying PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC10 - Roller application or brushing PROC13 - Treatment of articles by dipping and pouring PROC14 - Production of preparations or articles by tableting, compression, extrusion, pelettising PROC15 - Use as laboratory reagent
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting

the worker	For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Cleaning agent
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC7 - Industrial spraying PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC10 - Roller application or brushing PROC13 - Treatment of articles by dipping and pouring
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed

Remarks	Assumes a good basic standard of occupational hygiene is implemented
---------	--

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Lubricants
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC7 - Industrial spraying PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC10 - Roller application or brushing PROC13 - Treatment of articles by dipping and pouring PROC17 - Lubrication at high energy conditions and in partly open process PROC18 - Greasing at high energy conditions
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and	See Section 8 for information on appropriate personal protective equipment

health evaluation	
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Metal working fluids / rolling oils,
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact) PROC7 - Industrial spraying PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC10 - Roller application or brushing PROC13 - Treatment of articles by dipping and pouring PROC17 - Lubrication at high energy conditions and in partly open process
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to	See Section 8 for information on appropriate personal protective equipment

personal protection, hygiene and health evaluation	
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Binder and Release agents
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC6 - Calendaring operations PROC7 - Industrial spraying PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC10 - Roller application or brushing PROC13 - Treatment of articles by dipping and pouring PROC14 - Production of preparations or articles by tableting, compression, extrusion, pelettising
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment

Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Fuels
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC16 - Using material as fuel sources, limited exposure to unburned product to be expected
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCS followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Functional fluids
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture Substance
REACH registration number 01-2119457273-39-XXXX
CAS No 64742-48-9
EC No (EU Index No) 918-481-9
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Use in laboratories
Type Worker
Main user group Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC10 - Roller application or brushing
 PROC15 - Use as laboratory reagent
Sector(s) of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure

Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCS followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems

- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Coatings
Type	Worker
Main user group	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact) PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC10 - Roller application or brushing PROC11 - Non industrial spraying PROC13 - Treatment of articles by dipping and pouring PROC15 - Use as laboratory reagent PROC19 - Hand-mixing with intimate contact and only PPE available SU22 - Professional uses
Sector(s) of use	

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to	See Section 8 for information on appropriate personal protective equipment

personal protection, hygiene and health evaluation	
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Use in cleaning agents
Type	Worker
Main user group	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC10 - Roller application or brushing PROC11 - Non industrial spraying PROC13 - Treatment of articles by dipping and pouring PROC19 - Hand-mixing with intimate contact and only PPE available
Sector(s) of use	SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent	Supervision in place to check that the RMMs in place are being used correctly and OCs

/limit releases, dispersion and exposure	followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Lubricants
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises
 PROC7 - Industrial spraying
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
 PROC10 - Roller application or brushing
 PROC11 - Non industrial spraying
 PROC13 - Treatment of articles by dipping and pouring
 PROC17 - Lubrication at high energy conditions and in partly open process
 PROC18 - Greasing at high energy conditions
 PROC20 - Heat and pressure transfer fluids in dispersive, professional use but closed systems

Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting

the worker	For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Lubricants
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
 PROC10 - Roller application or brushing
 PROC11 - Non industrial spraying
 PROC13 - Treatment of articles by dipping and pouring
 PROC17 - Lubrication at high energy conditions and in partly open process
 PROC18 - Greasing at high energy conditions
 PROC20 - Heat and pressure transfer fluids in dispersive, professional use but closed systems

Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS

Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Metal working fluids / rolling oils,
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact)
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
 PROC10 - Roller application or brushing
 PROC11 - Non industrial spraying
 PROC13 - Treatment of articles by dipping and pouring
 PROC17 - Lubrication at high energy conditions and in partly open process

Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and	See Section 8 for information on appropriate personal protective equipment

health evaluation	
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Fuels
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC16 - Using material as fuel sources, limited exposure to unburned product to be expected
Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Functional fluids
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
 PROC20 - Heat and pressure transfer fluids in dispersive, professional use but closed systems
Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title road and construction products.
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
 PROC10 - Roller application or brushing
 PROC11 - Non industrial spraying
 PROC13 - Treatment of articles by dipping and pouring
Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed

Remarks	Assumes a good basic standard of occupational hygiene is implemented
---------	--

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Use in laboratories
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC10 - Roller application or brushing
 PROC15 - Use as laboratory reagent
Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems

- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Coatings
Type Consumer
Main user group Consumer uses: Private households (= general public = consumers)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Product category(ies) PC1 - Adhesives, sealants PC4 - Anti-freeze and de-icing products PC8 - Biocidal Products (e.g. disinfectants, pest control) PC9a - Coatings and paints, thinners, paint removers PC9b - Fillers, putties, plasters, modelling clay PC9c - Finger paints PC15 - Non-metal-surface treatment products PC18 - Ink and toners PC23 - Leather tanning, dye, finishing, impregnation and care products PC24 - Lubricants, greases, release products PC31 - Polishes and wax blends PC34 - Textile dyes, finishing and impregnating products
Sector(s) of use SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Conditions and measures related to external treatment of waste for disposal

Disposal	Not applicable
----------	----------------

Control of consumer exposure

Title	General measures applicable to all activities
Physical form of product	Liquid
Risk management measures	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting Keep away from children See Section 8 for information on appropriate personal protective equipment

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration

(PNEC)

Remarks	No exposure assessment presented for the environment.
---------	---

Derived No Effect Level (DNEL):

Remarks	Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use
---------	--

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Cleaning agent
Type Consumer
Main user group Consumer uses: Private households (= general public = consumers)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Product category(ies) PC3 - Air care products PC4 - Anti-freeze and de-icing products PC8 - Biocidal Products (e.g. disinfectants, pest control) PC9a - Coatings and paints, thinners, paint removers PC9b - Fillers, putties, plasters, modelling clay PC9c - Finger paints PC24 - Lubricants, greases, release products PC35 - Washing and cleaning products (including solvent based products) PC38 - Welding and soldering products, flux products
Sector(s) of use SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Conditions and measures related to external treatment of waste for disposal

Disposal	Not applicable
----------	----------------

Control of consumer exposure	
Title	General measures applicable to all activities
Physical form of product	Liquid
Risk management measures	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting Keep away from children See Section 8 for information on appropriate personal protective equipment

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture	Substance
REACH registration number	01-2119473977-17-XXXX
EC No (EU Index No)	919-164-8
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Lubricants
Type	Consumer
Main user group	Consumer uses: Private households (= general public = consumers)
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Product category(ies)	PC1 - Adhesives, sealants PC24 - Lubricants, greases, release products PC31 - Polishes and wax blends
Sector(s) of use	SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Conditions and measures related to external treatment of waste for disposal

Disposal	Not applicable
----------	----------------

Control of consumer exposure

Title	General measures applicable to all activities
Physical form of product	Liquid
Risk management measures	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting Keep away from children See Section 8 for information on appropriate personal protective equipment

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks

Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture	Substance
REACH registration number	01-2119473977-17-XXXX
EC No (EU Index No)	919-164-8
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Lubricants
Type	Consumer
Main user group	Consumer uses: Private households (= general public = consumers)
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Product category(ies)	PC1 - Adhesives, sealants PC24 - Lubricants, greases, release products PC31 - Polishes and wax blends
Sector(s) of use	SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Conditions and measures related to external treatment of waste for disposal

Disposal	Not applicable
----------	----------------

Control of consumer exposure	
Title	General measures applicable to all activities
Physical form of product	Liquid
Risk management measures	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting Keep away from children See Section 8 for information on appropriate personal protective equipment

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks

Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Fuels
Type Consumer
Main user group Consumer uses: Private households (= general public = consumers)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Product category(ies) PC13 - Fuels
Sector(s) of use SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Conditions and measures related to external treatment of waste for disposal

Disposal	Not applicable
----------	----------------

Control of consumer exposure

Title	General measures applicable to all activities
Physical form of product	Liquid
Risk management measures	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting Keep away from children See Section 8 for information on appropriate personal protective equipment

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks

Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Functional fluids
Type Consumer
Main user group Consumer uses: Private households (= general public = consumers)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Product category(ies) PC16 - Heat transfer fluids PC17 - Hydraulic fluids
Sector(s) of use SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Conditions and measures related to external treatment of waste for disposal

Disposal	Not applicable
----------	----------------

Control of consumer exposure

Title	General measures applicable to all activities
Physical form of product	Liquid
Risk management measures	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting Keep away from children See Section 8 for information on appropriate personal protective equipment

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks

Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS
Pure substance/mixture Substance
REACH registration number 01-2119456810-40-XXXX
EC No (EU Index No) 920-901-0
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Cosmetics, personal care products Perfumes, fragrances
Type Consumer
Main user group Consumer uses: Private households (= general public = consumers)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Product category(ies) PC28 - Perfumes, fragrances PC39 - Cosmetics, personal care products
Sector(s) of use SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Conditions and measures related to external treatment of waste for disposal

Disposal	Not applicable
----------	----------------

Control of consumer exposure

Title	General measures applicable to all activities
Physical form of product	Liquid
Risk management measures	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting Keep away from children See Section 8 for information on appropriate personal protective equipment

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks

Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS
Pure substance/mixture Substance
REACH registration number 01-2119456810-40-XXXX
EC No (EU Index No) 920-901-0
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Use in polymer processing.
Type Worker
Main user group Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises
 PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact)
 PROC6 - Calendaring operations
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
 PROC13 - Treatment of articles by dipping and pouring
 PROC14 - Production of preparations or articles by tableting, compression, extrusion, pelettising
 PROC21 - Low energy manipulation of substances bound in materials and/or articles
Sector(s) of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
 SU10 - Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS

Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems**

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS
Pure substance/mixture Substance
REACH registration number 01-2119456810-40-XXXX
EC No (EU Index No) 920-901-0
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Use in polymer processing.
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC9a - Wide dispersive indoor use of substances in closed systems ERC9b - Wide dispersive outdoor use of substances in closed systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC6 - Calendaring operations
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC14 - Production of preparations or articles by tableting, compression, extrusion, pelettising
 PROC21 - Low energy manipulation of substances bound in materials and/or articles
Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
 - ERC9b - Wide dispersive outdoor use of substances in closed systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems
- ERC9b - Wide dispersive outdoor use of substances in closed systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Use in oil and gas field drilling and production operations
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Water treatment chemicals (Industrial use)
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC3 - Formulation in materials ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC13 - Treatment of articles by dipping and pouring
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC3 - Formulation in materials
- ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCS followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC3 - Formulation in materials

- ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
Pure substance/mixture	Substance
REACH registration number	01-2119457273-39-XXXX
CAS No	64742-48-9
EC No (EU Index No)	918-481-9
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Mining chemicals
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact) PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and	Supervision in place to check that the RMMs in place are being used correctly and OCs followed

exposure	
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Predicted No Effect Concentration (PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS
Pure substance/mixture Substance
REACH registration number 01-2119456810-40-XXXX
EC No (EU Index No) 920-901-0
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Use in Binder and Release Agents (Professional use)
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC8a - Wide dispersive indoor use of processing aids in open systems ERC8d - Wide dispersive outdoor use of processing aids in open systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises
 PROC6 - Calendaring operations
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC10 - Roller application or brushing
 PROC11 - Non industrial spraying
 PROC14 - Production of preparations or articles by tableting, compression, extrusion, pelettising
Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC8a - Wide dispersive indoor use of processing aids in open systems
 - ERC8d - Wide dispersive outdoor use of processing aids in open systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent	Supervision in place to check that the RMMs in place are being used correctly and OCs

/limit releases, dispersion and exposure	followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8a - Wide dispersive indoor use of processing aids in open systems
- ERC8d - Wide dispersive outdoor use of processing aids in open systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Use in de-icing and anti-icing fluids (Professional use)
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC11 - Non industrial spraying
Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

**Predicted No Effect Concentration
(PNEC)**

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Slurry Explosives
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC8e - Wide dispersive outdoor use of reactive substances in open systems
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact)
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC20 - Heat and pressure transfer fluids in dispersive, professional use but closed systems

Sector(s) of use SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC8e - Wide dispersive outdoor use of reactive substances in open systems

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8e - Wide dispersive outdoor use of reactive substances in open systems

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
Pure substance/mixture Substance
REACH registration number 01-2119473977-17-XXXX
EC No (EU Index No) 919-164-8
Supplier Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

E-mail address SDS.EMEA@univarsolutions.com

Section 1 - Title

Title Water treatment chemicals (Professional use)
Type Worker
Main user group Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies) ERC8f - Wide dispersive outdoor use resulting in inclusion into or onto a matrix
Process category(ies) PROC1 - Use in closed process, no likelihood of exposure
 PROC2 - Use in closed, continuous process with occasional controlled exposure
 PROC3 - Use in closed batch process (synthesis or formulation)
 PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises
 PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
 PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
 PROC13 - Treatment of articles by dipping and pouring
 SU22 - Professional uses

Sector(s) of use

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC8f - Wide dispersive outdoor use resulting in inclusion into or onto a matrix

Control of worker exposure	
Title	General measures applicable to all activities
Covers concentrations up to	100%
Physical form of product	Liquid
Use frequency	Covers daily exposures up to 8 hours (unless stated differently).
Technical conditions and measures to control dispersion from source towards the worker	Do not ingest. If swallowed then seek immediate medical assistance Do NOT induce vomiting For further specification, refer to section 8 of the SDS
Conditions and measures related to personal protection, hygiene and health evaluation	See Section 8 for information on appropriate personal protective equipment
Organisational measures to prevent /limit releases, dispersion and exposure	Supervision in place to check that the RMMs in place are being used correctly and OCs followed
Remarks	Assumes a good basic standard of occupational hygiene is implemented

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8f - Wide dispersive outdoor use resulting in inclusion into or onto a matrix

Predicted No Effect Concentration
(PNEC)

Remarks No exposure assessment presented for the environment.

Derived No Effect Level (DNEL):

Remarks Risk management measures are based on qualitative risk characterization Qualitative approach used to conclude safe use

Section 4 - Guidance to check compliance with the exposure scenario

Available hazard data does not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterization.