

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 04-Aug-2023

Revision date 21-Aug-2025

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 11667

Safety data sheet number 11667

Product Name CAFLON BS6580

Synonyms ANTIFREEZE OAT, ANTIFREEZE CAFLON OAT, ANTIFREEZE CAFLON OAT 50% SOLUTION, ANTIFREEZE BS6580 BLUE 50% SOL

Pure substance/mixture Mixture

Contains ETHANEDIOL; 2-ETHYLHEXANOIC ACID, SODIUM SALT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Heat transfer medium

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute toxicity - Oral	Category 4*** - (H302)***
Reproductive toxicity	Category 1B*** - (H360D)***
Specific target organ toxicity — repeated exposure	Category 2*** - (H373)***

2.2. Label elements

Contains ETHANEDIOL; 2-ETHYLHEXANOIC ACID, SODIUM SALT

**Signal word**

Danger***

Hazard statements

H302 - Harmful if swallowed

H360D - May damage the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure***

Precautionary statements

P201 - Obtain special instructions before use

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P501 - Dispose of contents/ container to an approved waste disposal plant***

Unknown aquatic toxicity

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable***

3.2 Mixtures***

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
ETHANEDIOL*** 107-21-1	90 - 100%	203-473-3 (603-027-00-1)	-	STOT RE 2 (H373) Acute Tox. 4 (H302)	-	-	-
2-ETHYLHEXANOIC ACID, SODIUM SALT*** 19766-89-3	0 - 10%	243-283-8	-	Repr. 1B (H360D)***	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.***
Inhalation	Move to fresh air in case of accidental inhalation of vapours. Medical aid is necessary if symptoms appear to be an obvious consequence of inhalation.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Drink 1 or 2 glasses of water. Get medical attention. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.***

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	Harmful if swallowed
------------------	----------------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	If several ounces (60 - 100 ml) of ethylene glycol have been ingested, early administration of ethanol may counter the toxic effects (metabolic acidosis, renal damage). Consider hemodialysis or peritoneal dialysis & thiamine 100 mg plus pyridoxine 50 mg intravenously every 6 hours. If ethanol is used, a therapeutically effective blood concentration in the range of 100 - 150 mg/dl may be achieved by a rapid loading dose followed by a continuous intravenous infusion. Consult standard literature for details of treatment. 4-Methyl pyrazole (Antizol®) is an effective blocker of alcohol dehydrogenase and should be used in the treatment of ethylene glycol (EG), di- or triethylene glycol (DEG, TEG), ethylene glycol butyl ether (EGBE), or methanol intoxication if available. Fomepizole protocol: loading dose 15 mg/kg intravenously, follow by bolus dose of 10 mg/kg every 12 hours; after 48 hours, increase bolus dose to 15 mg/kg every 12 hours. Continue fomepizole until serum methanol, EG, DEG, TEG or EGBE are undetectable. The signs and symptoms of poisoning include anion gap metabolic acidosis, CNS depression, renal tubular injury, and possible late stage cranial nerve involvement. Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of respiratory distress. In severe poisoning, respiratory support with mechanical ventilation and positive end expiratory pressure may be required. Maintain adequate ventilation and oxygenation of the patient. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. If burn is present, treat as any thermal burn, after decontamination. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray.
-------------------------------------	--

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapours. Ensure adequate ventilation.***

Other information Refer to protective measures listed in Sections 7 and 8.***

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Flush area with flooding quantities of water. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.***

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)**Specific use(s)**

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure Limits**

Chemical name	United Kingdom
ETHANEDIOL*** 107-21-1	TWA: 10 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ STEL: 30 mg/m ³ Sk*

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers ***

Chemical name	Oral	Dermal	Inhalation
ETHANEDIOL*** 107-21-1		106 mg/kg bw/day [4] [6]***	35 mg/m ³ [5] [6]***
2-ETHYLHEXANOIC ACID, SODIUM SALT*** 19766-89-3		2 mg/kg bw/day [4] [6]	14 mg/m ³ [4] [6]

[4] Systemic health effects.***
 [5] Local health effects.***
 [6] Long term.***

Derived No Effect Level (DNEL) - General Public ***

Chemical name	Oral	Dermal	Inhalation
ETHANEDIOL*** 107-21-1		53 mg/kg bw/day [4] [6]***	7 mg/m ³ [5] [6]***
2-ETHYLHEXANOIC ACID, SODIUM SALT*** 19766-89-3	1 mg/kg bw/day [4] [6]		3.5 mg/m ³ [4] [6]

[4] Systemic health effects.***
 [5] Local health effects.***
 [6] Long term.***

Predicted No Effect Concentration (PNEC) ***

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
ETHANEDIOL*** 107-21-1	10 mg/L***	10 mg/L***	1 mg/L***	10 mg/L***	
2-ETHYLHEXANOIC ACID, SODIUM SALT*** 19766-89-3	0.36 mg/L	0.493 mg/L	0.036 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
ETHANEDIOL*** 107-21-1	37 mg/kg sediment dw***	3.7 mg/kg sediment dw***	199.5 mg/L***	1.53 mg/kg soil dw***	
2-ETHYLHEXANOIC ACID, SODIUM SALT*** 19766-89-3	0.301 mg/kg sediment dw	0.0301 mg/kg sediment dw	71.7 mg/L	0.0579 mg/kg soil dw	

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.***

Hand protection Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374.

Skin and body protection Wear suitable protective clothing.***

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.***

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear liquid
Colour	Various colours
Odour	Mild.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point		No information available.
Initial boiling point and boiling range		No information available.
Flammability		No information available.
Flammability Limit in Air		No information available.

Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point		No information available.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity		No information available.
Dynamic viscosity		No information available.
Water solubility	Soluble in water	
Solubility(ies)		No information available.
Partition coefficient		No information available.
Vapour pressure		No information available.
Relative density	1.06 - 1.14	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		No information available.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No information available	
Oxidising properties	No information available	

9.2. Other information**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity Stable under normal conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Excessive heat.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects**Information on likely routes of exposure**

Product Information	***
Inhalation	May cause irritation.
Eye contact	May cause temporary eye irritation.
Skin contact	May cause slight irritation.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
-----------------	---------------------------

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document ***

ATEmix (oral) 539.10*** mg/kg***

Component Information ***

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ETHANEDIOL***	7712 mg/kg (Rat) ***	> 3500 mg/kg (Mouse)***	> 2.5 mg/L (Rat) 6 h***

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	May damage the unborn child.***
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.***

Aspiration hazard

No information available.

Other adverse effects

If several ounces (60 - 100 ml) of ethylene glycol have been ingested, early administration of ethanol may counter the toxic effects (metabolic acidosis, renal damage). Consider hemodialysis or peritoneal dialysis & thiamine 100 mg plus pyridoxine 50 mg intravenously every 6 hours. If ethanol is used, a therapeutically effective blood concentration in the range of 100 - 150 mg/dl may be achieved by a rapid loading dose followed by a continuous intravenous infusion. Consult standard literature for details of treatment. 4-Methyl pyrazole (Antizol®) is an effective blocker of alcohol dehydrogenase and should be used in the treatment of ethylene glycol (EG), di- or triethylene glycol (DEG, TEG), ethylene glycol butyl ether (EGBE), or methanol intoxication if available. Fomepizole protocol: loading dose 15 mg/kg intravenously, follow by bolus dose of 10 mg/kg every 12 hours; after 48 hours, increase bolus dose to 15 mg/kg every 12 hours. Continue fomepizole until serum methanol, EG, DEG, TEG or EGBE are undetectable. The signs and symptoms of poisoning include anion gap metabolic acidosis, CNS depression, renal tubular injury, and possible late stage cranial nerve involvement. Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of respiratory distress. In severe poisoning, respiratory support with mechanical ventilation and positive end expiratory pressure may be required. Maintain adequate ventilation and oxygenation of the patient. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. If burn is present, treat as any thermal burn, after decontamination. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 12: Ecological information**12.1. Toxicity****Ecotoxicity**

The product contains no substances known to be hazardous to health or to the environment in concentrations which need to be taken into account.***

Unknown aquatic toxicity

ETHANEDIOL (107-21-1)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
Acute toxicity***	Pimephales promelas***	LC50***	72860 mg/L ***	96 hours***	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test***	Daphnia magna***	EC50***	> 100 mg/L ***	48 hours***	

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ETHANEDIOL ***	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)***	LC50: =41000mg/L (96h, Oncorhynchus mykiss) LC50: 14 - 18mg/L (96h, Oncorhynchus mykiss) LC50: =27540mg/L (96h, Lepomis macrochirus) LC50: =40761mg/L (96h, Oncorhynchus mykiss) LC50: 40000 - 60000mg/L (96h, Pimephales promelas) LC50: =16000mg/L (96h, Poecilia reticulata)***	-	EC50: =46300mg/L (48h, Daphnia magna)***
2-ETHYLHEXANOIC ACID, SODIUM SALT***	-	LC50: >100mg/L (96h, Oryzias latipes)	-	-

12.2. Persistence and degradability

Persistence and degradability Readily biodegradable.

ETHANEDIOL (107-21-1)

Method	Exposure time	Value	Results
OECD Test No. 301A: Ready Biodegradability: DOC Die-Away Test (TG 301 A) or Equivalent. ***	10 days***	Biodegradation 90 - 100 %***	Readily biodegradable***

12.3. Bioaccumulative potential

Bioaccumulation MATERIAL DOES NOT BIOACCUMULATE.

Component Information ***

Chemical name	Partition coefficient
ETHANEDIOL ***	-1.36***
2-ETHYLHEXANOIC ACID, SODIUM SALT***	1.3***

12.4. Mobility in soil

Mobility in soil Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
ETHANEDIOL***	The substance is not PBT / vPvB***
2-ETHYLHEXANOIC ACID, SODIUM SALT***	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

- | | |
|-----------------------------------|----------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |
| 14.6 Special precautions for user | |
| Special Provisions | None |

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).***

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H302 - Harmful if swallowed
H360D - May damage the unborn child
H373 - May cause damage to organs through prolonged or repeated exposure***

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note ***Indicates updated data since last publication

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity***	Calculation method***
Acute dermal toxicity***	Calculation method***
Acute inhalation toxicity - gas***	Calculation method***
Acute inhalation toxicity - vapour***	Calculation method***
Acute inhalation toxicity - dust/mist***	Calculation method***
Skin corrosion/irritation***	Calculation method***
Serious eye damage/eye irritation***	Calculation method***
Respiratory sensitisation***	Calculation method***
Skin sensitisation***	Calculation method***
Mutagenicity***	Calculation method***
Carcinogenicity***	Calculation method***
STOT - single exposure***	Calculation method***

STOT - repeated exposure***
Acute aquatic toxicity***
Chronic aquatic toxicity***
Aspiration hazard***
Ozone***

Calculation method***
Calculation method***
Calculation method***
Calculation method***
Calculation method***

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Jitendra Panchal

Supersedes date 04-Aug-2023

Revision date 21-Aug-2025

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet