

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 19-May-2022

Revision date 24-Jan-2024

Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s)	52913
Safety data sheet number	52913
Product Name	DOWSIL OFX 5329 FLUID
Substance Name	SILOXANES AND SILICONES, DI-ME, 3-HYDROXYPROPYL ME, ETHOXYLATED PROPOXYLATED
CAS No	68937-55-3
Synonyms	DOW CORNING 5329 PERFORMANCE MODIFIER, XIAMETER OFX 5329 FLUID
Pure substance/mixture	Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Surface active agents Cosmetics
-----------------	---------------------------------

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address	SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone	SGS - +32 (0)3 575 55 55 (24h)
---------------------	--------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Chronic aquatic toxicity	Category 2 - (H411)
--------------------------	---------------------

2.2. Label elements**Hazard statements**

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P234 - Keep only in original packaging

P273 - Avoid release to the environment

P391 - Collect spillage

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
OCTAMETHYLCYCLOPENTASILOXANE 556-67-2	>= 0.96 - <= 1.01 %	209-136-7 (014-018-00-1)	-	Flam. Liq. 3 (H226) Aquatic Chronic 1 (H410) Repr. 2 (H361f)	-	-	10
DECAMETHYLCYCLOPENTASILOXANE 541-02-6	>= 0.61 - <= 0.97 %	208-764-9	-	-	-	-	-
DODECAMETHYLCYCLOHEXASILOXANE 540-97-6	>= 0.27 - <= 0.31 %	208-762-8	-	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Chemical name	CAS No	SVHC candidates
OCTAMETHYLCYCLOPENTASILOXANE	556-67-2	X
DECAMETHYLCYCLOPENTASILOXANE	541-02-6	X

DODECAMETHYLCYCLOHEXASILO XANE	540-97-6	X
-----------------------------------	----------	---

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Eyes	May cause temporary eye irritation.
------	-------------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
-----------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical, CO2, alcohol-resistant foam or water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed. Flash back possible over considerable distance. Closed containers can burst violently when heated, due to excess pressure build-up. Fire burns more vigorously than would be expected. Vapours may form explosive mixtures with air.
Hazardous combustion products	Carbon oxides. Silicon oxides. Formaldehyde.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Remove all sources of ignition.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use non-sparking tools. Suppress (knock down) gases/vapours/mists with a water spray jet. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with skin, eyes and inhalation of vapours. Do not swallow. Keep container closed when not in use. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Avoid spilling. Avoid release to the environment. Handle in accordance with good industrial hygiene and safety practice.

General hygiene considerations Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labelled containers. Store locked up. Keep away from open flames, hot surfaces and sources of ignition. Do not store together with. Strong oxidising agents. Strong acids. Strong bases. Explosives. Gases.

7.3. Specific end use(s)

Specific use(s)
See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters**Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2			73 mg/m ³ [4] [6] 73 mg/m ³ [5] [6]
DECAMETHYLCYCLOPENTASILOXANE 541-02-6			97.3 mg/m ³ [4] [6] 24.2 mg/m ³ [5] [6]
DODECAMETHYLCYCLOHEXASILOXANE 540-97-6			1.22 mg/m ³ [5] [6] 6.1 mg/m ³ [5] [7]

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
OCTAMETHYLCYCLOTETRASILOXANE 556-67-2	3.7 mg/kg bw/day [4] [6]		13 mg/m ³ [4] [6] 13 mg/m ³ [5] [6]
DECAMETHYLCYCLOPENTASILOXANE 541-02-6	5 mg/kg bw/day [4] [6]		17.3 mg/m ³ [4] [6] 4.3 mg/m ³ [5] [6]
DODECAMETHYLCYCLOHEXASILOXANE 540-97-6			0.3 mg/m ³ [5] [6] 1.5 mg/m ³ [5] [7]

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	0.0015 mg/l		0.00015 mg/l		
DECAMETHYLCYCLOPE NTASILOXANE 541-02-6	>0.0012 mg/l		>0.00012 mg/l		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food
DECAMETHYLCYCLOPE NTASILOXANE 541-02-6	11 mg/kg sediment dw	1.1 mg/kg sediment dw	10 mg/L	2.54 mg/kg soil dw	16 mg/kg food
DODECAMETHYLCYCLO HEXASILOXANE 540-97-6	13.5 mg/kg dry weight (d.w.)	1.35 mg/kg dry weight (d.w.)			66.7 mg/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves	> 0.35 mm	> 120 minutes
	Wear protective Neoprene™ gloves	> 0.35 mm	> 120 minutes
	Wear protective nitrile rubber gloves	> 0.35 mm	> 120 minutes
	Ethyl vinyl alcohol laminate ("EVAL")	> 0.35 mm	> 120 minutes
	Polyvinyl chloride (PVC)	> 0.35 mm	> 120 minutes
	Wear protective Viton™ gloves	> 0.35 mm	> 120 minutes

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection Use appropriate respiratory protection.
Organic gases and vapours filter conforming to EN 14387. Type A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Colour Amber
Odour Characteristic.
Odour threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		Not determined.
Initial boiling point and boiling range	> 35 °C	@ 760 mmHg.
Flammability		Not applicable.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	76.6 °C	Pensky-Martens closed cup.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	360 cSt	@ 25 °C.
Dynamic viscosity		No information available.
Water solubility		Not determined.
Solubility(ies)		No information available.
Partition coefficient		Not determined.
Vapour pressure		No information available.
Relative density	1.03	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		Not applicable.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No known effects under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react with the product: Strong oxidising agents. Vapours may form explosive mixtures with air. Combustible liquid.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Silicon oxides. Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Inhalation of vapours in high concentration may cause irritation of respiratory system.
Eye contact	May cause temporary eye irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Gastrointestinal discomfort.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

> 2000 mg/kg > 2000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
OCTAMETHYLCYCLOTETRA SILOXANE	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rabbit)	= 36 mg/L (Rat) 4 h
DECAMETHYLCYCLOPENTAS SILOXANE	> 24134 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 8.67 mg/L (Rat) 4 h
DODECAMETHYLCYCLOHEX ASILOXANE	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged contact may cause redness and irritation.

OCTAMETHYLCYCLOTETRA SILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Non-irritating during normal use

Serious eye damage/eye irritation May cause temporary eye irritation.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause temporary eye irritation

Respiratory or skin sensitisation Not a skin sensitizer.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitizer

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Results
	Mouse	Dermal	Not a skin sensitizer

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitizer

Germ cell mutagenicity No information available.

Component Information

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Results
	in vitro	Negative
		Did not show mutagenic effects in animal experiments

Carcinogenicity No information available.

Component Information

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
		Results from a 2 year repeated vapour inhalation exposure study to rats of decamethylcyclopentasiloxane (D5) indicate effects (uterine endometrial tumors) in female animals. This finding occurred at the highest exposure dose (160 ppm) only. Studies to date have not demonstrated if this effect occurs through a pathway that is relevant to humans.

Reproductive toxicity

No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	United Kingdom
OCTAMETHYLCYCLOTETRASILOXANE	Repr. 2

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Results
		Suspected of damaging fertility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Results
		This product does not contain any known or suspected reproductive hazards

STOT - single exposure

No information available.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Kidney Liver respiratory tract Female reproductive organs

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

STOT - repeated exposure

No information available.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Not classified Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

Aspiration hazard Based on available data the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

OCTAMETHYLCYCLOTETRASIOXANE (556-67-2)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Oncorhynchus mykiss (rainbow trout)	LC50	> 0.022 mg/L	96 hours	
	Cyprinodon variegatus	LC50	> 0.0063 mg/L	14 days	
	Mysidopsis bahia	EC50	> 0.0091 mg/L	96 hours	
	Daphnia magna	EC50	> 0.015 mg/L	48 hours	
	Pseudokirchneriella subcapitata	ErC50	> 0.022 mg/L	96 hours	
	Pseudokirchneriella subcapitata	EC10	>= 0.022 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.0044 mg/L	93 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0079 mg/L	21 days	

DECAMETHYLCYCLOPENTASIOXANE (541-02-6)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 204: Fish, Prolonged Toxicity Test: 14-Day Study	Oncorhynchus mykiss (rainbow trout)	LC50	> 16 µg/l	96 hours	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	> 2.9 mg/L	48 hours	
	Pseudokirchneriella subcapitata	ErC50	> 0.012 mg/L	96 hours	
	Pseudokirchneriella subcapitata	NOEC	0.012 mg/L	96 hours	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	LC50	> 16 mg/L	14 days	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.017 mg/L	45 days	
Chronic aquatic toxicity	Oncorhynchus mykiss (rainbow trout)	NOEC	>= 0.014 mg/L	90 days	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.015 mg/L	21 days	
	Eisenia fetida	NOEC	>= 76 mg/kg		

DODECAMETHYLCYCLOHEXASIOXANE (540-97-6)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Pseudokirchneriella subcapitata	ErC50	> 0.002 mg/L	72 hours	
Chronic aquatic toxicity	Daphnia magna	NOEC	0.0046 mg/L	21 days	

12.2. Persistence and degradability

Persistence and degradability No information available.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 3.7%	Expected to biodegrade very slowly

DECAMETHYLCYCLOPENTASILOXANE (541-02-6)

Method	Exposure time	Value	Results
OECD 310	28 days	Biodegradation 0.14%	Expected to biodegrade very slowly

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	Biodegradation 4.5%	Not readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
OCTAMETHYLCYCLOTETRASILOXANE	6.49
DECAMETHYLCYCLOPENTASILOXANE	5.2
DODECAMETHYLCYCLOHEXASILOXANE	8.87

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
OCTAMETHYLCYCLOTETRASILOXANE	PBT substance vPvB substance
DECAMETHYLCYCLOPENTASILOXANE	PBT substance vPvB substance
DODECAMETHYLCYCLOHEXASILOXANE	vPvB substance

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	A97, A158, A197
ERG Code	9L

IMDG

14.1 UN number or ID number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 969
EmS-No	F-A, S-F
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601
Classification code	M6

ADR

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (OCTAMETHYLCYCLOTETRASILOXANE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 601, 375
Classification code	M6
Tunnel restriction code	(-)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
OCTAMETHYLCYCLOTETRAILOXANE - 556-67-2	Use restricted. See item 70.	-
DECAMETHYLCYCLOPENTASILOXANE - 541-02-6	Use restricted. See item 70.	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet**Full text of H-Statements referred to under section 3**

H226 - Flammable liquid and vapour

H361f - Suspected of damaging fertility

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

*

Skin designation

+ Sensitisers

Revision Note SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Method Used

Acute oral toxicity

Calculation method

Acute dermal toxicity

Calculation method

Acute inhalation toxicity - gas

Calculation method

Acute inhalation toxicity - vapour

Calculation method

Acute inhalation toxicity - dust/mist

Calculation method

Skin corrosion/irritation

Calculation method

Serious eye damage/eye irritation

Calculation method

Respiratory sensitisation

Calculation method

Skin sensitisation

Calculation method

Mutagenicity

Calculation method

Carcinogenicity

Calculation method

Reproductive toxicity

Calculation method

STOT - single exposure

Calculation method

STOT - repeated exposure

Calculation method

Acute aquatic toxicity

Calculation method

Chronic aquatic toxicity

Calculation method

Aspiration hazard

Calculation method

Ozone

Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Lisa Bland
Supersedes date 19-May-2022
Revision date 24-Jan-2024

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet