

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 11-Nov-2024

Revision date 18-Sep-2025

Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 63313

Safety data sheet number 63313

Product Name ULTRAMARINE BLUE

Synonyms

ULTRAMARINE BLUE 02, ULTRAMARINE BLUE 03, ULTRAMARINE BLUE 05, ULTRAMARINE BLUE 05C, ULTRAMARINE BLUE 055, ULTRAMARINE BLUE 06, ULTRAMARINE BLUE 07, ULTRAMARINE BLUE 07T, ULTRAMARINE BLUE 08, ULTRAMARINE BLUE 08B, ULTRAMARINE BLUE 08C, ULTRAMARINE BLUE 08E, ULTRAMARINE BLUE 08S, ULTRAMARINE BLUE 08STK, ULTRAMARINE BLUE 09, ULTRAMARINE BLUE 09T, ULTRAMARINE BLUE 10, ULTRAMARINE BLUE 1008, ULTRAMARINE BLUE 15, ULTRAMARINE BLUE 15S, ULTRAMARINE BLUE 16, ULTRAMARINE BLUE 17, ULTRAMARINE BLUE 17C, ULTRAMARINE BLUE 17CBAC, ULTRAMARINE BLUE 1701, ULTRAMARINE BLUE 21, ULTRAMARINE BLUE 23, ULTRAMARINE BLUE 23S, ULTRAMARINE BLUE 24, ULTRAMARINE BLUE 24S, ULTRAMARINE BLUE 25, ULTRAMARINE BLUE 26, ULTRAMARINE BLUE 26H, ULTRAMARINE BLUE 26S, ULTRAMARINE BLUE 31, ULTRAMARINE BLUE 31F, ULTRAMARINE BLUE 32, ULTRAMARINE BLUE 32T, ULTRAMARINE BLUE 5005, ULTRAMARINE BLUE 5008, ULTRAMARINE BLUE 5401, ULTRAMARINE BLUE 5858, ULTRAMARINE BLUE 51, ULTRAMARINE BLUE 51C, ULTRAMARINE BLUE 51S, ULTRAMARINE BLUE 51T, ULTRAMARINE BLUE 54, ULTRAMARINE BLUE 54C, ULTRAMARINE BLUE 54S, ULTRAMARINE BLUE 55, ULTRAMARINE BLUE 56, ULTRAMARINE BLUE 59, ULTRAMARINE BLUE 61, ULTRAMARINE BLUE 63, ULTRAMARINE BLUE 64, ULTRAMARINE BLUE 65, ULTRAMARINE BLUE 69, ULTRAMARINE BLUE 71, ULTRAMARINE BLUE 74, ULTRAMARINE BLUE 75, ULTRAMARINE BLUE 82, ULTRAMARINE BLUE 91, ULTRAMARINE BLUE 332, ULTRAMARINE BLUE 359, ULTRAMARINE BLUE 751, ULTRAMARINE BLUE C111, ULTRAMARINE BLUE C16, ULTRAMARINE BLUE C76, ULTRAMARINE BLUE C83, ULTRAMARINE BLUE CM01, ULTRAMARINE BLUE CM01D, ULTRAMARINE BLUE CM05D, ULTRAMARINE BLUE CM104, ULTRAMARINE BLUE CM104D, ULTRAMARINE BLUE CM105, ULTRAMARINE BLUE CM108, ULTRAMARINE BLUE CM121, ULTRAMARINE BLUE CM13, ULTRAMARINE BLUE CM140, ULTRAMARINE BLUE CM151, ULTRAMARINE BLUE CM154, ULTRAMARINE BLUE CM169, ULTRAMARINE BLUE CM181, ULTRAMARINE BLUE CM193, ULTRAMARINE BLUE CM194, ULTRAMARINE BLUE CM2026, ULTRAMARINE BLUE CM2047, ULTRAMARINE BLUE CM2050, ULTRAMARINE BLUE CM2066, ULTRAMARINE BLUE CM207, ULTRAMARINE BLUE CM207D, ULTRAMARINE BLUE CM208, ULTRAMARINE BLUE CM2144, ULTRAMARINE BLUE CM215, ULTRAMARINE BLUE CM226, ULTRAMARINE BLUE CM241, ULTRAMARINE BLUE CM249, ULTRAMARINE BLUE CM253, ULTRAMARINE BLUE CM27, ULTRAMARINE BLUE CM28, ULTRAMARINE BLUE CM295, ULTRAMARINE BLUE CM296D, ULTRAMARINE BLUE CM303, ULTRAMARINE BLUE CM38, ULTRAMARINE BLUE CM41, ULTRAMARINE BLUE CM45, ULTRAMARINE BLUE CM469, ULTRAMARINE BLUE CM48, ULTRAMARINE BLUE CM49S, ULTRAMARINE

BLUE CM64, ULTRAMARINE BLUE CM72, ULTRAMARINE BLUE CM73, ULTRAMARINE BLUE CM75, ULTRAMARINE BLUE CM77, ULTRAMARINE BLUE CM79, ULTRAMARINE BLUE CORAS, ULTRAMARINE BLUE DP1150, ULTRAMARINE BLUE DP1169, ULTRAMARINE BLUE FRX-FJ, ULTRAMARINE BLUE HA2, ULTRAMARINE BLUE HG, ULTRAMARINE BLUE RS3, ULTRAMARINE BLUE RS32, ULTRAMARINE BLUE RS8, ULTRAMARINE BLUE ST106, ULTRAMARINE BLUE ST51, ULTRAMARINE BLUE ST61, ULTRAMARINE BLUE ST62, ULTRAMARINE BLUE ST63, ULTRAMARINE BLUE ST64, ULTRAMARINE BLUE ST78,, ULTRAMARINE BLUE ST83, ULTRAMARINE BLUE ST87, ULTRAMARINE BLUE ST90, ULTRAMARINE BLUE ST91S, ULTRAMARINE BLUE ST95, ULTRAMARINE BLUE ST96, ULTRAMARINE BLUE TR, PIGMENT BLUE 29:77007, ULTRAMARINE BLUE CORASC, ULTRAMARINE BLUE CORASCI, ULTRAMARINE BLUE PREMIER AR, ULTRAMARINE BLUE PREMIER XAR, ULTRAMARINE BLUE PREMIER BC-R

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Industrial use
Colouring agent
Pigments

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified

2.2. Label elements

Not classified

Hazard statements

Not classified
EUH210 - Safety data sheet available on request

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Contact with acids liberates hydrogen sulphide, a highly flammable toxic gas.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
SILICONE DIOXIDE 7631-86-9	15 - 30 %	231-545-4	-	Not classified	-	-	-
KAOLIN 1332-58-7	0 - 10 %	310-194-1	-	Not classified	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	If symptoms persist, call a doctor.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.
Self-protection of the first aider	No action shall be taken involving any personal risk or without suitable training.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Overexposure may cause the following adverse effects. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.
Eyes	Solid particles trapped behind the eyelid may cause abrasive damage,.
Dermal	The product is not irritant but as with all fine powders can absorb moisture and natural oils

from the surface of the skin during prolonged exposure. Individuals with sensitive skin may experience skin drying on prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO₂, alcohol-resistant foam or water spray.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical When heated and in case of fire, toxic vapours/gases may be formed. Sulphur Dioxide gas can be liberated if this product undergoes chemical change during a fire sustained by other materials.

Hazardous combustion products Carbon oxides. Hydrogen sulphide. Oxides of sulphur.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid generation of dust. Remove all sources of ignition. Never return spills in original containers for re-use.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Avoid generation of dust. Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with eyes, skin and clothing. Do not breathe dust. Avoid generation of dust. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Provide appropriate exhaust ventilation at places where dust is formed.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Barrier creams may help to protect the exposed areas of skin. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standard. Store away from the following materials. Acids.

7.3. Specific end use(s)

Specific use(s)
See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom
SILICONE DIOXIDE 7631-86-9	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³
KAOLIN 1332-58-7	TWA: 2 mg/m ³ STEL: 6 mg/m ³

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
SILICONE DIOXIDE 7631-86-9			4 mg/m ³ [4] [6]

[4] Systemic health effects.

[6] Long term.

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection Use appropriate respiratory protection.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Barrier creams may help to protect the exposed areas of skin. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Dusty powder
Colour	Blue
Odour	Odourless.
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		Not applicable.
Initial boiling point and boiling range		Not applicable.
Flammability		The product is not flammable.
Flammability Limit in Air		Not applicable.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point		Not applicable.
Autoignition temperature		No information available.
Decomposition temperature	400 °C	Decomposes on heating.
pH	7 - 9.5	solution (10 %).
pH (as aqueous solution)		No information available.
Kinematic viscosity		No information available.
Dynamic viscosity		Not applicable.
Water solubility	Insoluble in water	
Solubility(ies)		No information available.
Partition coefficient		No information available.
Vapour pressure		Not applicable.

Relative density		No information available.
Bulk density	2.35 g/cm ³	
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		No information available.
Particle Size	0.7 - 3.0 µm	
Particle Size Distribution	No information available	
Explosive properties	Not considered to be explosive.	
Oxidising properties	No information available	

9.2. Other information

Evaporation rate	Not applicable
------------------	----------------

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	Acids.
------------	--------

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	At temperatures above 400°C/750°F in the presence of air an exothermic reaction can occur with the liberation of Sulphur Dioxide (SO ₂) gas. Contact with acids liberates hydrogen sulphide, a highly flammable toxic gas.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to extreme temperatures and contact with incompatible chemicals.
---------------------	---

10.5. Incompatible materials

Incompatible materials	Acids.
------------------------	--------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon oxides. Hydrogen sulphide. Oxides of sulphur.
----------------------------------	--

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	Overexposure may cause the following adverse effects. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.
Eye contact	Solid particles trapped behind the eyelid may cause abrasive damage,.
Skin contact	The product is not irritant but as with all fine powders can absorb moisture and natural oils

from the surface of the skin during prolonged exposure. Individuals with sensitive skin may experience skin drying on prolonged or repeated exposure.

Ingestion

May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms****Acute toxicity****Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
SILICONE DIOXIDE	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat) 4 h
KAOLIN	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

The product is not irritant but as with all fine powders can absorb moisture and natural oils from the surface of the skin during prolonged exposure. Individuals with sensitive skin may experience skin drying on prolonged or repeated exposure.

SILICONE DIOXIDE (7631-86-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal			non-irritant

KAOLIN (1332-58-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Brief contact is essentially non-irritating to skin.

Serious eye damage/eye irritation

Solid particles trapped behind the eyelid may cause abrasive damage,.

SILICONE DIOXIDE (7631-86-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			non-irritant

KAOLIN (1332-58-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Solid particles trapped behind the eyelid may cause abrasive damage,

Respiratory or skin sensitisation

No information available.

SILICONE DIOXIDE (7631-86-9)

Method	Species	Exposure route	Results
	Human evidence	Dermal	Not a skin sensitiser

Germ cell mutagenicity No information available.

Component Information

SILICONE DIOXIDE (7631-86-9)

Method	Species	Results
OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test	in vitro	Negative
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt genes	in vitro	Negative
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Negative
	in vivo	Negative

Carcinogenicity No information available.

Component Information

SILICONE DIOXIDE (7631-86-9)

Method	Species	Results
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat	Negative

KAOLIN (1332-58-7)

Method	Species	Results
	Multiple Animal Species	Not Carcinogenic

Reproductive toxicity No information available.

SILICONE DIOXIDE (7631-86-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development Toxicity Study	Rat	Negative NOAEL 1350 mg/kg/day
OECD Test No. 414: Pre-natal Development Toxicity Study	Rabbit	Negative NOAEL 1600 mg/kg/day
OECD Test No. 414: Pre-natal Development Toxicity Study	Rat	Negative NOAEL 1340 mg/kg/day

STOT - single exposure No information available.

SILICONE DIOXIDE (7631-86-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Human	Inhalation			Not classified

KAOLIN (1332-58-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Evaluation of available data suggests that this material is not an

					STOT-SE toxicant
--	--	--	--	--	------------------

STOT - repeated exposure No information available.

Component Information
SILICONE DIOXIDE (7631-86-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413: Sub-chronic Inhalation Toxicity: 90-day Study	Rat	Oral	mg/m ³ 4000 - 4500	13 hours	Not classified

KAOLIN (1332-58-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

Aspiration hazard No information available.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

SILICONE DIOXIDE (7631-86-9)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Brachydanio rerio	LC50	> 10000 mg/L	96 hours	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	> 1000 mg/L	24 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Desmodesmus subspicatus	EL50	> 10000 mg/L	72 hours	

KAOLIN (1332-58-7)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
		LC0	> 100 mg/L	48 hours	

12.2. Persistence and degradability

Persistence and degradability Not readily biodegradable.

SILICONE DIOXIDE (7631-86-9)

Method	Exposure time	Value	Results
--------	---------------	-------	---------

			Inorganic.
--	--	--	------------

KAOLIN (1332-58-7)

Method	Exposure time	Value	Results
			Not applicable

12.3. Bioaccumulative potential

Bioaccumulation Not likely to bioaccumulate.

Component Information

Chemical name	Partition coefficient
SILICONE DIOXIDE	0.53

12.4. Mobility in soil

Mobility in soil Insoluble.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
SILICONE DIOXIDE	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	

Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations**Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).
 This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories**TSCA**

Contact supplier for inventory compliance status

DSL/NDL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No Chemical Safety Assessment has been carried out for this substance/mixture

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note **SDS sections updated 1 2 3 7 9 11 12 16**

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Lisa Bland

Supersedes date 11-Nov-2024

Revision date 18-Sep-2025

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet