



SAFETY DATA SHEET CEREMIX FLEX

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CEREMIX FLEX

Product number 50624

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Biocatalyst Food industry Industrial application

1.3. Details of the supplier of the safety data sheet

Supplier Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
BD3 7AY
+44 1274 267300
+44 1274 267306
SDS.EMEA@univarsolutions.com

1.4. Emergency telephone number

Emergency telephone SGS - +32 (0)3 575 55 55 (24h)

Sds No. 50624

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements EUH208 Contains PULLULANASE, MALTOGENIC AMYLASE, AMYLASE, alpha. May produce an allergic reaction.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

CEREMIX FLEX

PULLULANASE		0.1 - < 1%
CAS number: 9075-68-7	EC number: 232-983-9	REACH registration number: 01-2120763005-62-XXXX

Classification

Resp. Sens. 1 - H334

AMYLASE, alpha		0.1 - < 1%
CAS number: 9000-90-2	EC number: 232-565-6	REACH registration number: 01-2119938627-26-XXXX

Classification

Resp. Sens. 1 - H334

MALTOGENIC AMYLASE		0.1 - < 1%
CAS number: 160611-47-2	EC number: 232-575-0	REACH registration number: 01-2120769703-46-XXXX

Classification

Resp. Sens. 1 - H334

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention.
Ingestion	Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals. Shortness of breath. Wheezing/breathing difficulties. Coughing. Effects may be delayed.
Ingestion	May cause irritation.
Skin contact	May be slightly irritating to skin.
Eye contact	May be slightly irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Effects may be delayed.
-----------------------------	--

CEREMIX FLEX

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product contains a small amount of sensitising substance.

Hazardous combustion products When heated, vapours/gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. Avoid handling which leads to dust formation. Do not allow to dry out. Avoid the formation of mists.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid the spillage or runoff entering drains, sewers or watercourses. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Collect and place in suitable waste disposal containers and seal securely. Do not allow to dry out. Flush contaminated area with plenty of water. Clean contaminated objects and areas thoroughly, observing environmental regulations.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid handling which leads to dust formation. Avoid the formation of mists. Avoid inhalation of vapours and spray/mists. Avoid contact with skin and eyes. Do not allow to dry out.

Advice on general occupational hygiene Provide eyewash station and safety shower. When using do not eat, drink or smoke. Wash after use and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Store at temperatures between 0°C and 10°C.

7.3. Specific end use(s)

CEREMIX FLEX

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

AMYLASE, alpha (CAS: 9000-90-2)

DMEL	Workers - Inhalation; Long term local effects: 60 ng/m ³ Consumer, Professional - Inhalation; Long term local effects: 15 ng/m ³
PNEC	- Fresh water; 5.2 µg/l - marine water; 0.52 µg/l - STP; 65000 µg/l

MALTOGENIC AMYLASE (CAS: 160611-47-2)

DMEL	Workers - Inhalation; Long term local effects: 60 ng/m ³
------	---

PULLULANASE (CAS: 9075-68-7)

DMEL	Workers - Inhalation; Long term local effects: 60 ng/m ³
------	---

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients. Provide eyewash station and safety shower.

Eye/face protection

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash after use and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Particulate filter, type P3. Particulate filters should comply with European Standard EN143. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

CEREMIX FLEX

Appearance	Liquid.
Colour	Light brown. to Dark brown.
Odour	Slight.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Pour Point	No information available.
Freezing Point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	1.2
Bulk density	No information available.
Solubility(ies)	Immiscible with water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	No information available.
Oxidising properties	No information available.

9.2. Other information

Other information	No information available.
--------------------------	---------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information available.
-------------------	---------------------------

10.2. Chemical stability

Stability	Stable under the prescribed storage conditions.
------------------	---

CEREMIX FLEX

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid the formation of mists. Do not allow to dry out.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. When heated, vapours/gases hazardous to health may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Respiratory sensitisation

Respiratory sensitisation The product contains a small amount of sensitising substance.

Inhalation The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals. Shortness of breath. Wheezing/breathing difficulties. Coughing. Effects may be delayed.

Ingestion May cause irritation.

Skin contact May be slightly irritating to skin.

Eye contact May be slightly irritating to eyes.

Toxicological information on ingredients.

PULLULANASE

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral,

Skin corrosion/irritation

Animal data Not irritating. OECD 404

Serious eye damage/irritation

Serious eye damage/irritation Not irritating. OECD 405

Respiratory sensitisation

Respiratory sensitisation Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met. OECD 471 OECD 476

AMYLASE, alpha

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral, OECD 401

CEREMIX FLEX

Skin corrosion/irritation

Skin corrosion/irritation Not irritating. OECD 404

Serious eye damage/irritation

Serious eye damage/irritation Not irritating. OECD 405

Respiratory sensitisation

Respiratory sensitisation Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met. OECD 471 OECD 476

MALTOGENIC AMYLASE

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral, OECD 401 OECD 420

Skin corrosion/irritation

Animal data Not irritating. OECD 404

Serious eye damage/irritation

Serious eye damage/irritation Not irritating. OECD 405

Respiratory sensitisation

Respiratory sensitisation Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met. OECD 471 OECD 476

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity No information available.

Ecological information on ingredients.

PULLULANASE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 58.3 - 326.7 mg/l, OECD 203

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 31.7 - 457 mg/l, Daphnia magna OECD 202

Acute toxicity - aquatic plants EC₅₀, 72 hours: >=5.2 mg/l, Algae OECD 201

AMYLASE, alpha

CEREMIX FLEX

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 58.3 - 326.7 mg/l, Fish OECD 203
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 31.7 - 457 mg/l, Daphnia magna OECD 202
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: >= 5.2 mg/l, Algae OECD 201

MALTOGENIC AMYLASE

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 58.3 - 326.7 mg/l, Fish OECD 203
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 31.7 - 457 mg/l, Daphnia magna OECD 202
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: >= 5.2 mg/l, Algae OECD 201

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.

PULLULANASE

Persistence and degradability	The product is readily biodegradable.
-------------------------------	---------------------------------------

AMYLASE, alpha

Persistence and degradability	The product is readily biodegradable. OECD 301
-------------------------------	--

MALTOGENIC AMYLASE

Persistence and degradability	The product is readily biodegradable.
-------------------------------	---------------------------------------

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

PULLULANASE

Bioaccumulative potential	The product is not bioaccumulating.
Partition coefficient	log Pow: < 0

AMYLASE, alpha

Bioaccumulative potential	The product is not bioaccumulating.
---------------------------	-------------------------------------

CEREMIX FLEX

Partition coefficient log Pow: < 0

MALTOGENIC AMYLASE

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: < 0

12.4. Mobility in soil

Mobility No information available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

PULLULANASE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

MALTOGENIC AMYLASE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Waste should be treated as controlled waste. Do not puncture or incinerate, even when empty.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

CEREMIX FLEX

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78
and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.
----------------	--

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information

CEREMIX FLEX

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and sources for data

Supplier's information.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

13/01/2023

Version number

2.000

Supersedes date

30/12/2016

SDS number

50624

CEREMIX FLEX

SDS status

Approved.

Hazard statements in full

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
EUH208 Contains PULLULANASE, MALTOGENIC AMYLASE, AMYLASE, alpha. May produce an allergic reaction.

Signature

J Spenceley

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.