



SAFETY DATA SHEET

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE
Product number	51167
Synonyms; trade names	CI16035, 37011 FD&C RED 40, 37011 FD&C RED 40 MICRO, 36037 ALLURA RED GRANULES, 36022 EDICOL ALLURA RED, 37014 FD&C RED 40 (EU/US CERT), 37014 FD&C RED 40 (EU/US CERT) IRRRA, 37014 FD&C RED 40 (EU/US CERT) MICRO, 36022 EDICOL ALLURA RED AC
REACH registration number	01-2119935928-21-XXXX
REACH registration notes	This product is not classified as hazardous, the information in this datasheet is given for guidance only.
CAS number	25956-17-6
EC number	247-368-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Colourant Dye Additive Food industry Pharmaceuticals Cosmetics
-----------------	--

1.3. Details of the supplier of the safety data sheet

Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford BD3 7AY +44 1274 267300 +44 1274 267306 SDS.EMEA@univarsolutions.com
----------	---

1.4. Emergency telephone number

Emergency telephone	SGS - +32 (0)3 575 55 55 (24h)
Sds No.	51167

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

2.2. Label elements

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

EC number	247-368-0
Hazard statements	NC Not Classified

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1. Substances

Product name	DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE
REACH registration number	01-2119935928-21-XXXX
REACH registration notes	This product is not classified as hazardous, the information in this datasheet is given for guidance only.
CAS number	25956-17-6
EC number	247-368-0
Ingredient notes	Acute Toxicity Estimate (oral): > 2000 mg/kg Acute Toxicity Estimate (dermal): > 10000 mg/kg
Composition comments	The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Take off immediately all contaminated clothing and wash it before reuse.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. If breathing stops, provide artificial respiration. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Solid particles trapped behind the eyelid may cause abrasive damage.
-------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. If in doubt, get medical attention promptly.
----------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
------------------------------	--

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards When heated and in case of fire, toxic vapours/gases may be formed.

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon. Nitrogen. Sulphur. Sodium.

5.3. Advice for firefighters

Protective actions during firefighting Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid the spillage or runoff entering drains, sewers or watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of dust and contact with skin and eyes. Keep unnecessary and unprotected personnel away from the spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of dust and contact with skin and eyes. Ground/bond container and receiving equipment. Avoid heat, flames and other sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from the following materials: Strong oxidising agents. Strong reducing agents.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

8.1. Control parameters

Occupational exposure limits

Long-term exposure limit (8-hour TWA): WEL No std.

Short-term exposure limit (15-minute): WEL No std.

WEL = Workplace Exposure Limit.

Ingredient comments

WEL = Workplace Exposure Limits

DNEL

Workers - Inhalation; Long term : 34.843 mg/m³

Workers - Dermal; Long term : 19.762 mg/kg

General population - Inhalation; Long term : 8.592 mg/m³

General population - Dermal; Long term : 9.881 mg/kg

PNEC

Fresh water; 100 µg/l

Intermittent release; 1 mg/l

marine water; 10 µg/l

STP; 899.78 µg/l

Sediment (Freshwater); 46741.98 mg/kg

Sediment (Marinewater); 46741.98 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Dust-resistant, chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent skin contamination.

Hygiene measures

When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m³. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. If ventilation is inadequate, suitable respiratory protection must be worn. Wear self-contained breathing apparatus. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

9.1. Information on basic physical and chemical properties

Appearance	Solid Granules. Powder.
Colour	Red. to Dark. Red. to Brown.
Odour	Odourless.
Odour threshold	No information available.
pH	pH (diluted solution): 6 - 9 (1 %)
Melting point	Not applicable.
Pour Point	No information available.
Freezing Point	No information available.
Initial boiling point and range	310°C @ 966 hPa
Flash point	255°C
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.706 - 0.71 @ 20°C
Bulk density	Not determined.
Solubility(ies)	Soluble in water. 222.0 g/l water @ 27°C
Partition coefficient	log Pow: 0.052
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	Not applicable.
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	No information available.
Oxidising properties	No information available.

9.2. Other information

Other information	Not determined.
Refractive index	No information available.
Particle size	No information available.
Molecular weight	496.43
Volatility	No information available.

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable under the prescribed storage conditions.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong reducing agents.
--------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon. Nitrogen. Sulphur. Sodium.
----------------------------------	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Based on available data the classification criteria are not met.
-----------------------	--

Acute toxicity - oral

Notes (oral LD ₅₀)	LD ₅₀ > 2000 mg/kg, Oral, Mouse
--------------------------------	--

Acute toxicity - dermal

Notes (dermal LD ₅₀)	LD ₅₀ > 10000 mg/kg, Dermal, Rabbit
----------------------------------	--

Acute toxicity - inhalation

Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
--------------------------------------	--

Skin corrosion/irritation

Animal data	Not irritating.
-------------	-----------------

Serious eye damage/irritation

Serious eye damage/irritation	Not irritating.
-------------------------------	-----------------

Respiratory sensitisation

Respiratory sensitisation	No information available.
---------------------------	---------------------------

Skin sensitisation

Skin sensitisation	Not sensitising.
--------------------	------------------

Germ cell mutagenicity

Genotoxicity - in vitro	Ames test: Negative.
-------------------------	----------------------

Carcinogenicity

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility This substance has no evidence of toxicity to reproduction.

Reproductive toxicity - development This substance has no evidence of toxicity to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation

Dust in high concentrations may irritate the respiratory system.

Ingestion

May cause discomfort if swallowed.

Skin contact

Skin irritation should not occur when used as recommended.

Eye contact

Solid particles trapped behind the eyelid may cause abrasive damage.

SECTION 12: Ecological information

Ecotoxicity

The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity

Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish

LC₅₀, 96 hours: 5439.436 mg/l, Fish

Acute toxicity - aquatic invertebrates

LC₅₀, 48 hours: 722.455 mg/l, Daphnia magna

Acute toxicity - aquatic plants

NOEC, 72 hours: 8.3529 mg/l, Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Persistence and degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

log Pow: 0.052

12.4. Mobility in soil

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

Results of PBT and vPvB assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

Waste should be treated as controlled waste. Do not puncture or incinerate, even when empty.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

DISODIUM 6-HYDROXY-5-[(2-METHOXY-4-SULPHONATO-M-TOLYL)AZO]NAPHTHALENE-2-SULPHONATE

Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Key literature references and sources for data	Supplier's information.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	27/03/2023
Version number	3.000
Supersedes date	27/04/2021
SDS number	51167
SDS status	Approved.
Signature	Lisa Bland

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.