

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 13-Apr-2018

Revision date 11-Aug-2024

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 54261
Safety data sheet number 54261
Product Name SOFTCAT POLYMER SX 1300X
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Conditioning Polymer

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Chronic aquatic toxicity	Category 2 - (H411)
---------------------------------	---------------------

2.2. Label elements

**Hazard statements**

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
CATIONIC HYDROXYETHYL CELLULOSE 68610-92-4	>= 90.0 - <= 100.0 %	-	-	Aquatic Chronic 2 (H411)	-	-	-
WATER 7732-18-5	>= 0.0 - <= 5.5 %	231-791-2	-	Not Classified	-	-	-
SODIUM ACETATE 127-09-3	>= 0.0 - <= 4.9 %	204-823-8	-	Not Classified	-	-	-
SODIUM CHLORIDE 7647-14-5	>= 0.0 - <= 3.5 %	231-598-3	-	Not Classified	-	-	-
PROPAN-2-OL 67-63-0	<= 1.0 %	200-661-7 (603-117-00-0)	-	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Use personal protection recommended in Section 8.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if symptoms occur.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed**Symptoms**

Eyes	Solid particles trapped behind the eyelid may cause abrasive damage,. May cause slight eye irritation.
-------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media	Water spray. Dry chemical. Carbon dioxide (CO2).
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	When heated and in case of fire, toxic vapours/gases may be formed. Minimise dust generation and accumulation. When suspended in air dust can pose an explosion hazard. Remove all sources of ignition. If dust layers are exposed to elevated temperatures, spontaneous combustion may occur. Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, electrically bond and ground equipment and do not permit dust to accumulate. Dust can be ignited by static discharge.
Hazardous combustion products	Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Evacuate personnel to safe areas. Keep unnecessary and unprotected personnel from entering. In case of spills, beware of slippery floors and surfaces.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Flush area with flooding quantities of water. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid contact with eyes, skin and clothing. Do not breathe dust. Wash skin thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Ground and bond container and receiving equipment. Keep container closed when not in use.

General hygiene considerations Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Protect from atmospheric moisture. Avoid prolonged exposure to heat and air.

7.3. Specific end use(s)

Specific use(s)
See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom
PROPAN-2-OL 67-63-0	TWA: 400 ppm TWA: 999 mg/m ³ STEL: 500 ppm STEL: 1250 mg/m ³

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
SODIUM ACETATE 127-09-3		12 mg/kg bw/day [4] [6] 72 mg/kg bw/day [4] [7]	1057.9 mg/m ³ [4] [6] 6347.36 mg/m ³ [4] [7]
SODIUM CHLORIDE 7647-14-5		295.52 mg/kg bw/day [4] [6] 295.52 mg/kg bw/day [4] [7]	2068.62 mg/m ³ [4] [6] 2068.62 mg/m ³ [4] [7]
PROPAN-2-OL 67-63-0		888 mg/kg bw/day [4] [6]	500 mg/m ³ [4] [6]

[4] Systemic health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
SODIUM ACETATE 127-09-3	6 mg/kg bw/day [4] [6] 36 mg/kg bw/day [4] [7]	36 mg/kg bw/day [4] [6] 36 mg/kg bw/day [4] [7]	521.73 mg/m ³ [4] [6] 3103.45 mg/m ³ [4] [7]
SODIUM CHLORIDE 7647-14-5	126.65 mg/kg bw/day [4] [6] 126.65 mg/kg bw/day [4] [7]	126.65 mg/kg bw/day [4] [6] 126.65 mg/kg bw/day [4] [7]	443.28 mg/m ³ [4] [6] 443.28 mg/m ³ [4] [7]
PROPAN-2-OL 67-63-0	26 mg/kg bw/day [4] [6]		89 mg/m ³ [4] [6]

[4] Systemic health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
SODIUM ACETATE 127-09-3	0.1 mg/l		0.01 mg/l		
SODIUM CHLORIDE 7647-14-5	5 mg/L	19 mg/l			
PROPAN-2-OL 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
---------------	------------------------	-----------------	------------------	------	------------

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
SODIUM ACETATE 127-09-3	0.000402 mg/kg	0.00004 mg/kg	0.72 g/L	0.000402 mg/kg	
SODIUM CHLORIDE 7647-14-5			500 mg/L	4.86 mg/kg soil dw	
PROPAN-2-OL 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Polyvinyl chloride (PVC)	> 0.35 mm	
	Wear protective nitrile rubber gloves	> 0.35 mm	
	Wear protective Neoprene™ gloves	> 0.35 mm	

Skin and body protection Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory protection Use appropriate respiratory protection.
Particulate filter, type P2. Particulates filter conforming to EN 143.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Powder granules
Colour White/off-white
Odour Amine.
Odour threshold No information available

Property	Values
Melting point / freezing point	170 °C
Initial boiling point and boiling range	
Flammability	
Flammability Limit in Air	
Upper flammability or explosive limits	
Lower flammability or explosive limits	
Flash point	
Autoignition temperature	
Decomposition temperature	
pH	5 - 7

Remarks • Method
Read-across. Decomposes above.
Not applicable.
No information available.
No information available.

No information available.
No information available.
No information available.
2 %.

pH (as aqueous solution)		No information available.
Kinematic viscosity		Not applicable.
Dynamic viscosity		No information available.
Water solubility	Soluble in water	No information available.
Solubility(ies)		No information available.
Partition coefficient		Not determined.
Vapour pressure		Not applicable.
Relative density		No information available.
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		Not applicable.
Particle characteristics		Not determined.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No information available	
Oxidising properties	No information available	

9.2. Other information**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions. Hygroscopic.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Conditions to avoid Keep at a temperature not exceeding 200 °C. Product may decompose at elevated temperatures. Avoid static discharge. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure**

Product Information

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Solid particles trapped behind the eyelid may cause abrasive damage,. May cause slight eye irritation. Corneal injury is unlikely.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 Oral LD50 > 10000 mg/kg
Dermal LD50 Dermal LD50 > 2000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
CATIONIC HYDROXYETHYL CELLULOSE	LD50: > 10 000 mg/kg (Rat)	LD50: > 2000 mg/kg (Rat)	-
SODIUM ACETATE	> 3500 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 30 mg/L (Rat) 1 h
SODIUM CHLORIDE	> 3500 mg/kg (Rat)	10000 mg/kg (Rabbit)	> 42 mg/L (Rat) 1 h
PROPAN-2-OL	= 5840 mg/kg (Rat)	> 12800 mg/kg (Rabbit)	30.1002 mg/L

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged contact may cause slight skin irritation with local redness.

CATIONIC HYDROXYETHYL CELLULOSE (68610-92-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Prolonged contact may cause slight skin irritation with local redness

SODIUM ACETATE (127-09-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					non-irritant

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Prolonged contact may cause redness and irritation

PROPAN-2-OL (67-63-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal		4 hours	May cause slight irritation

Serious eye damage/eye irritation Solid particles trapped behind the eyelid may cause abrasive damage,. May cause slight eye irritation. Corneal injury is unlikely.

CATIONIC HYDROXYETHYL CELLULOSE (68610-92-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause slight eye irritation Corneal injury is unlikely

SODIUM ACETATE (127-09-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause slight eye irritation

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause eye irritation

PROPAN-2-OL (67-63-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			Causes serious eye irritation

Respiratory or skin sensitisation No information available.

CATIONIC HYDROXYETHYL CELLULOSE (68610-92-4)

Method	Species	Exposure route	Results
	Human evidence	Dermal	Not a skin sensitiser

SODIUM ACETATE (127-09-3)

Method	Species	Exposure route	Results
	Human evidence	Dermal	Not a skin sensitiser

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Results
		Inhalation	No signs of respiratory sensitization have been reported.

PROPAN-2-OL (67-63-0)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	No sensitisation responses were observed

Germ cell mutagenicity No information available.

Component Information

CATIONIC HYDROXYETHYL CELLULOSE (68610-92-4)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

SODIUM ACETATE (127-09-3)

Method	Species	Results
--------	---------	---------

	in vitro	Negative
	in vivo	Negative Did not show mutagenic effects in animal experiments

SODIUM CHLORIDE (7647-14-5)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

PROPAN-2-OL (67-63-0)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	Ames Test	Negative
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt genes	in vitro	Negative
OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test	Mouse	Negative

Carcinogenicity

No information available.

Component Information

SODIUM CHLORIDE (7647-14-5)

Method	Species	Results
		Did not cause cancer in laboratory animals.

PROPAN-2-OL (67-63-0)

Method	Species	Results
OECD Test No. 451: Carcinogenicity Studies	Rat	Did not cause cancer in laboratory animals.

Reproductive toxicity

No information available.

SODIUM ACETATE (127-09-3)

Method	Species	Results
		For similar material(s): In animal studies, did not interfere with reproduction

PROPAN-2-OL (67-63-0)

Method	Species	Results
OECD Test No. 415: One-Generation Reproduction Toxicity Study	Rat	NOAEL P 853 mg/kg
OECD Test No. 416: Two-Generation Reproduction Toxicity	Rat	NOAEL P 500 mg/kg NOAEL F1 1.000 mg/kg

STOT - single exposure

No information available.

CATIONIC HYDROXYETHYL CELLULOSE (68610-92-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available

					data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.
--	--	--	--	--	---

SODIUM ACETATE (127-09-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

PROPAN-2-OL (67-63-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
		Oral			May cause drowsiness or dizziness Central nervous system

STOT - repeated exposure

No information available.

Component Information

CATIONIC HYDROXYETHYL CELLULOSE (68610-92-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					For the minor component(s): In animals, effects have been reported on the following organs: Liver Kidney Kidney effects have been observed in male rats. These effects are believed to be species specific and unlikely to occur in humans. Observations in animals include: Lethargy.

SODIUM ACETATE (127-09-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Based on available data, a STOT-RE classification is not warranted.

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Medical experience with sodium chloride has shown a strong association between elevated blood pressure and prolonged dietary overuse. Related effects could occur in the kidneys.

PROPAN-2-OL (67-63-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat	Inhalation Vapour		104 weeks	In animals, effects have been reported on the following organs: Kidney Liver Kidney effects have been observed in male rats. These effects are believed to be species specific and unlikely to occur in humans. Observations in animals include: Lethargy.

Aspiration hazard

Based on available data the classification criteria are not met.

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Pimephales promelas	LC50	2.4 - 3.7 mg/L	96 hours	
	Daphnia magna	LC50	34 - 48 mg/L	48 hours	
	activated sludge	EC50	> 1000 mg/L	3 hours	
	Bacteria toxicity	EC50	2500 mg/L	16 hours	

SODIUM ACETATE (127-09-3)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Brachydanio rerio	LC50	> 100 mg/L	96 hours	

OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EC50	> 1000 mg/L	48 hours	
ISO 10253	Skeletonema costatum	EC50	> 1000 mg/L	72 hours	
Bacteria toxicity		EC50	7200 mg/L	18 hours	

SODIUM CHLORIDE (7647-14-5)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Lepomis macrochirus	LC50	5840 mg/L	96 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 203: Fish, Acute Toxicity Test	Pimephales promelas	LC50	10610 mg/L	96 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 203: Fish, Acute Toxicity Test	Daphnia magna	EC50	1900 mg/L	48 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	EC50	2430 mg/L	120 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	activated sludge	IC50	> 1000 mg/L		Harmless to aquatic organisms up to the tested concentration
Chronic aquatic toxicity	Pimephales promelas	NOEC	252 mg/L	33 days	Harmless to aquatic organisms up to the tested concentration
Chronic aquatic toxicity	Daphnia pulex	NOEC	314 mg/L	21 days	Harmless to aquatic organisms up to the tested concentration

PROPAN-2-OL (67-63-0)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Pimephales promelas	LC50	>9640 - 10000 mg/L	96 hours	
OECD Test No. 211: Daphnia magna Reproduction Test	Daphnia magna	NOEC	30 mg/L	21 days	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Scenedesmus subspicatus	EC50	>1000 mg/L	96 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Scenedesmus subspicatus	NOEC	1000 mg/L	96 hours	
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)	activated sludge	EC50	>1000 mg/L	3 hours	

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
SODIUM ACETATE	-	LC50: >100mg/L (96h, Danio rerio)	-	EC50: >1000mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability Expected to biodegrade very slowly.

SODIUM CHLORIDE (7647-14-5)

Method	Exposure time	Value	Results
			Not applicable Inorganic.

PROPAN-2-OL (67-63-0)

Method	Exposure time	Value	Results
OECD Test No. 301E: Ready Biodegradability: Modified OECD Screening Test (TG 301 E) or Equivalent.	28 days	95% Biodegradation	Readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation Not likely to bioaccumulate.

Component Information

Chemical name	Partition coefficient
SODIUM ACETATE	-3.72
PROPAN-2-OL	0.05

12.4. Mobility in soil

Mobility in soil Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
SODIUM ACETATE	The substance is not PBT / vPvB PBT assessment does not apply
SODIUM CHLORIDE	The substance is not PBT / vPvB PBT assessment does not apply
PROPAN-2-OL	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (CATIONIC HYDROXYETHYL CELLULOSE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	A97, A158, A179, A197, A215
ERG Code	9L

IMDG

14.1 UN number or ID number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (CATIONIC HYDROXYETHYL CELLULOSE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 966, 967, 969
EmS-No	F-A, S-F
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (CATIONIC HYDROXYETHYL CELLULOSE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601
Classification code	M7

ADR

14.1 UN number or ID number	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (CATIONIC HYDROXYETHYL CELLULOSE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 601, 375
Classification code	M7
Tunnel restriction code	(-)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
SODIUM ACETATE - 127-09-3	Simplified procedure - Category A
PROPAN-2-OL - 67-63-0	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
IECSC	- China Inventory of Existing Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AIIC	- Australian Inventory of Industrial Chemicals
NZIoC	- New Zealand Inventory of Chemicals

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet**

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note [SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16](#)

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By

Lisa Bland

Supersedes date 13-Apr-2018

Revision date 11-Aug-2024

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet