



SAFETY DATA SHEET

ORGANIC LEMON OIL LOW FURANOCOUMARIN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	ORGANIC LEMON OIL LOW FURANOCOUMARIN
Product number	55734
Synonyms; trade names	LEMON OIL LFC ORGANIC IT
REACH registration number	01-2119495512-35-XXXX
CAS number	84929-31-7
EC number	284-515-8
FEMA	2625

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Raw Material used in flavouring preparations Cosmetics Fragrance
-----------------	--

1.3. Details of the supplier of the safety data sheet

Supplier	Univar Aquarius House 6 Mid Point Business Park Bradford BD3 7AY +44 1274 267300 +44 1274 267306 SDS.EMEA@univarsolutions.com
----------	--

1.4. Emergency telephone number

Emergency telephone	SGS - +32 (0)3 575 55 55 (24h)
Sds No.	55734

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411

2.2. Label elements

EC number	284-515-8
-----------	-----------

Hazard pictograms



ORGANIC LEMON OIL LOW FURANOCOUMARIN

Signal word	Danger
Hazard statements	H226 Flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P501 Dispose of contents/ container in accordance with national regulations.
Contains	(R)-P-MENTHA-1,8-DIENE, PIN-2-(10) ENE, CITRAL, 2-PINENE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1. Substances

(R)-P-MENTHA-1,8-DIENE			60-100%
CAS number: 5989-27-5	EC number: 227-813-5	REACH registration number: 01-2119529223-47-XXXX	
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

PIN-2-(10) ENE			5-10%
CAS number: 127-91-3	EC number: 204-872-5		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

ORGANIC LEMON OIL LOW FURANOCOUMARIN

P-MENTHA-1,4-DIENE	5-10%
CAS number: 99-85-4	EC number: 202-794-6

Classification

Flam. Liq. 3 - H226

Repr. 2 - H361d

Asp. Tox. 1 - H304

CITRAL			1-5%
CAS number: 5392-40-5	EC number: 226-394-6	REACH registration number: 01-2119462829-23-XXXX	

Acute Toxicity Estimate (oral):

LD₅₀ 6800 mg/kg, Oral, Rat

Acute Toxicity Estimate (dermal):

LD₅₀ 2250 mg/kg, Dermal, Rabbit**Classification**

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

Skin Sens. 1 - H317

2-PINENE	1-5%
CAS number: 80-56-8	EC number: 201-291-9
M factor (Acute) = 1	M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226

Acute Tox. 4 - H302

Skin Irrit. 2 - H315

Skin Sens. 1 - H317

Asp. Tox. 1 - H304

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

Product name ORGANIC LEMON OIL LOW FURANOCOUMARIN**REACH registration number** 01-2119495512-35-XXXX**CAS number** 84929-31-7**EC number** 284-515-8**Composition comments** The data shown are in accordance with the latest EC Directives.**SECTION 4: First aid measures****4.1. Description of first aid measures**

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Ingestion	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if symptoms are severe or persist.
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. Continue to rinse. Get medical attention if symptoms are severe or persist.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	May be fatal if swallowed and enters airways.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Contact specialist immediately poison treatment if large quantities have been ingested or inhaled
-----------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
--------------------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation.
--------------------------------	--

6.4. Reference to other sections

Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.
------------------------------------	---

ORGANIC LEMON OIL LOW FURANOCOUMARIN

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Provide adequate ventilation.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Avoid exposure to high temperatures or direct sunlight. Store at temperatures not exceeding 15°C. Keep away from food, drink and animal feeding stuffs.
Storage class	Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

PNEC	Fresh water; 5.4 µg/l Fresh water; 540 ng/L STP; 2.1 mg/l Sediment (Marinewater); 130 µg/kg Sediment (Freshwater); 1.3 mg/kg
-------------	--

(R)-P-MENTHA-1,8-DIENE (CAS: 5989-27-5)

DNEL	Workers - Inhalation; Long term systemic effects: 66.7 mg/m ³ Workers - Dermal; Long term systemic effects: 9.5 mg/kg/day Consumer - Inhalation; Long term systemic effects: 16.6 mg/m ³ Consumer - Dermal; Long term systemic effects: 4.8 mg/kg/day Consumer - Oral; Long term systemic effects: 4.8 mg/kg/day
PNEC	Fresh water; 14 µg/l marine water; 1.4 µg/l STP; 1.8 mg/l Sediment (Freshwater); 3.85 mg/kg Sediment (Marinewater); 0.385 mg/kg Soil; 0.763 mg/kg

CITRAL (CAS: 5392-40-5)

DNEL	Workers - Inhalation; Long term systemic effects: 9 mg/m ³ Workers - Dermal; Long term systemic effects: 1.7 mg/kg/day Consumer - Inhalation; Long term systemic effects: 2.7 mg/m ³ Consumer - Dermal; Long term systemic effects: 1 mg/kg/day Consumer - Oral; Long term systemic effects: 0.6 mg/kg/day
-------------	--

ORGANIC LEMON OIL LOW FURANOCOUMARIN

PNEC

Fresh water; 0.007 mg/l
marine water; 0.001 mg/l
STP; 1.6 mg/l
Sediment (Freshwater); 0.125 mg/kg
Sediment (Marinewater); 0.013 mg/kg
Soil; 0.021 mg/kg

8.2. Exposure controls

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Characteristic.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	160°C @ 101.6 kPa
Flash point	53.5°C
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.8460 - 0.8540 @ 20°C
Bulk density	No information available.
Solubility(ies)	Insoluble in water.
Partition coefficient	log Pow: 3.33 - 6.30
Auto-ignition temperature	235°C
Decomposition Temperature	No information available.
Viscosity	1.28 mm ² /s @ °C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	No information available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	1.470 - 1.4760
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Oxidising agents.
--------------------	-------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
----------------------------------	--

ORGANIC LEMON OIL LOW FURANOCOUMARIN

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 45,454.55

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways.

Inhalation

Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion

May be fatal if swallowed and enters airways. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Skin contact

Causes skin irritation. May cause an allergic skin reaction.

Eye contact

May cause temporary eye irritation.

Toxicological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 4400 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 5000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Animal data No information available.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

Inhalation May cause respiratory system irritation.

Ingestion Harmful: possible risk of irreversible effects if swallowed.

Skin contact Irritating to skin. May cause sensitisation by skin contact.

Eye contact May cause temporary eye irritation.

PIN-2-(10) ENE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 5000 mg/kg, Oral, Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rabbit

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Notes (dermal LD₅₀)	LD ₅₀ 5000 mg/kg, Dermal, Rabbit
ATE dermal (mg/kg)	5,000.0
<u>Aspiration hazard</u>	
Aspiration hazard	May be fatal if swallowed and enters airways. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
.	
Inhalation	Irritating to respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach.
Skin contact	Irritating to skin.
Eye contact	Irritating to eyes.

CITRAL**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg)	6,800.0
Species	Rat
Notes (oral LD₅₀)	LD ₅₀ 6800 mg/kg, Oral, Rat
ATE oral (mg/kg)	6,800.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg)	2,250.0
Species	Rabbit
Notes (dermal LD₅₀)	LD ₅₀ 2250 mg/kg, Dermal, Rabbit
ATE dermal (mg/kg)	2,250.0

Skin corrosion/irritation

Animal data	Irritating. Rabbit
--------------------	--------------------

Germ cell mutagenicity

Genotoxicity - in vitro	Bacterial reverse mutation test: Negative.
--------------------------------	--

Toxicokinetics	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-----------------------	---

2-PINENE**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg)	500.0
Species	Rat

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Notes (oral LD₅₀) LD₅₀ 3700 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rat

Notes (dermal LD₅₀) LD₅₀ 5000 mg/kg, Dermal, Rat

ATE dermal (mg/kg) 5,000.0

Inhalation May cause respiratory system irritation.

Ingestion Harmful: may cause lung damage if swallowed.

Skin contact May cause sensitisation by skin contact.

Eye contact Irritating to eyes.

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

Ecotoxicity Very toxic to aquatic life with long lasting effects.

PIN-2-(10) ENE

Ecotoxicity Very toxic to aquatic life with long lasting effects.

2-PINENE

Ecotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity Toxic to aquatic life.

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hours: 5.65 mg/l, Fish

Acute toxicity - aquatic invertebrates EL50, 48 hours: 1.1 mg/l, Freshwater invertebrates

Ecological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C50 ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC50, 96 hours: 0.8 mg/l, Pimephales promelas (Fat-head Minnow)

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 69.6 mg/l, Daphnia magna

Chronic aquatic toxicity

M factor (Chronic) 1

PIN-2-(10) ENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - aquatic invertebrates LC₅₀, 48 hour: 2.2 mg/l, Daphnia magna

Chronic aquatic toxicity

M factor (Chronic) 1

CITRAL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 4.6 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 6.8 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 103.8 mg/l, Algae

2-PINENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - aquatic invertebrates LC₅₀, 48 hour: 6.74 mg/l, Daphnia magna

Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

Persistence and degradability Not readily biodegradable.

PIN-2-(10) ENE

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Persistence and degradability The product is readily biodegradable.

CITRAL

Persistence and degradability The substance is readily biodegradable.

Biodegradation - Degradation 85 - 95%: 28 days
OECD 301C

2-PINENE

Persistence and degradability The product is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 3.33 - 6.30

Ecological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

Bioaccumulative potential Potentially bioaccumulating.

Partition coefficient log Pow: 4.38

CITRAL

Bioaccumulative potential Bioaccumulation is unlikely. BCF: 89.72,

Partition coefficient log Pow: 2.76

12.4. Mobility in soil

Mobility Insoluble in water.

Ecological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

Mobility The product is insoluble in water.

PIN-2-(10) ENE

Mobility The product is insoluble in water.

2-PINENE

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

ORGANIC LEMON OIL LOW FURANOCOUMARIN

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

(R)-P-MENTHA-1,8-DIENE

Other adverse effects Not determined.

CITRAL

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not puncture or incinerate, even when empty. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General Wear protective clothing as described in Section 8 of this safety data sheet.

14.1. UN number

UN No. (ADR/RID) 1197

UN No. (IMDG) 1197

UN No. (ICAO) 1197

UN No. (ADN) 1197

14.2. UN proper shipping name

Proper shipping name (ADR/RID) EXTRACTS, LIQUID

Proper shipping name (IMDG) EXTRACTS, LIQUID

Proper shipping name (ICAO) EXTRACTS, LIQUID

Proper shipping name (ADN) EXTRACTS, LIQUID

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ORGANIC LEMON OIL LOW FURANOCOUMARIN

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	•3YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information required.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.
Restrictions (Annex XVII Regulation 1907/2006)	This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES. Entry number: 3

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

ORGANIC LEMON OIL LOW FURANOCOUMARIN

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. Kow: Octanol-water partition coefficient. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. vPvB: Very Persistent and Very Bioaccumulative. IARC: International Agency for Research on Cancer. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. cATpE: Converted Acute Toxicity Point Estimate. BCF: Bioconcentration Factor. BOD: Biochemical Oxygen Demand. EC₅₀: 50% of maximal Effective Concentration. LOAEC: Lowest Observed Adverse Effect Concentration. LOAEL: Lowest Observed Adverse Effect Level. NOAEC: No Observed Adverse Effect Concentration. NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration. LOEC: Lowest Observed Effect Concentration. DMEL: Derived Minimal Effect Level. EL50: Exposure Limit 50 hPa: Hectopascal LL50: Lethal Loading fifty OECD: Organisation for Economic Co-operation and Development POW: Octanol-water partition coefficient SCBA: self-contained breathing apparatus STP: Sewage Treatment Plant VOC: Volatile Organic Compounds
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Key literature references and sources for data	Supplier's information.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	08/05/2023
Version number	3.000
Supersedes date	23/04/2020

ORGANIC LEMON OIL LOW FURANOCOUMARIN

SDS number	55734
SDS status	Approved.
Hazard statements in full	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
Signature	Jitendra Panchal
Material Group	313677, 313675