



SAFETY DATA SHEET CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	CRYSTALLINE ALUMINOSILICATE (ZEOLITE)
Product number	54869
Synonyms; trade names	SYLOSIV A300
REACH registration number	01-2119429034-49-XXXX
REACH registration notes	This product is not classified as hazardous, the information in this datasheet is given for guidance only.
CAS number	1318-02-1
EC number	215-283-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Process Additive
-----------------	------------------

1.3. Details of the supplier of the safety data sheet

Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford BD3 7AY +44 1274 267300 +44 1274 267306 SDS.EMEA@univarsolutions.com
----------	---

1.4. Emergency telephone number

Emergency telephone	SGS - +32 (0)3 575 55 55 (24h)
Sds No.	54869

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

2.2. Label elements

EC number	215-283-8
Hazard statements	NC Not Classified

2.3. Other hazards

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

Prolonged contact may cause dryness of the skin.

SECTION 3: Composition/information on ingredients

3.1. Substances

Product name	CRYSTALLINE ALUMINOSILICATE (ZEOLITE)
REACH registration number	01-2119429034-49-XXXX
REACH registration notes	This product is not classified as hazardous, the information in this datasheet is given for guidance only.
CAS number	1318-02-1
EC number	215-283-8
Composition comments	The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	May cause temporary eye irritation.
-------------	-------------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
----------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Dust may form explosive mixture with air.
Hazardous combustion products	Not known.

5.3. Advice for firefighters

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
---	---

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid generation and spreading of dust. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of dust and contact with skin and eyes. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid generation and spreading of dust. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid handling which leads to dust formation. Avoid inhalation of dust and contact with skin and eyes. Earth container and transfer equipment to eliminate sparks from static electricity. Take precautionary measures against static discharges. Provide adequate ventilation.

Advice on general occupational hygiene When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feeding stuffs. The substance is hygroscopic and will absorb water by contact with the moisture in the air.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

DNEL Workers - Inhalation; Long term local effects: 3 mg/m³
 Workers - Dermal; Long term systemic effects: 2.5-3.0 mg/kg/day
 General population - Inhalation; Long term local effects: 0.0033 mg/m³
 General population - Oral; Long term systemic effects: 1.25-1.5 mg/kg/day
 General population - Dermal; Long term systemic effects: 1.25-1.5 mg/kg/day

PNEC - Fresh water; 3.2 mg/l
 - marine water; 0.32 mg/l
 - Soil; 600 mg/kg

8.2. Exposure controls

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Use mechanical ventilation if there is a risk of handling causing formation of airborne dust.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber. Protective gloves should have a minimum thickness of ≥ 0.11 mm. The selected gloves should have a breakthrough time of at least 8 hours. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Wash after use and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

Respiratory protection

Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m³. Wear a respirator fitted with the following cartridge: Particulate filter, type P2. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Dusty powder. Solid Pellets.
Colour	White. Beige.
Odour	Odourless.
Odour threshold	No specific test data are available.
pH	pH (concentrated solution): 7.0 - 11.5
Melting point	>400°C OECD 102
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

Vapour density	No information available.
Relative density	No information available.
Bulk density	400-1000 kg/m ³
Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	Not determined.
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Stable at normal ambient temperatures and when used as recommended.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
------------------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Water, moisture.
--------------------	------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
----------------------------------	---

SECTION 11: Toxicological information

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5110 mg/kg, Oral, Rat OECD 401

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit OECD 402

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met. OECD 404

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met. OECD 405

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met. OECD 474 OECD 471 OECD 476

Carcinogenicity

Carcinogenicity NOAEL >= 1000 ppm, Oral, Rat

IARC carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development

Maternal toxicity: - NOAEL: > = 1600 mg/kg, Oral, Rat Maternal toxicity: - NOAEL: > = 1600 mg/kg, Oral, Rabbit Teratogenicity: - NOAEL: > = 1600 mg/kg, Oral, Rat Teratogenicity: - NOAEL: > = 1600 mg/kg, Oral, Rabbit

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Inhalation

Dust in high concentrations may irritate the respiratory system.

Ingestion

No harmful effects expected from quantities likely to be ingested by accident.

Skin contact

Skin irritation should not occur when used as recommended.

Eye contact

Particles in the eyes may cause irritation and smarting.

SECTION 12: Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Acute aquatic toxicity

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

Acute toxicity - fish	LC50, 96 hours: > 680 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hours: 2808 mg/l, Daphnia magna OECD 202
Acute toxicity - aquatic plants	EC ₅₀ , 96 hours: > 328 mg/l, Scenedesmus subspicatus OECD 201

12.2. Persistence and degradability

Persistence and degradability The product contains only inorganic substances which are not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No information available.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Waste should be treated as controlled waste. Do not puncture or incinerate, even when empty.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.

15.2. Chemical safety assessment

Not applicable.

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

Canada - DSL/NDL

All the ingredients are listed or exempt.
DSL

US - TSCA

All the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Japan - ENCS

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines – PICCS

All the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

Taiwan - TCSI

All the ingredients are listed or exempt.

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate.
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	CAS: Chemical Abstracts Service.
	DNEL: Derived No Effect Level.
	IATA: International Air Transport Association.
	IMDG: International Maritime Dangerous Goods.
	Kow: Octanol-water partition coefficient.
	LC ₅₀ : Lethal Concentration to 50 % of a test population.
	LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose).
	PBT: Persistent, Bioaccumulative and Toxic substance.
	PNEC: Predicted No Effect Concentration.
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
	RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
	vPvB: Very Persistent and Very Bioaccumulative.
	IARC: International Agency for Research on Cancer.
	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
	cATpE: Converted Acute Toxicity Point Estimate.
	BCF: Bioconcentration Factor.
	BOD: Biochemical Oxygen Demand.
	EC ₅₀ : 50% of maximal Effective Concentration.
	LOAEC: Lowest Observed Adverse Effect Concentration.
	LOAEL: Lowest Observed Adverse Effect Level.
	NOAEC: No Observed Adverse Effect Concentration.
	NOAEL: No Observed Adverse Effect Level.
	NOEC: No Observed Effect Concentration.
	LOEC: Lowest Observed Effect Concentration.
	DMEL: Derived Minimal Effect Level.
	EL50: Exposure Limit 50
	hPa: Hectopascal
	LL50: Lethal Loading fifty
	OECD: Organisation for Economic Co-operation and Development
	POW: Octanol-water partition coefficient
	SCBA: self-contained breathing apparatus
	STP: Sewage Treatment Plant
	VOC: Volatile Organic Compounds
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity
	Aquatic Acute = Hazardous to the aquatic environment (acute)
	Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Key literature references and sources for data	Supplier's information.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	02/07/2020
Version number	3.001
Supersedes date	22/08/2018

CRYSTALLINE ALUMINOSILICATE (ZEOLITE)

SDS number	54869
SDS status	Approved.
Signature	K Winter