



SAFETY DATA SHEET

90236 COGILOR DARK BLEND

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 90236 COGILOR DARK BLEND

Product number 15177

REACH registration notes This product is not classified as hazardous, the information in this datasheet is given for guidance only.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Colourant

1.3. Details of the supplier of the safety data sheet

Supplier Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
BD3 7AY
+44 1274 267300
+44 1274 267306
SDS.EMEA@univarsolutions.com

1.4. Emergency telephone number

Emergency telephone SGS - +32 (0)3 575 55 55 (24h)

Sds No. 15177

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Supplemental label information EUH210 Safety data sheet available on request.
EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

90236 COGILOR DARK BLEND**3.2. Mixtures**

ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS **60-100%**

CAS number: 1318-02-1

EC number: 215-283-8

REACH registration number: 01-2119429034-49-XXXX

Acute Toxicity Estimate (oral):> 5110 mg/kg

Acute Toxicity Estimate (dermal):> 2000 mg/kg

Classification

Not Classified

TRIIRON TETRAOXIDE**10-30%**

CAS number: 1317-61-9

EC number: 215-277-5

REACH registration number: 01-2119457646-28-XXXX

Acute Toxicity Estimate (oral):5000 mg/kg

Classification

Not Classified

RED IRON OXIDE**1-5%**

CAS number: 1309-37-1

EC number: 215-168-2

REACH registration number: 01-2119457614-35-XXXX

Acute Toxicity Estimate (oral):> 10000 mg/kg

Classification

Not Classified

IRON HYDROXIDE OXIDE YELLOW**1-5%**

CAS number: 51274-00-1

EC number: 257-098-5

REACH registration number: 01-2119457554-33-XXXX

Acute Toxicity Estimate (oral):> 5000 mg/kg

Classification

Not Classified

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq$ 10 μ m]

<1%

CAS number: 13463-67-7

EC number: 236-675-5

REACH registration number: 01-2119489379-17-XXXX

Acute Toxicity Estimate (oral):> 10000 mg/kg

Acute Toxicity Estimate (inhalation):> 6.82 mg/l4 hoursDust/Mist

Acute Toxicity Estimate (dermal):10000 mg/kg

Classification

Carc. 2 - H351

The full text for all hazard statements is displayed in Section 16.

90236 COGILOR DARK BLEND

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	When heated and in case of fire, toxic vapours/gases may be formed.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon.

5.3. Advice for firefighters

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
---	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.
----------------------	---

6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
---------------------------	--

6.3. Methods and material for containment and cleaning up

90236 COGILOR DARK BLEND

Methods for cleaning up Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Avoid spilling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS

10 mg/m³, TWA, Manuf. data

inhalable dust

4 mg/m³, TWA, Manuf. data

respirable dust

TRIIRON TETRAOXIDE

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ fume

Short-term exposure limit (15-minute): WEL 10 mg/m³ fume

as Fe

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

RED IRON OXIDE

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ fume

Short-term exposure limit (15-minute): WEL 10 mg/m³ fume

as Fe

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

IRON HYDROXIDE OXIDE YELLOW

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ fume

Short-term exposure limit (15-minute): WEL 10 mg/m³ fume

as Fe

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER ≤ 10 µm]

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit.

90236 COGILOR DARK BLEND

Ingredient comments

Observe any occupational exposure limits for the product or ingredients.

ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS (CAS: 1318-02-1)

DNEL

Workers - Inhalation; Long term local effects: 3 mg/m³
 Workers - Dermal; Long term systemic effects: 2.5-3.0 mg/kg/day
 General population - Inhalation; Long term local effects: 0.0033 mg/m³
 General population - Oral; Long term systemic effects: 1.25-1.5 mg/kg/day
 General population - Dermal; Long term systemic effects: 1.25-1.5 mg/kg/day

PNEC

- Fresh water; 3.2 mg/l
 - marine water; 0.32 mg/l
 - Soil; 600 mg/kg
 - STP; 95 mg/l

TRIIRON TETRAOXIDE (CAS: 1317-61-9)

DNEL

Workers - Inhalation; Long term local effects: 10 mg/m³

RED IRON OXIDE (CAS: 1309-37-1)

DNEL

Workers - Inhalation; Long term local effects: 10 mg/m³

IRON HYDROXIDE OXIDE YELLOW (CAS: 51274-00-1)

DNEL

Workers - Inhalation; Long term local effects: 10 mg/m³

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER ≤ 10 µm] (CAS: 13463-67-7)

Ingredient comments

WEL = Workplace Exposure Limits

DNEL

Workers - Inhalation; Long term local effects: 0.170 mg/m³
 Consumer - Inhalation; Long term systemic effects: 0.028 mg/m³

PNEC

- Fresh water; 0.184 mg/l
 - marine water; 0.0184 mg/l
 Intermittent release; 0.193 mg/l
 - Sediment (Freshwater); 1000 mg/kg
 - Sediment (Marinewater); 100 mg/kg
 - Soil; 100 mg/kg
 - STP; 100 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

90236 COGILOR DARK BLEND

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent skin contamination.
Hygiene measures	When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste.
Colour	Dark brown.
Odour	Odourless.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Pour Point	No information available.
Freezing Point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Bulk density	No information available.

90236 COGILOR DARK BLEND

Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	No information available.
Oxidising properties	No information available.

9.2. Other information

Other information	Not determined.
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No information available.
---	---------------------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Not determined.
---------------------------	-----------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon.
---	--

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Skin corrosion/irritation**

Animal data	No information available.
--------------------	---------------------------

90236 COGILOR DARK BLEND**Serious eye damage/irritation****Serious eye damage/irritation** No information available.**Respiratory sensitisation****Respiratory sensitisation** No information available.**Skin sensitisation****Skin sensitisation** No information available.**Germ cell mutagenicity****Genotoxicity - in vitro** No information available.**Carcinogenicity****Carcinogenicity** No information available.**Reproductive toxicity****Reproductive toxicity - fertility** No information available.**Specific target organ toxicity - single exposure****STOT - single exposure** No information available.**Specific target organ toxicity - repeated exposure****STOT - repeated exposure** No information available.**Aspiration hazard****Aspiration hazard** No information available.**Toxicokinetics**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation

May cause respiratory system irritation.

Ingestion

May cause discomfort if swallowed.

Skin contact

May cause skin irritation.

Eye contact

May cause temporary eye irritation.

Toxicological information on ingredients.**ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS****Acute toxicity - oral****Notes (oral LD₅₀)** LD₅₀ >5110 mg/kg, Oral, Rat OECD 401**Acute toxicity - dermal****Notes (dermal LD₅₀)** LD₅₀ >2000 mg/kg, Dermal, Rabbit OECD 402**Skin corrosion/irritation****Animal data** Based on available data the classification criteria are not met. OECD 404**Serious eye damage/irritation****Serious eye damage/irritation** Based on available data the classification criteria are not met. OECD 405**Respiratory sensitisation****Respiratory sensitisation** No information available.

90236 COGILOR DARK BLEND**Skin sensitisation**

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met. OECD 474 OECD 471 OECD 476

Carcinogenicity

Carcinogenicity NOAEL >= 1000 ppm, Oral, Rat

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development Maternal toxicity: - NOAEL: > = 1600 mg/kg, Oral, Rat Maternal toxicity: - NOAEL: > = 1600 mg/kg, Oral, Rabbit Teratogenicity: - NOAEL: > = 1600 mg/kg, Oral, Rat Teratogenicity: - NOAEL: > = 1600 mg/kg, Oral, Rabbit

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation Dust in high concentrations may irritate the respiratory system.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Particles in the eyes may cause irritation and smarting.

TRIIRON TETRAOXIDE**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) No specific test data are available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No specific test data are available.

Skin corrosion/irritation

90236 COGILOR DARK BLEND

Animal data Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Genotoxicity - in vivo No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation Dust in high concentrations may irritate the respiratory system.

Ingestion May cause stomach pain or vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Solid particles trapped behind the eyelid may cause abrasive damage.

RED IRON OXIDE**Acute toxicity - oral**

Notes (oral LD₅₀) LD₅₀ > 10000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) No specific test data are available.

90236 COGILOR DARK BLEND**Acute toxicity - inhalation**

Notes (inhalation LC₅₀) No specific test data are available.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising. Guinea pig

Germ cell mutagenicity

Genotoxicity - in vitro Ames test: Negative. Chromosome aberration: Negative. OECD 473

Genotoxicity - in vivo Negative.

Carcinogenicity

Carcinogenicity There is no evidence that the product can cause cancer.

Reproductive toxicity

Reproductive toxicity - fertility This substance has no evidence of toxicity to reproduction.

Reproductive toxicity - development This substance has no evidence of toxicity to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation

Dust in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Shortness of breath. Coughing, chest tightness, feeling of chest pressure.

Ingestion

May cause discomfort if swallowed. Symptoms following overexposure may include the following: Stomach pain. Diarrhoea. Nausea, vomiting.

Skin contact

Skin irritation should not occur when used as recommended.

Eye contact

Particles in the eyes may cause irritation and smarting.

90236 COGILOR DARK BLEND**IRON HYDROXIDE OXIDE YELLOW****Acute toxicity - oral**

Notes (oral LD₅₀) LD₅₀ > 5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) No specific test data are available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No specific test data are available.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Genotoxicity - in vivo No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation

Dust in high concentrations may irritate the respiratory system.

Ingestion

May cause discomfort if swallowed.

90236 COGILOR DARK BLEND

Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Solid particles trapped behind the eyelid may cause abrasive damage.

**TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH
AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]**

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 10,000.0

Species Rat

Notes (oral LD₅₀) LD₅₀ > 10000 mg/kg, Oral, Rat

ATE oral (mg/kg) 10,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 10000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ > 6.82 mg/l, 4 hours, Dust/Mist Rat

Skin corrosion/irritation

Animal data Not irritating. Rabbit OECD 404

Serious eye damage/irritation

Serious eye
damage/irritation Solid particles trapped behind the eyelid may cause abrasive damage.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Not sensitising. Mouse Guinea pig

Germ cell mutagenicity

Genotoxicity - in vitro Ames test Negative. OECD 471

Carcinogenicity

Carcinogenicity Suspected of causing cancer by inhalation.

Reproductive toxicity

Reproductive toxicity -
fertility No information available.

Reproductive toxicity -
development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

90236 COGILOR DARK BLEND

Toxicokinetics	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Inhalation	Dust may irritate the respiratory system. Coughing, chest tightness, feeling of chest pressure. May cause cancer by inhalation.
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Solid particles trapped behind the eyelid may cause abrasive damage.
Route of exposure	Inhalation

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

Ecological information on ingredients.**ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS**

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

TRIIRON TETRAOXIDE

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

RED IRON OXIDE

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

IRON HYDROXIDE OXIDE YELLOW

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.**ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS****Acute aquatic toxicity**

90236 COGILOR DARK BLEND

Acute toxicity - fish	LC ₅₀ , 96 hours: > 680 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hours: 2808 mg/l, Daphnia magna OECD 202
Acute toxicity - aquatic plants	EC ₅₀ , 96 hours: > 328 mg/l, Scenedesmus subspicatus OECD 201

TRIIRON TETRAOXIDE**Acute aquatic toxicity**

Acute toxicity - fish	LC ₀ , 48 hours: >1000 mg/l, Leuciscus idus (Golden orfe) LC ₀ , 96 hours: >=10000 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >10000 mg/l, Daphnia magna

RED IRON OXIDE

Toxicity	Not considered toxic to fish.
<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₀ , 96 hour: >=10000 mg/l, Brachydanio rerio (Zebra Fish) LC ₅₀ , 96 hour: >1000 mg/l, Leuciscus idus (Golden orfe) LC ₀ , 96 hour: >1000 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: >10000 mg/l, Daphnia magna
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: >10000 mg/l, Activated sludge

IRON HYDROXIDE OXIDE YELLOW

Toxicity	Not considered toxic to fish.
<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₀ , 96 hour: >=10000 mg/l, Brachydanio rerio (Zebra Fish) LC ₀ , 96 hour: >1000 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: >100 mg/l, Daphnia magna
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: >1000 mg/l, Activated sludge

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER ≤ 10 µm]

Toxicity	Not considered toxic to fish.
<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	NOEC, 48 hours: >1000 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >1000 mg/l, Daphnia magna

90236 COGILOR DARK BLEND

Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: > 100 mg/l, <i>Pseudokirchneriella subcapitata</i> OECD 201
--	---

Acute toxicity - microorganisms	EC ₅₀ , 3 hours: > 1000 mg/l, OECD 209
--	--

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.**ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS**

Persistence and degradability	The product contains only inorganic substances which are not biodegradable.
--------------------------------------	---

TRIIRON TETRAOXIDE

Persistence and degradability	The product is not expected to be biodegradable.
--------------------------------------	--

RED IRON OXIDE

Persistence and degradability	The product contains only inorganic substances which are not biodegradable.
--------------------------------------	---

IRON HYDROXIDE OXIDE YELLOW

Persistence and degradability	The product contains only inorganic substances which are not biodegradable.
--------------------------------------	---

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER ≤ 10 µm]

Persistence and degradability	The product contains inorganic substances which are not biodegradable.
--------------------------------------	--

12.3. Bioaccumulative potential

Bioaccumulative potential	No data available on bioaccumulation.
----------------------------------	---------------------------------------

Partition coefficient	No information available.
------------------------------	---------------------------

Ecological information on ingredients.**ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS**

Bioaccumulative potential	No data available on bioaccumulation.
----------------------------------	---------------------------------------

Partition coefficient	No information available.
------------------------------	---------------------------

TRIIRON TETRAOXIDE

Bioaccumulative potential	No data available on bioaccumulation.
----------------------------------	---------------------------------------

Partition coefficient	No information available.
------------------------------	---------------------------

RED IRON OXIDE

90236 COGILOR DARK BLEND

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient No information available.

IRON HYDROXIDE OXIDE YELLOW

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Bioaccumulative potential The product is not bioaccumulating. BCF: 19 - 352, Oncorhynchus mykiss (Rainbow trout)

Partition coefficient No information available.

12.4. Mobility in soil

Mobility The product is insoluble in water.

Ecological information on ingredients.**ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS**

Mobility The product is insoluble in water.

TRIIRON TETRAOXIDE

Mobility The product is insoluble in water and will sediment in water systems.

RED IRON OXIDE

Mobility The product is insoluble in water.

IRON HYDROXIDE OXIDE YELLOW

Mobility The product is insoluble in water.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.**ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS**

Results of PBT and vPvB assessment No information available.

TRIIRON TETRAOXIDE

90236 COGILOR DARK BLEND

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

RED IRON OXIDE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

IRON HYDROXIDE OXIDE YELLOW

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Cod 64.7g/g

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ecological information on ingredients.

ZEOLITE, CUBOIDAL, CRYSTALLINE, SYNTHETIC, NON-FIBROUS

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

TRIIRON TETRAOXIDE

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RED IRON OXIDE

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

IRON HYDROXIDE OXIDE YELLOW

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

90236 COGILOR DARK BLEND

TITANIUM DIOXIDE; [IN POWDER FORM CONTAINING 1 % OR MORE OF PARTICLES WITH AERODYNAMIC DIAMETER $\leq 10 \mu\text{m}$]

Other adverse effects

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

Waste should be treated as controlled waste. Do not puncture or incinerate, even when empty.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020

90236 COGILOR DARK BLEND

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and sources for data

Supplier's information.

90236 COGILOR DARK BLEND

**Classification procedures
according to Regulation (EC)
1272/2008**

NC: Calculation method.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

01/04/2023

Version number

3.000

Supersedes date

12/01/2023

SDS number

15177

SDS status

Approved.

Hazard statements in full

H351 Suspected of causing cancer by inhalation.

Signature

Lisa Bland

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.