



## SAFETY DATA SHEET ACRYSOL ASE 60ER THICKENER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

|                          |                                                                                                            |
|--------------------------|------------------------------------------------------------------------------------------------------------|
| Product name             | ACRYSOL ASE 60ER THICKENER                                                                                 |
| Product number           | 61031                                                                                                      |
| REACH registration notes | This product is not classified as hazardous, the information in this datasheet is given for guidance only. |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                 |                   |
|-----------------|-------------------|
| Identified uses | Rheology Modifier |
|-----------------|-------------------|

#### 1.3. Details of the supplier of the safety data sheet

|          |                                                                                                                                                                     |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Supplier | Univar Solutions UK Ltd<br>Aquarius House<br>6 Mid Point Business Park<br>Bradford<br>BD3 7AY<br>+44 1274 267300<br>+44 1274 267306<br>SDS.EMEA@univarsolutions.com |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 1.4. Emergency telephone number

|                     |                                |
|---------------------|--------------------------------|
| Emergency telephone | SGS - +32 (0)3 575 55 55 (24h) |
| Sds No.             | 61031                          |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

|                       |                |
|-----------------------|----------------|
| Physical hazards      | Not Classified |
| Health hazards        | Not Classified |
| Environmental hazards | Not Classified |

#### 2.2. Label elements

|                   |                   |
|-------------------|-------------------|
| Hazard statements | NC Not Classified |
|-------------------|-------------------|

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

|                      |                                                                 |
|----------------------|-----------------------------------------------------------------|
| Composition comments | The data shown are in accordance with the latest EC Directives. |
|----------------------|-----------------------------------------------------------------|

## ACRYSOL ASE 60ER THICKENER

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                            |                                                                                                                                                                                                                      |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General information</b> | First aid personnel should wear appropriate protective equipment during any rescue. Wear protective clothing as described in Section 8 of this safety data sheet.                                                    |
| <b>Inhalation</b>          | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. Get medical attention if any discomfort continues.                             |
| <b>Ingestion</b>           | Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.                                                                                                        |
| <b>Skin contact</b>        | After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if any discomfort continues. Provide shower facilities near the workplace. |
| <b>Eye contact</b>         | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Get medical attention if any discomfort continues.                         |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                    |                                     |
|--------------------|-------------------------------------|
| <b>Eye contact</b> | May cause temporary eye irritation. |
|--------------------|-------------------------------------|

#### 4.3. Indication of any immediate medical attention and special treatment needed

|                             |                                                                     |
|-----------------------------|---------------------------------------------------------------------|
| <b>Notes for the doctor</b> | Treat symptomatically. If in doubt, get medical attention promptly. |
|-----------------------------|---------------------------------------------------------------------|

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                       |                                                                        |
|---------------------------------------|------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>   | Use fire-extinguishing media suitable for the surrounding fire.        |
| <b>Unsuitable extinguishing media</b> | Do not use water jet as an extinguisher, as this will spread the fire. |

#### 5.2. Special hazards arising from the substance or mixture

|                                      |                                                                                                                                              |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specific hazards</b>              | When heated and in case of fire, toxic vapours/gases may be formed.                                                                          |
| <b>Hazardous combustion products</b> | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon. |

#### 5.3. Advice for firefighters

|                                                      |                                                                                                       |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Special protective equipment for firefighters</b> | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

|                             |                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions</b> | Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Keep unnecessary and unprotected personnel away from the spillage. Keep upwind. Take care as floors and other surfaces may become slippery. |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 6.2. Environmental precautions

|                                  |                                                                                                                                                                                                                        |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Environmental precautions</b> | Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## ACRYSOL ASE 60ER THICKENER

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if safe to do so. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Wash skin thoroughly after handling. Container must be kept tightly closed when not in use.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Avoid freezing. Stir well before use. Store at temperatures between 1°C and 49°C.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

#### Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The selected gloves should have a breakthrough time of at least 4 hours. Nitrile rubber. Polyvinyl chloride (PVC). Neoprene. Thickness: > 0.35 mm Do not use the following: Polyvinyl alcohol (PVA). To protect hands from chemicals, gloves should comply with European Standard EN374.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

#### Hygiene measures

When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product.

## ACRYSOL ASE 60ER THICKENER

### Respiratory protection

No specific requirements are anticipated under normal conditions of use. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                                              |                                       |
|----------------------------------------------|---------------------------------------|
| Appearance                                   | Liquid.                               |
| Colour                                       | Milky. White.                         |
| Odour                                        | Characteristic.                       |
| Odour threshold                              | No information available.             |
| pH                                           | pH (concentrated solution): 2.1 - 3.5 |
| Melting point                                | 0°C Water                             |
| Pour Point                                   | No information available.             |
| Freezing Point                               | No information available.             |
| Initial boiling point and range              | 100°C @ 760 mm Hg Water               |
| Flash point                                  | The product is non-combustible.       |
| Evaporation rate                             | < 1.00 (butyl acetate = 1) Water      |
| Evaporation factor                           | No information available.             |
| Flammability (solid, gas)                    | Not applicable.                       |
| Upper/lower flammability or explosive limits | Not applicable.                       |
| Other flammability                           | No information available.             |
| Vapour pressure                              | 2,266.4808000 Pa @ 20°C               |
| Vapour density                               | < 1.0000 Water                        |
| Relative density                             | 1.0000 - 1.2000                       |
| Bulk density                                 | No information available.             |
| Solubility(ies)                              | Partly miscible.                      |
| Partition coefficient                        | No information available.             |
| Auto-ignition temperature                    | Not applicable.                       |
| Decomposition Temperature                    | No information available.             |
| Viscosity                                    | < 100 mPa.s                           |
| Explosive properties                         | No information available.             |
| Explosive under the influence of a flame     | No information available.             |
| Oxidising properties                         | No information available.             |
| <u>9.2. Other information</u>                |                                       |
| Refractive index                             | No information available.             |

## ACRYSOL ASE 60ER THICKENER

|                           |                           |
|---------------------------|---------------------------|
| Particle size             | No information available. |
| Molecular weight          | No information available. |
| Volatility                | 71.00 - 73.00 % Water     |
| Saturation concentration  | No information available. |
| Critical temperature      | No information available. |
| Volatile organic compound | No information available. |

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Reactivity | There are no known reactivity hazards associated with this product. |
|------------|---------------------------------------------------------------------|

#### 10.2. Chemical stability

|           |                                                                     |
|-----------|---------------------------------------------------------------------|
| Stability | Stable at normal ambient temperatures and when used as recommended. |
|-----------|---------------------------------------------------------------------|

#### 10.3. Possibility of hazardous reactions

|                                    |                      |
|------------------------------------|----------------------|
| Possibility of hazardous reactions | Will not polymerise. |
|------------------------------------|----------------------|

#### 10.4. Conditions to avoid

|                     |                 |
|---------------------|-----------------|
| Conditions to avoid | Avoid freezing. |
|---------------------|-----------------|

#### 10.5. Incompatible materials

|                    |                                                                                                                  |
|--------------------|------------------------------------------------------------------------------------------------------------------|
| Materials to avoid | No specific material or group of materials is likely to react with the product to produce a hazardous situation. |
|--------------------|------------------------------------------------------------------------------------------------------------------|

#### 10.6. Hazardous decomposition products

|                                  |                                                                                                                                              |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Hazardous decomposition products | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon. |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

|                                |                                                                                                                                      |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Notes (oral LD <sub>50</sub> ) | This product has low toxicity. This information is based on test data from similar products LD <sub>50</sub> > 5000 mg/kg, Oral, Rat |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|

##### Acute toxicity - dermal

|                                  |                                                                                                            |
|----------------------------------|------------------------------------------------------------------------------------------------------------|
| Notes (dermal LD <sub>50</sub> ) | This information is based on test data from similar products LD <sub>50</sub> > 5000 mg/kg, Dermal, Rabbit |
|----------------------------------|------------------------------------------------------------------------------------------------------------|

##### Acute toxicity - inhalation

|                                      |                                                                                                                 |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Notes (inhalation LC <sub>50</sub> ) | This information is based on test data from similar products LC <sub>50</sub> > 16.34 mg/l, 4 hours, Vapour Rat |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------|

##### Skin corrosion/irritation

|                           |                                                                                                           |
|---------------------------|-----------------------------------------------------------------------------------------------------------|
| Skin corrosion/irritation | This information is based on test data from similar products May be slightly irritating to skin. Redness. |
|---------------------------|-----------------------------------------------------------------------------------------------------------|

##### Serious eye damage/irritation

|                               |                                                                                                  |
|-------------------------------|--------------------------------------------------------------------------------------------------|
| Serious eye damage/irritation | This information is based on test data from similar products May be slightly irritating to skin. |
|-------------------------------|--------------------------------------------------------------------------------------------------|

##### Respiratory sensitisation

|                           |                           |
|---------------------------|---------------------------|
| Respiratory sensitisation | No information available. |
|---------------------------|---------------------------|

## ACRYSOL ASE 60ER THICKENER

### Skin sensitisation

**Skin sensitisation** This information is based on test data from similar products Not sensitising. Human Guinea pig

### Germ cell mutagenicity

**Genotoxicity - in vitro** Negative.

### Carcinogenicity

**Carcinogenicity** No information available.

### Reproductive toxicity

**Reproductive toxicity - fertility** No information available.

### Specific target organ toxicity - single exposure

**STOT - single exposure** No information available.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** No information available.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

**Toxicokinetics** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** May be slightly irritating to skin. Redness.

**Eye contact** May cause temporary eye irritation.

## SECTION 12: Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

### Acute aquatic toxicity

**Acute toxicity - fish** This information is based on test data from similar products  
LC<sub>50</sub>, 96 hours: > 1000 mg/l, Pimephales promelas (Fat-head Minnow)  
This information is based on test data from similar products  
NOEC, 96 hours: 1000 mg/l, Pimephales promelas (Fat-head Minnow)

**Acute toxicity - aquatic invertebrates** This information is based on test data from similar products  
EC<sub>50</sub>, 48 hours: > 1000 mg/l, Daphnia magna  
This information is based on test data from similar products  
NOEC, 48 hours: 1000 mg/l, Daphnia magna

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

## ACRYSOL ASE 60ER THICKENER

**Partition coefficient** No information available.

### 12.4. Mobility in soil

**Mobility** Partly miscible.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Waste should be treated as controlled waste. Do not puncture or incinerate, even when empty.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## ACRYSOL ASE 60ER THICKENER

### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

### Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  
 CAS: Chemical Abstracts Service.  
 DNEL: Derived No Effect Level.  
 IATA: International Air Transport Association.  
 IMDG: International Maritime Dangerous Goods.  
 Kow: Octanol-water partition coefficient.  
 LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.  
 LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).  
 PBT: Persistent, Bioaccumulative and Toxic substance.  
 PNEC: Predicted No Effect Concentration.  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.  
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.  
 vPvB: Very Persistent and Very Bioaccumulative.  
 IARC: International Agency for Research on Cancer.  
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.  
 cATpE: Converted Acute Toxicity Point Estimate.  
 BCF: Bioconcentration Factor.  
 BOD: Biochemical Oxygen Demand.  
 EC<sub>50</sub>: 50% of maximal Effective Concentration.  
 LOAEC: Lowest Observed Adverse Effect Concentration.  
 LOAEL: Lowest Observed Adverse Effect Level.  
 NOAEC: No Observed Adverse Effect Concentration.  
 NOAEL: No Observed Adverse Effect Level.  
 NOEC: No Observed Effect Concentration.  
 LOEC: Lowest Observed Effect Concentration.  
 DMEL: Derived Minimal Effect Level.  
 EL50: Exposure Limit 50  
 hPa: Hectopascal  
 LL50: Lethal Loading fifty  
 OECD: Organisation for Economic Co-operation and Development  
 POW: Octanol-water partition coefficient  
 SCBA: self-contained breathing apparatus  
 STP: Sewage Treatment Plant  
 VOC: Volatile Organic Compounds

## ACRYSOL ASE 60ER THICKENER

**Classification abbreviations and acronyms**      Acute Tox. = Acute toxicity  
Aquatic Acute = Hazardous to the aquatic environment (acute)  
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

**Key literature references and sources for data**      Supplier's information.

**Classification procedures according to Regulation (EC) 1272/2008**      Not classified.: Calculation method.

**Revision comments**      NOTE: Lines within the margin indicate significant changes from the previous revision.

**Revision date**      02/11/2022

**Version number**      2.000

**Supersedes date**      19/10/2020

**SDS number**      61031

**SDS status**      Approved.

**Signature**      Lisa Bland

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.