



SAFETY DATA SHEET

ACRYLIC BINDER MAINCOTE PROTECT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	ACRYLIC BINDER MAINCOTE PROTECT
Product number	61613
Synonyms; trade names	MAINCOTE PROTECT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Surface coating
-----------------	-----------------

1.3. Details of the supplier of the safety data sheet

Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford BD3 7AY +44 1274 267300 +44 1274 267306 SDS.EMEA@univarsolutions.com
----------	---

1.4. Emergency telephone number

Emergency telephone	SGS - +32 (0)3 575 55 55 (24h)
Sds No.	61613

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements	EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	P273 Avoid release to the environment. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	EUH210 Safety data sheet available on request.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

ACRYLIC BINDER MAINCOTE PROTECT

3.2. Mixtures

AMMONIA ...% >= 0.1 - < 0.25 %		
CAS number: 1336-21-6	EC number: 215-647-6	REACH registration number: 01-2119488876-14-XXXX
M factor (Acute) = 1		
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400		
1,2-BENZISOTHIAZOL-3(2H)-ONE >= 0.025 - < 0.05 %		
CAS number: 2634-33-5	EC number: 220-120-9	
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412		
REACTION MASS OF MIXED (3,3,4,4,5,5,6,6,7,7,8,8,8-TRIDECAFLUOROOCYL) PHOSPHATES, AMMONIUM SALTS >= 0.025 - < 0.1 %		
CAS number: —	EC number: 700-161-3	REACH registration number: 01-2119436357-36-XXXX
M factor (Chronic) = 10		
Classification Acute Tox. 1 - H330 STOT RE 2 - H373 Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	First aid personnel should wear appropriate protective equipment during any rescue. Wear protective clothing as described in Section 8 of this safety data sheet.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.

ACRYLIC BINDER MAINCOTE PROTECT

Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if any discomfort continues. Wash clothing and clean shoes thoroughly before reuse.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	When heated and in case of fire, toxic vapours/gases may be formed.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon.

5.3. Advice for firefighters

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Keep unnecessary and unprotected personnel away from the spillage. Take care as floors and other surfaces may become slippery.
-----------------------------	--

6.2. Environmental precautions

Environmental precautions	Harmful to aquatic life with long lasting effects. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Stop leak if safe to do so. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
------------------------------------	---

ACRYLIC BINDER MAINCOTE PROTECT

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Wash skin thoroughly after handling. Container must be kept tightly closed when not in use.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Avoid freezing. Stir well before use. Store at temperatures between 1°C and 49°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

AMMONIA ...%

Long-term exposure limit (8-hour TWA): WEL 25 ppm 18 mg/m³

Short-term exposure limit (15-minute): WEL 35 ppm 25 mg/m³

WEL = Workplace Exposure Limit.

Ingredient comments Observe any occupational exposure limits for the product or ingredients.

AMMONIA ...% (CAS: 1336-21-6)

DNEL

Industry - Inhalation; Short term systemic effects: 47.6 mg/m³
 Industry - Inhalation; Short term local effects: 36 mg/m³
 Industry - Dermal; Long term systemic effects: 6.8 mg/kg/day
 Industry - Inhalation; Long term local effects: 14 mg/m³
 Consumer - Inhalation; Short term local effects: 7.2 mg/m³
 Consumer - Dermal; Short term systemic effects: 68 mg/m³
 Consumer - Oral; Long term systemic effects: 68 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 23.8 mg/kg/day

PNEC

- Fresh water; 0.0011 mg/l
 - marine water; 0.0011 mg/l
 - Intermittent release; 0.089 mg/l

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

DNEL

Workers - Dermal; Long term systemic effects: 0.966 mg/kg
 Workers - Inhalation; Long term systemic effects: 6.81 mg/m³
 Consumer - Inhalation; Long term systemic effects: 1.2 mg/m³

PNEC

Fresh water; 0.004 mg/l
 marine water; 0.0004 mg/l
 Intermittent release; 0.0011 mg/l
 STP; 1.03 mg/l
 Sediment (Freshwater); 0.0499 mg/kg
 Sediment (Marinewater); 0.00499 mg/kg
 Soil; 3.0 mg/kg

ACRYLIC BINDER MAINCOTE PROTECT

REACTION MASS OF MIXED (3,3,4,4,5,5,6,6,7,7,8,8,8-TRIDECAFLUOROOCYL) PHOSPHATES, AMMONIUM SALTS

DNEL

Industry - Inhalation; Short term local effects: 0.3 mg/m³
 Industry - Dermal; Long term systemic effects: 1.2 mg/kg/day
 Industry - Inhalation; Long term systemic effects: 0.042 mg/m³
 Industry - Inhalation; Long term local effects: 0.24 mg/m³
 Consumer - Dermal; Long term systemic effects: 0.6 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 0.0104 mg/m³
 Consumer - Oral; Long term systemic effects: 0.006 mg/kg/day

PNEC

- Fresh water; 0.00093 mg/l
 - marine water; 0.000093 mg/l
 - ; Intermittent release 0.0303 mg/l
 - Sediment; 0.00493 mg/kg
 - Soil; 1 mg/kg
 - STP; 100 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The selected gloves should have a breakthrough time of at least 4 hours. Butyl rubber. Chloroprene rubber. Polyethylene. Neoprene. Nitrile rubber. Polyvinyl chloride (PVC). Viton rubber (fluoro rubber). Thickness: > 0.35 mm To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Hygiene measures

When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. If ventilation is inadequate, suitable respiratory protection must be worn. Organic vapour filter. Combination filter, type A2/P2. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

ACRYLIC BINDER MAINCOTE PROTECT

Appearance	Liquid.
Colour	Milky. White.
Odour	Ammonia.
Odour threshold	No information available.
pH	pH (concentrated solution): 8.4 - 9.2
Melting point	0°C Water
Pour Point	No information available.
Freezing Point	No information available.
Initial boiling point and range	100°C @ 760 mm Hg Water
Flash point	No information available.
Evaporation rate	< 1.00 (butyl acetate = 1) Water
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	2,266.4808000 Pa @ 20°C Water
Vapour density	< 1.0000 Water
Relative density	1.0000 - 1.2000
Bulk density	No information available.
Solubility(ies)	Partly miscible.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Explosive under the influence of a flame	No information available.
Oxidising properties	No information available.
<u>9.2. Other information</u>	
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	54 - 56%
Saturation concentration	No information available.
Critical temperature	No information available.

ACRYLIC BINDER MAINCOTE PROTECT

Volatile organic compound No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid freezing.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of the following substances: Carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) This product has low toxicity. This information is based on test data from similar products LD₅₀ > 5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) This information is based on test data from similar products LD₅₀ > 2000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Not determined.

Skin corrosion/irritation

Skin corrosion/irritation This information is based on test data from similar products May be slightly irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation This information is based on test data from similar products May cause temporary eye irritation.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

ACRYLIC BINDER MAINCOTE PROTECT

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion May cause discomfort if swallowed.

Skin contact The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause temporary eye irritation.

Toxicological information on ingredients.

AMMONIA ...%

Acute toxicity - oral

Notes (oral LD₅₀) Not determined.

Acute toxicity - dermal

Notes (dermal LD₅₀) Not determined.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Not determined.

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. May cause chemical eye burns.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Carcinogenicity

Carcinogenicity No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - NOAEL 408 mg/kg/day , ,

ACRYLIC BINDER MAINCOTE PROTECT

Reproductive toxicity - development Developmental toxicity: - NOAEL: 100 mg/kg/day, ,

Specific target organ toxicity - single exposure

STOT - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation May cause respiratory irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. May cause chemical eye burns.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 675.3 mg/kg, Oral, Rat Harmful if swallowed.

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 5000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Not determined.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. May cause chemical eye burns.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility This substance has no evidence of toxicity to reproduction.

ACRYLIC BINDER MAINCOTE PROTECT

Reproductive toxicity - development This substance has no evidence of toxicity to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met. Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion Harmful if swallowed.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye damage. May cause permanent damage if eye is not immediately irrigated. May cause chemical eye burns.

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

AMMONIA ...%

Ecotoxicity Very toxic to aquatic life.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Ecotoxicity Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

AMMONIA ...%

Toxicity Very toxic to aquatic life.

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0.87 mg/l, *Lepomis macrochirus* (Bluegill)
LC₅₀, 96 hours: 1.2 mg/l, *Pimephales promelas* (Fat-head Minnow)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.66 mg/l, *Daphnia magna*

1,2-BENZISOTHIAZOL-3(2H)-ONE

ACRYLIC BINDER MAINCOTE PROTECT

Toxicity Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 1.9 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 3.7 mg/l, Daphnia magna

Acute toxicity - aquatic plants ErC₅₀, 72 hours: 0.8 mg/l, Pseudokirchneriella subcapitata
NOEC, 72 hours: 0.21 mg/l, Pseudokirchneriella subcapitata
ErC₅₀, 72 hours: 0.36 mg/l, Algae
NOEC, 72 hours: 0.15 mg/l, Algae

Acute toxicity - microorganisms EC₅₀, 3 hours: 28.52 mg/l, Activated sludge

REACTION MASS OF MIXED (3,3,4,4,5,5,6,6,7,7,8,8,8-TRIDECAFLUOROOCYL) PHOSPHATES, AMMONIUM SALTS

Chronic aquatic toxicity

M factor (Chronic) 10

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.

AMMONIA ... %

Persistence and degradability Not readily biodegradable.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Persistence and degradability Not readily biodegradable.

Biodegradation - 24%: 28 days
OCED 301B

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

AMMONIA ... %

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient No information available.

1,2-BENZISOTHIAZOL-3(2H)-ONE

ACRYLIC BINDER MAINCOTE PROTECT

Bioaccumulative potential Bioaccumulation is unlikely. BCF: 3.2, Fish Calculation method.

Partition coefficient log Pow: 1.17

12.4. Mobility in soil

Mobility Partly miscible.

Ecological information on ingredients.

AMMONIA ...%

Mobility Soluble in water.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Mobility No information available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

AMMONIA ...%

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects No information available.

Ecological information on ingredients.

AMMONIA ...%

Other adverse effects No information available.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Do not puncture or incinerate, even when empty.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

ACRYLIC BINDER MAINCOTE PROTECT

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.

Restrictions (Annex XVII Regulation 1907/2006)

CAUTION - Chemical may be subject to REACH RESTRICTIONS - see Annex XVII. This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES. Entry number: 3

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

ACRYLIC BINDER MAINCOTE PROTECT

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and sources for data

Supplier's information.

Classification procedures according to Regulation (EC) 1272/2008

EUH208: Calculation method. Aquatic Chronic 3 - H412: Calculation method.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

08/01/2021

ACRYLIC BINDER MAINCOTE PROTECT

Version number	1.000
SDS number	61613
SDS status	Approved.
Hazard statements in full	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains 1,2-BENZISOTHAZOL-3(2H)-ONE. May produce an allergic reaction.
Signature	Lisa Bland

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.