



SAFETY DATA SHEET OIL OF LEMON SINGLE STRENGTH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name OIL OF LEMON SINGLE STRENGTH

Product number 63274

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Food industry Feed Additive

1.3. Details of the supplier of the safety data sheet

Supplier Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
BD3 7AY
+44 1274 267300
+44 1274 267306
SDS.EMEA@univarsolutions.com

1.4. Emergency telephone number

Emergency telephone SGS - +32 (0)3 575 55 55 (24h)

Sds No. 63274

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.

OIL OF LEMON SINGLE STRENGTH

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
 Rinse skin with water or shower.
 P501 Dispose of contents/ container in accordance with national regulations.

Contains

(±)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE, PIN-2-(10) ENE, CITRAL, 2-PINENE, p-MENTHA-1,4(8)-DIENE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

(±)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE		60-100%
CAS number: 7705-14-8	EC number: 231-732-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
PIN-2-(10) ENE		5-10%
CAS number: 127-91-3	EC number: 204-872-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

OIL OF LEMON SINGLE STRENGTH

2-PINENE			1-5%
CAS number: 80-56-8	EC number: 201-291-9		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

CITRAL			1-5%
CAS number: 5392-40-5	EC number: 226-394-6	REACH registration number: 01-2119462829-23-XXXX	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317			

p-MENTHA-1,4(8)-DIENE			<1%
CAS number: 586-62-9	EC number: 209-578-0	REACH registration number: 01-2119982324-34-XXXX	
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if symptoms are severe or persist.
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. Continue to rinse. Get medical attention if symptoms are severe or persist.

OIL OF LEMON SINGLE STRENGTH

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion May be fatal if swallowed and enters airways.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. Contact specialist immediately poison treatment if large quantities have been ingested or inhaled

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.

5.3. Advice for firefighters

Protective actions during firefighting Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

OIL OF LEMON SINGLE STRENGTH

Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Provide adequate ventilation.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at temperatures above 8°C.
Storage class	Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

(±)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE

Short-term exposure limit (15-minute): 50 ppm 300 mg/m³

CITRAL (CAS: 5392-40-5)

DNEL	Workers - Inhalation; Long term systemic effects: 9 mg/m ³ Workers - Dermal; Long term systemic effects: 1.7 mg/kg/day Consumer - Inhalation; Long term systemic effects: 2.7 mg/m ³ Consumer - Dermal; Long term systemic effects: 1 mg/kg/day Consumer - Oral; Long term systemic effects: 0.6 mg/kg/day
-------------	--

PNEC	Fresh water; 0.007 mg/l marine water; 0.001 mg/l STP; 1.6 mg/l Sediment (Freshwater); 0.125 mg/kg Sediment (Marinewater); 0.013 mg/kg Soil; 0.021 mg/kg
-------------	--

p-MENTHA-1,4(8)-DIENE (CAS: 586-62-9)

DNEL	Workers - Inhalation; Long term systemic effects: 5.12 mg/m ³ Workers - Dermal; Long term systemic effects: 1.45 mg/kg/day Consumer - Inhalation; Long term systemic effects: 1.26 mg/m ³ Consumer - Dermal; Long term systemic effects: 0.73 mg/kg/day Consumer - Oral; Long term systemic effects: 0.73 mg/kg/day
-------------	---

PNEC	Fresh water; 5.2 µg/l marine water; 0.52 µg/l STP; 3 mg/l Sediment (Freshwater); 0.581 mg/kg Sediment (Marinewater); 58.1 mg/kg Soil; 113 µg/l
-------------	---

8.2. Exposure controls

OIL OF LEMON SINGLE STRENGTH

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Green-yellow.
Odour	Characteristic.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	45°C
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.846 - 0.855 @ 25°C
Bulk density	No information available.

OIL OF LEMON SINGLE STRENGTH

Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	No information available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	1.473 - 1.476
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
-------------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Oxidising agents.
---------------------------	-------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
---	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg)	10,204.08
-------------------------	-----------

Skin corrosion/irritation

OIL OF LEMON SINGLE STRENGTH

Skin corrosion/irritation	Causes skin irritation.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	No information available.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	No information available.
<u>Skin sensitisation</u>	
Skin sensitisation	May cause an allergic skin reaction.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	No information available.
<u>Carcinogenicity</u>	
Carcinogenicity	No information available.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	No information available.
Reproductive toxicity - development	No information available.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	No information available.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	No information available.
<u>Aspiration hazard</u>	
Aspiration hazard	May be fatal if swallowed and enters airways.
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system.
Ingestion	May be fatal if swallowed and enters airways.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	May cause temporary eye irritation.

Toxicological information on ingredients.

PIN-2-(10) ENE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
Species	Rat
Notes (oral LD₅₀)	LD ₅₀ 5000 mg/kg, Oral, Rat
ATE oral (mg/kg)	5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg)	5,000.0
Species	Rabbit

OIL OF LEMON SINGLE STRENGTH

Notes (dermal LD₅₀)	LD ₅₀ 5000 mg/kg, Dermal, Rabbit
ATE dermal (mg/kg)	5,000.0
<u>Aspiration hazard</u>	
Aspiration hazard	May be fatal if swallowed and enters airways. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
.	
Inhalation	Irritating to respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach.
Skin contact	Irritating to skin.
Eye contact	Irritating to eyes.

2-PINENE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	500.0
Species	Rat
Notes (oral LD₅₀)	LD ₅₀ 3700 mg/kg, Oral, Rat
ATE oral (mg/kg)	500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg)	5,000.0
Species	Rat
Notes (dermal LD₅₀)	LD ₅₀ 5000 mg/kg, Dermal, Rat
ATE dermal (mg/kg)	5,000.0
.	
Inhalation	May cause respiratory system irritation.
Ingestion	Harmful: may cause lung damage if swallowed.
Skin contact	May cause sensitisation by skin contact.
Eye contact	Irritating to eyes.

CITRAL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	6,800.0
Species	Rat
Notes (oral LD₅₀)	LD ₅₀ 6800 mg/kg, Oral, Rat
ATE oral (mg/kg)	6,800.0

Acute toxicity - dermal

OIL OF LEMON SINGLE STRENGTH

Acute toxicity dermal (LD₅₀ 2,250.0 mg/kg)

Species Rabbit

Notes (dermal LD₅₀) LD₅₀ 2250 mg/kg, Dermal, Rabbit

ATE dermal (mg/kg) 2,250.0

Skin corrosion/irritation

Animal data Irritating. Rabbit

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative.

p-MENTHA-1,4(8)-DIENE

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 3850 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 2000 mg/kg, Dermal, Rabbit

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.
Guinea pig maximization test (GPMT) - Guinea pig: Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative.

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

PIN-2-(10) ENE

Ecotoxicity Very toxic to aquatic life with long lasting effects.

2-PINENE

Ecotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity Toxic to aquatic life.

Ecological information on ingredients.

(±)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

OIL OF LEMON SINGLE STRENGTH

Chronic aquatic toxicity

M factor (Chronic) 1

PIN-2-(10) ENEAcute aquatic toxicityLE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - aquatic invertebrates LC₅₀, 48 hour: 2.2 mg/l, Daphnia magnaChronic aquatic toxicity

M factor (Chronic) 1

2-PINENEAcute aquatic toxicityLE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - aquatic invertebrates LC₅₀, 48 hour: 6.74 mg/l, Daphnia magnaChronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

M factor (Chronic) 1

CITRALAcute aquatic toxicityAcute toxicity - fish LC₅₀, 96 hours: 4.6 mg/l, FishAcute toxicity - aquatic invertebrates EC₅₀, 48 hours: 6.8 mg/l, Daphnia magnaAcute toxicity - aquatic plants IC₅₀, 72 hours: 103.8 mg/l, Algaep-MENTHA-1,4(8)-DIENEAcute aquatic toxicityLE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0.72 - 6.104 mg/l, FishAcute toxicity - aquatic invertebrates EC₅₀, 48 hour: 5.184 mg/kg, Daphnia magnaAcute toxicity - aquatic plants EC₅₀, 72 hour: 5.4 mg/l, Algae
Chronic, NOEC, 72 hour: 3.47 mg/l, AlgaeChronic aquatic toxicity

OIL OF LEMON SINGLE STRENGTH

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.

PIN-2-(10) ENE

Persistence and degradability The product is readily biodegradable.

2-PINENE

Persistence and degradability The product is readily biodegradable.

CITRAL

Persistence and degradability The substance is readily biodegradable.

Biodegradation - Degradation 85 - 95%: 28 days
OECD 301C

p-MENTHA-1,4(8)-DIENE

Persistence and degradability The product is readily biodegradable.

Biodegradation - Degradation 72%: 28 day
OECD 301D

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

CITRAL

Bioaccumulative potential Bioaccumulation is unlikely. BCF: 89.72,

Partition coefficient log Pow: 2.76

p-MENTHA-1,4(8)-DIENE

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient log Pow: 3.7

12.4. Mobility in soil

Mobility Not determined.

Ecological information on ingredients.

PIN-2-(10) ENE

OIL OF LEMON SINGLE STRENGTH

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. This product may impact SEVESO storage regulations.
Restrictions (Annex XVII Regulation 1907/2006)	This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES. Entry number: 3
Seveso Directive - Control of major accident hazards	P5c E2

15.2. Chemical safety assessment

OIL OF LEMON SINGLE STRENGTH

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and sources for data

Supplier's information.

Classification procedures according to Regulation (EC) 1272/2008

Flam. Liq. 3 - H226: On basis of test data. Asp. Tox. 1 - H304: Calculation method. Skin Irrit. 2 - H315: Calculation method. Skin Sens. 1 - H317: Calculation method. Aquatic Chronic 2 - H411: Calculation method.

OIL OF LEMON SINGLE STRENGTH

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	17/12/2021
Version number	1.000
SDS number	63274
SDS status	Approved.
Hazard statements in full	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
Signature	Jitendra Panchal

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.