



SAFETY DATA SHEET OIL OF BASIL SWEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name OIL OF BASIL SWEET

Product number 63932

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Food industry Food / Feed additive

1.3. Details of the supplier of the safety data sheet

Supplier Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
BD3 7AY
+44 1274 267300
+44 1274 267306
SDS.EMEA@univarsolutions.com

1.4. Emergency telephone number

Emergency telephone SGS - +32 (0)3 575 55 55 (24h)

Sds No. 63932

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

OIL OF BASIL SWEET

Precautionary statements

P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/ container in accordance with national regulations.

Contains

4-ALLYLANISOLE, EUGENOL, EUCALYPTOL, (±)-1-METHYL-4-(1-METHYLVINYLCYCLOHEXENE, p-MENTHA-1,4(8)-DIENE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

4-ALLYLANISOLE			10-30%
CAS number: 140-67-0	EC number: 205-427-8		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			
EUGENOL			10-30%
CAS number: 97-53-0	EC number: 202-589-1		
Classification Eye Irrit. 2 - H319 Skin Sens. 1 - H317			
EUCALYPTOL			10-30%
CAS number: 470-82-6	EC number: 207-431-5	REACH registration number: 01-2119967772-24-XXXX	
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317			

OIL OF BASIL SWEET

p-MENTHA-1,4(8)-DIENE			<1%
CAS number: 586-62-9	EC number: 209-578-0	REACH registration number: 01-2119982324-34-XXXX	
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

CAMPHENE			<1%
CAS number: 79-92-5	EC number: 201-234-8		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Sol. 2 - H228 Eye Irrit. 2 - H319 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

4-ALLYLVERATROLE			<1%
CAS number: 93-15-2	EC number: 202-223-0		
Classification Acute Tox. 4 - H302 Muta. 2 - H341 Carc. 2 - H351			

(±)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE			<1%
CAS number: 7705-14-8	EC number: 231-732-0		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.

OIL OF BASIL SWEET

Ingestion	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if symptoms are severe or persist.
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. Continue to rinse. Get medical attention if symptoms are severe or persist.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	May be fatal if swallowed and enters airways.
Skin contact	May cause an allergic skin reaction. Symptoms following overexposure may include the following: Irritation. Redness.
Eye contact	Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Contact specialist immediately poison treatment if large quantities have been ingested or inhaled
-----------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
--------------------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation.
--------------------------------	--

6.4. Reference to other sections

OIL OF BASIL SWEET

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Provide adequate ventilation.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Avoid exposure to high temperatures or direct sunlight. Store at temperatures above 8°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

(±)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE

Short-term exposure limit (15-minute): 50 ppm 300 mg/m³

EUCALYPTOL (CAS: 470-82-6)

DNEL	Workers - Dermal; Long term systemic effects: 2 mg/kg Workers - Inhalation; Long term systemic effects: 7.05 mg/kg Consumer - Dermal; Long term systemic effects: 1 mg/kg/day Consumer - Inhalation; Long term systemic effects: 1.74 mg/m ³
PNEC	STP; 10 mg/l Soil; 0.2 mg/kg Fresh water; 0.057 mg/l marine water; 0.0057 mg/l Sediment (Freshwater); 0.06732 mg/kg Sediment (Marinewater); 0.00673 mg/kg

EUGENOL (CAS: 97-53-0)

DNEL	Workers - Inhalation; Long term systemic effects: 21.2 mg/m ³ Workers - Dermal; Long term systemic effects: 6 mg/kg/day Consumer - Inhalation; Long term systemic effects: 5.22 mg/m ³ Consumer - Dermal; Long term systemic effects: 3 mg/kg/day Consumer - Oral; Long term systemic effects: 3 mg/kg/day
PNEC	Fresh water; 1.13 µg/l marine water; 0.113 µg/l Sediment (Freshwater); 0.081 mg/kg Sediment (Marinewater); 0.008 mg/kg Soil; 0.015 mg/kg

4-ALLYLVERATROLE (CAS: 93-15-2)

OIL OF BASIL SWEET

Ingredient comments No exposure limits known for ingredient(s).

p-MENTHA-1,4(8)-DIENE (CAS: 586-62-9)

DNEL

Workers - Inhalation; Long term systemic effects: 5.12 mg/m³
 Workers - Dermal; Long term systemic effects: 1.45 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 1.26 mg/m³
 Consumer - Dermal; Long term systemic effects: 0.73 mg/kg/day
 Consumer - Oral; Long term systemic effects: 0.73 mg/kg/day

PNEC

Fresh water; 5.2 µg/l
 marine water; 0.52 µg/l
 STP; 3 mg/l
 Sediment (Freshwater); 0.581 mg/kg
 Sediment (Marinewater); 58.1 mg/kg
 Soil; 113 µg/l

8.2. Exposure controls

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Light (or pale). Yellow. to Yellow.
Odour	Characteristic.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Pour Point	No information available.

OIL OF BASIL SWEET

Freezing Point	No information available.
Initial boiling point and range	No information available.
Flash point	75°C
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.890 - 0.910 @ 25°C
Bulk density	No information available.
Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	No information available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	1.475 - 1.490
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

OIL OF BASIL SWEET

Possibility of hazardous reactions Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific recommendations.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 2,631.58

Acute toxicity - dermal

ATE dermal (mg/kg) 5,789.47

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 57.89

Skin corrosion/irritation

Skin corrosion/irritation No information available.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Reproductive toxicity - development No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

OIL OF BASIL SWEET

Inhalation	Gas or vapour in high concentrations may irritate the respiratory system.
Ingestion	The product irritates mucous membranes and may cause abdominal discomfort if swallowed.
Skin contact	May cause an allergic skin reaction. Symptoms following overexposure may include the following: Irritation. Redness.
Eye contact	Causes serious eye irritation.

Toxicological information on ingredients.

4-ALLYLANISOLE

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 11.0

EUGENOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,300.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 2300 mg/kg, Oral, Rat

ATE oral (mg/kg) 2,300.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 2,580.0

Species Rat

Notes (inhalation LC₅₀) LC₅₀ 2580 mg/l, Dust/Mist, Inhalation, Rat

ATE inhalation (dusts/mists mg/l) 2,580.0

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.
Guinea pig maximization test (GPMT) - Guinea pig: Sensitising.

EUCALYPTOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,480.0

OIL OF BASIL SWEET

Species	Rat
Notes (oral LD₅₀)	LD ₅₀ 2480 mg/kg, Oral, Rat
ATE oral (mg/kg)	2,480.0
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	LD ₅₀ >5000 mg/kg, Dermal, Rabbit
<u>Skin corrosion/irritation</u>	
Skin corrosion/irritation	No information available.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	No information available.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	No information available.
<u>Skin sensitisation</u>	
Skin sensitisation	May cause an allergic skin reaction.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	No information available.
<u>Carcinogenicity</u>	
Carcinogenicity	No information available.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	No information available.
Reproductive toxicity - development	No information available.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	No information available.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	No information available.
<u>Aspiration hazard</u>	
Aspiration hazard	No information available.
<u>Inhalation</u>	
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system.
<u>Ingestion</u>	
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
<u>Skin contact</u>	
Skin contact	May cause an allergic skin reaction.
<u>Eye contact</u>	
Eye contact	May cause temporary eye irritation.

p-MENTHA-1,4(8)-DIENE

Acute toxicity - oral

OIL OF BASIL SWEET

Notes (oral LD₅₀)	LD ₅₀ 3850 mg/kg, Oral, Rat
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	LD ₅₀ > 2000 mg/kg, Dermal, Rabbit
<u>Skin sensitisation</u>	
Skin sensitisation	May cause an allergic skin reaction. Guinea pig maximization test (GPMT) - Guinea pig: Sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative.
<u>Aspiration hazard</u>	
Aspiration hazard	May be fatal if swallowed and enters airways.

CAMPHENE

<u>Acute toxicity - oral</u>	
Notes (oral LD₅₀)	LD ₅₀ >5000 mg/kg, Oral, Rat
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	LD ₅₀ >2500 mg/kg, Dermal, Rabbit
Inhalation	May cause respiratory system irritation.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Slightly irritating.
Eye contact	Irritating to eyes.

4-ALLYLVERATROLE

<u>Acute toxicity - oral</u>	
ATE oral (mg/kg)	500.0
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed.
Skin contact	Liquid may irritate skin.
Eye contact	May cause temporary eye irritation.

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

EUCALYPTOL

Ecotoxicity	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
--------------------	---

OIL OF BASIL SWEET

CAMPHENE

Ecotoxicity Very toxic to aquatic life with long lasting effects.

4-ALLYLVERATROLE

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Toxicity Toxic to aquatic life.

Ecological information on ingredients.

4-ALLYLANISOLE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

EUGENOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hour: 13 mg/l, Fish
OECD 203

Acute toxicity - aquatic invertebrates EC₅₀, 48 hour: 1.3 mg/l, Daphnia magna
OECD 202

Acute toxicity - aquatic plants IC₅₀, 72 hours: 24 mg/l, Algae
NOEC, 72 hours: 23 mg/l, Algae

EUCALYPTOL

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 102 mg/l, Fish

p-MENTHA-1,4(8)-DIENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0.72 - 6.104 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hour: 5.184 mg/kg, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hour: 5.4 mg/l, Algae
Chronic, NOEC, 72 hour: 3.47 mg/l, Algae

OIL OF BASIL SWEET

Chronic aquatic toxicity

M factor (Chronic) 1

CAMPHENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0.1-1 mg/l, Fish

Chronic aquatic toxicity

M factor (Chronic) 1

4-ALLYLVERATROLE

Toxicity Not considered toxic to fish.

(±)-1-METHYL-4-(1-METHYLVINYL)CYCLOHEXENE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.

EUGENOL

Persistence and degradability The product is readily biodegradable.

EUCALYPTOL

Persistence and degradability The substance is readily biodegradable.

p-MENTHA-1,4(8)-DIENE

Persistence and degradability The product is readily biodegradable.

Biodegradation - Degradation 72%: 28 day
OECD 301D

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

OIL OF BASIL SWEET

EUCALYPTOL

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 2.97

p-MENTHA-1,4(8)-DIENE

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient log Pow: 3.7

CAMPHENE

Bioaccumulative potential Potentially bioaccumulating.

Partition coefficient log Pow: 4.5

12.4. Mobility in soil

Mobility Not determined.

Ecological information on ingredients.

EUCALYPTOL

Mobility The product is insoluble in water.

CAMPHENE

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

EUCALYPTOL

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

EUCALYPTOL

Other adverse effects None known.

4-ALLYLVERATROLE

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not puncture or incinerate, even when empty. Waste is classified as hazardous waste.

OIL OF BASIL SWEET

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General Wear protective clothing as described in Section 8 of this safety data sheet.

14.1. UN number

UN No. (ADR/RID)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
UN No. (ADN)	3082

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 4-ALLYLANISOLE, (±)-1-METHYL-4-(1-METHYLVINYLCYCLOHEXENE)
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 4-ALLYLANISOLE, (±)-1-METHYL-4-(1-METHYLVINYLCYCLOHEXENE)
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 4-ALLYLANISOLE, (±)-1-METHYL-4-(1-METHYLVINYLCYCLOHEXENE)
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 4-ALLYLANISOLE, (±)-1-METHYL-4-(1-METHYLVINYLCYCLOHEXENE)

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M6
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



OIL OF BASIL SWEET

14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	•3Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.
Restrictions (Annex XVII Regulation 1907/2006)	This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES. Entry number: 3
Seveso Directive - Control of major accident hazards	E2

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

OIL OF BASIL SWEET

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and sources for data

Supplier's information.

Classification procedures according to Regulation (EC) 1272/2008

Asp. Tox. 1 - H304: Calculation method. Skin Sens. 1 - H317: Calculation method. Eye Irrit. 2 - H319: Calculation method. Aquatic Chronic 2 - H411: Calculation method.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

26/05/2022

OIL OF BASIL SWEET

Version number	1.000
SDS number	63932
SDS status	Approved.
Hazard statements in full	H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
Signature	Jitendra Panchal

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.