



SAFETY DATA SHEET SUPERFLOC C 494HMW

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SUPERFLOC C 494HMW

Product number 61668

REACH registration notes This product is not classified as hazardous, the information in this datasheet is given for guidance only.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Flocculating Agent

1.3. Details of the supplier of the safety data sheet

Supplier Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
BD3 7AY
+44 1274 267300
+44 1274 267306
SDS.EMEA@univarsolutions.com

1.4. Emergency telephone number

Emergency telephone SGS - +32 (0)3 575 55 55 (24h)

Sds No. 61668

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Supplemental label information EUH210 Safety data sheet available on request.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

SUPERFLOC C 494HMW

3.2. Mixtures

CITRIC ACID ANHYDROUS			>= 1 - < 10 %
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01-2119457026-42-XXXX	
Acute Toxicity Estimate (oral):5400 mg/kg Acute Toxicity Estimate (dermal):> 2000 mg/kg Acute Toxicity Estimate (inhalation):~ 75 mg/lGuinea pig3 minutes			
Classification Eye Irrit. 2 - H319 STOT SE 3 - H335			

ADIPIC ACID			>= 1 - < 5 %
CAS number: 124-04-9	EC number: 204-673-3	REACH registration number: 01-2119457561-38-XXXX	
Acute Toxicity Estimate (oral):5560 mg/kg Acute Toxicity Estimate (dermal):7940 mg/kg Acute Toxicity Estimate (inhalation):7.7 mg/lDust/Mist			
Classification Eye Irrit. 2 - H319			

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. If breathing stops, provide artificial respiration. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Solid particles trapped behind the eyelid may cause abrasive damage.
--------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

SUPERFLOC C 494HMW

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards When heated and in case of fire, toxic vapours/gases may be formed. Dust may form explosive mixture with air.

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Ammonia. Oxides of the following substances: Carbon. Nitrogen.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of dust and contact with skin and eyes. Avoid generation and spreading of dust. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid generation and spreading of dust. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of dust and contact with skin and eyes. Avoid handling which leads to dust formation. Avoid heat, flames and other sources of ignition. Dust may form explosive mixture with air.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

SUPERFLOC C 494HMW

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Hygroscopic. Protect from moisture. Keep at temperature not exceeding 40°C. Take care as floors and other surfaces may become slippery. Suitable containers: polyethylene. PVC Stainless steel. Unsuitable container materials: Iron. Copper. Aluminium.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments

No exposure limits known for ingredient(s).

ADIPIC ACID (CAS: 124-04-9)

DNEL

Workers - Dermal; Short term systemic effects: 38 mg/kg/day
 Workers - Inhalation; Short term systemic effects: 264 mg/m³
 Workers - Inhalation; Short term local effects: 5 mg/m³
 Workers - Dermal; Long term systemic effects: 38 mg/kg/day
 Workers - Inhalation; Long term systemic effects: 264 mg/m³
 Workers - Inhalation; Long term local effects: 5 mg/m³
 Consumer - Oral; Short term systemic effects: 19 mg/kg/day
 Consumer - Dermal; Short term systemic effects: 19 mg/kg/day
 Consumer - Inhalation; Short term systemic effects: 65 mg/m³
 Consumer - Oral; Long term systemic effects: 19 mg/kg/day
 Consumer - Dermal; Long term systemic effects: 19 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 65 mg/m³

PNEC

- Fresh water; 0.126 mg/l
 - marine water; 0.0126 mg/l
 - Sediment (Freshwater); 0.484 mg/kg
 - Soil; 0.0228 mg/kg
 - Sediment (Marinewater); 0.0484 mg/kg
 - STP; 59.1 mg/l
 Intermittent release; 0.46 mg/l

CITRIC ACID ANHYDROUS (CAS: 77-92-9)

Ingredient comments

No exposure limits known for ingredient(s).

PNEC

- Fresh water; 0.44 mg/l
 - marine water; 0.044 mg/l
 - Sediment (Freshwater); 7.52 mg/kg
 - Sediment (Marinewater); 0.752 mg/kg
 - Soil; 29.2 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure.

SUPERFLOC C 494HMW

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Nitrile rubber. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Eye wash facilities and emergency shower must be available when handling this product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m ³ . Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. If ventilation is inadequate, suitable respiratory protection must be worn. Particulate filter, type P2. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Powder.
Colour	White.
Odour	Odourless.
Odour threshold	Not applicable.
pH	pH (diluted solution): 3.0 - 5.0 (0.5 g/l)
Melting point	No information available.
Pour Point	No information available.
Freezing Point	No information available.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	No information available.
Vapour pressure	Not applicable.
Vapour density	No information available.
Relative density	Not determined.

SUPERFLOC C 494HMW

Bulk density	650 - 850 kg/m ³
Solubility(ies)	> 5 g/l water @ 25°C
Partition coefficient	log Pow: < 4 OECD 107
Auto-ignition temperature	> 400°C
Decomposition Temperature	> 220°C
Viscosity	Not applicable.
Explosive properties	No information available.
Explosive under the influence of a flame	No information available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	No information required.
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.
Kst	81 m.b./s

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
-------------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Will not polymerise. Under normal conditions of storage and use, no hazardous reactions will occur.
---	---

10.4. Conditions to avoid

Conditions to avoid	Avoid heat, flames and other sources of ignition. Static electricity and formation of sparks must be prevented. Moisture.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Alkalis.
---------------------------	-----------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Ammonia. Oxides of the following substances: Carbon. Nitrogen.
---	---

SECTION 11: Toxicological information

SUPERFLOC C 494HMW

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ > 5000 mg/kg, Oral, Rat OECD 401

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 2000 mg/kg, Dermal, Rabbit Calculation method.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) > 20 mg/l, 4 hours, Calculation method.

Skin corrosion/irritation

Animal data Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating. Solid particles trapped behind the eyelid may cause abrasive damage.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. OECD 429 Buehler test - Guinea pig: Not sensitising. OECD 406

Germ cell mutagenicity

Genotoxicity - in vitro Ames test: Negative. OECD 471

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation

Dust in high concentrations may irritate the respiratory system.

Ingestion

May cause discomfort if swallowed.

Skin contact

Skin irritation should not occur when used as recommended.

Eye contact

May cause temporary eye irritation.

Toxicological information on ingredients.

CITRIC ACID ANHYDROUS

Acute toxicity - oral

SUPERFLOC C 494HMW

Acute toxicity oral (LD₅₀
mg/kg)

5,400.0

Species

Mouse

Notes (oral LD₅₀)

LD₅₀ 5400 mg/kg, Oral, Mouse OECD 401

ATE oral (mg/kg)

5,400.0

Acute toxicity - dermal

Notes (dermal LD₅₀)

LD₅₀ > 2000 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

~ 75 mg/l, 3 minutes, Dust/Mist Guinea pig Respiratory tract Coughing.

Skin corrosion/irritation

Skin corrosion/irritation

Based on available data the classification criteria are not met. Not irritating. Rabbit OECD 404

Serious eye damage/irritation

Serious eye
damage/irritation

Causes serious eye irritation. Rabbit OECD 405

Respiratory sensitisation

Respiratory sensitisation

Based on available data the classification criteria are not met. Not sensitising.

Skin sensitisation

Skin sensitisation

Based on available data the classification criteria are not met. Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met. Bacterial reverse mutation test: Negative. Micronucleus assay: Negative.

Genotoxicity - in vivo

Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity

Based on available data the classification criteria are not met. There is no evidence that the product can cause cancer.

Reproductive toxicity

Reproductive toxicity -
fertility

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure

May cause respiratory irritation.

Target organs

Respiratory tract

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

NOAEL 4000 mg/kg, Oral, Rat 10 days
LOAEL 8000 mg/kg, Oral, Rat 10 days

Aspiration hazard

Aspiration hazard

Based on available data the classification criteria are not met.

SUPERFLOC C 494HMW

Toxicokinetics	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Inhalation	Dust in high concentrations may irritate the respiratory system. May cause respiratory irritation. Respiratory tract Coughing.
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Causes serious eye irritation.

ADIPIC ACID

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,560.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 7,940.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 7.7

Species Rat

ATE inhalation (dusts/mists mg/l) 7.7

Skin corrosion/irritation

Animal data No information available.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

SUPERFLOC C 494HMW

Reproductive toxicity - fertility No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No information available.

Toxicokinetics The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact Causes serious eye irritation.

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

Ecological information on ingredients.

CITRIC ACID ANHYDROUS

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

ADIPIC ACID

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: > 1 - 10 mg/l, Brachydanio rerio (Zebra Fish)
OECD 203

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: > 10 - 100 mg/l, Daphnia magna
OECD 202

Acute toxicity - aquatic plants EC₅₀, 72 hours: >100 mg/l, Algae
OECD 201

Ecological information on ingredients.

CITRIC ACID ANHYDROUS

SUPERFLOC C 494HMW

Toxicity	Not considered toxic to fish.
<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₅₀ , 48 hours: 440 mg/l, Leuciscus idus (Golden orfe) OECD 203
Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hours: 1535 mg/l, Daphnia magna OECD 202
Acute toxicity - aquatic plants	NOEC, 8 days: 425 mg/l, Algae
Acute toxicity - microorganisms	, 16 hours: >10000 mg/l, Pseudomonas putida

ADIPIC ACID

Toxicity	Not considered toxic to fish.
<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₀ , 96 hours: > 1000 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 46 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability Not expected to be readily biodegradable.

Biodegradation - Degradation < 10%: 28 days
OECD 301B

Ecological information on ingredients.

CITRIC ACID ANHYDROUS

Persistence and degradability	The product is readily biodegradable.
Biodegradation	- Degradation 97%: 28 days OECD 301B
Biological oxygen demand	0.526 g O ₂ /g substance
Chemical oxygen demand	0.728 g O ₂ /g substance

ADIPIC ACID

Persistence and degradability	The product is readily biodegradable.
--------------------------------------	---------------------------------------

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient log Pow: < 4 OECD 107

Ecological information on ingredients.

CITRIC ACID ANHYDROUS

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

SUPERFLOC C 494HMW

Partition coefficient log Pow: -1.80 - -0.2

ADIPIC ACID

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient log Pow: 0.093

12.4. Mobility in soil

Mobility No information available.

Ecological information on ingredients.**CITRIC ACID ANHYDROUS**

Mobility The product is soluble in water.

ADIPIC ACID

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.**CITRIC ACID ANHYDROUS**

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

ADIPIC ACID

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ecological information on ingredients.**CITRIC ACID ANHYDROUS**

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

ADIPIC ACID

Other adverse effects The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SUPERFLOC C 494HMW

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Do not puncture or incinerate, even when empty.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
COMMISSION REGULATION (EU) 2020/878 of 18 June 2020

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

SUPERFLOC C 494HMW

Canada - DSL/NDSL

All the ingredients are listed or exempt.
DSL

US - TSCA

All the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Japan - ENCS

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines – PICCS

All the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

Taiwan - TCSI

All the ingredients are listed or exempt.

SECTION 16: Other information

SUPERFLOC C 494HMW

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 CAS: Chemical Abstracts Service.
 DNEL: Derived No Effect Level.
 IATA: International Air Transport Association.
 IMDG: International Maritime Dangerous Goods.
 Kow: Octanol-water partition coefficient.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 PNEC: Predicted No Effect Concentration.
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 vPvB: Very Persistent and Very Bioaccumulative.
 IARC: International Agency for Research on Cancer.
 MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
 cATpE: Converted Acute Toxicity Point Estimate.
 BCF: Bioconcentration Factor.
 BOD: Biochemical Oxygen Demand.
 EC₅₀: 50% of maximal Effective Concentration.
 LOAEC: Lowest Observed Adverse Effect Concentration.
 LOAEL: Lowest Observed Adverse Effect Level.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No Observed Adverse Effect Level.
 NOEC: No Observed Effect Concentration.
 LOEC: Lowest Observed Effect Concentration.
 DMEL: Derived Minimal Effect Level.
 EL50: Exposure Limit 50
 hPa: Hectopascal
 LL50: Lethal Loading fifty
 OECD: Organisation for Economic Co-operation and Development
 POW: Octanol-water partition coefficient
 SCBA: self-contained breathing apparatus
 STP: Sewage Treatment Plant
 VOC: Volatile Organic Compounds

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and sources for data

Supplier's information.

Classification procedures according to Regulation (EC) 1272/2008

Not classified.: Calculation method.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

23/02/2023

SUPERFLOC C 494HMW

Version number	2.000
Supersedes date	13/01/2021
SDS number	61668
SDS status	Approved.
Hazard statements in full	H319 Causes serious eye irritation. H335 May cause respiratory irritation.
Signature	Lisa Bland

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.