

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Revision date 27-Feb-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 124078
Safety data sheet number 124078
Product Name PETRONAS TUTELA ATF 900 HD

Pure substance/mixture Mixture

Contains DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC; DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Chronic aquatic toxicity	Category 2 - (H411)
---------------------------------	---------------------

2.2. Label elements

Contains DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC; DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC

**Signal word**

Danger

Hazard statements

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

Unknown aquatic toxicity**2.3. Other hazards**

Toxic to aquatic life.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
DEC-1-ENE, HOMOPOLYMER, HYDROGENATED 68037-01-4	40 - 50%	500-183-1	-	Asp. Tox. 1 (H304)	-	-	-
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH 398141-87-2	0 - 10%	800-172-4	-	Aquatic Chronic 2 (H411)	-	-	-
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC 64742-56-9	0 - 10%	265-159-2	-	Asp. Tox. 1 (H304)	-	-	-
ALKARYL AMINE	0 - 10%	253-249-4	-	Aquatic Chronic 4	-	-	-

36878-20-3				(H413)			
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE 125643-61-0	0 - 10%	406-040-9	-	Aquatic Chronic 4 (H413)	-	-	-
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED 72623-87-1	0 - 10%	276-738-4	-	Asp. Tox. 1 (H304)	-	-	-
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC 64742-55-8	0 - 10%	265-158-7	-	Asp. Tox. 1 (H304)	-	-	-
DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC 64742-65-0	0 - 10%	265-169-7	-	Asp. Tox. 1 (H304)	-	-	-
C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES 1213789-63-9	0 - 10%	627-034-4	-	Asp. Tox. 1 (H304) Skin Corr. 1 (H314) Aquatic Chronic 1 (H410) STOT RE 2 (H373) Aquatic Acute 1 (H400) Acute Tox. 4 (H302) STOT SE 3 (H335) Eye Dam. 1 (H318)	-	10	10

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. Get medical attention if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Dermal May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media Dry chemical, CO2, alcohol-resistant foam or water spray.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Carbon oxides. Phosphorus oxides. Oxides of sulphur. Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Specific use(s)
See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	United Kingdom
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED 72623-87-1	TWA 5mg/m ³ (Manuf. Data)

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH 398141-87-2		350 mg/kg bw/day [4] [6]	24.7 mg/m ³ [4] [6]
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC 64742-56-9		0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6] 5.58 mg/m ³ [5] [6]
ALKARYL AMINE 36878-20-3		5 mg/kg bw/day [4] [6]	
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE 125643-61-0		8.6 mg/kg/day [4] [6]	3.00 mg/m ³ [4] [6]
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED		0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6] 5.58 mg/m ³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
72623-87-1			
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC 64742-55-8		0.97 mg/kg bw/day [4] [6]	5.4 mg/m ³ [5] [6]
DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC 64742-65-0		0.97 mg/kg bw/day [4] [6]	5.4 mg/m ³ [5] [6]
C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES 1213789-63-9			0.38 mg/m ³ [4] [6] 1 mg/m ³ [5] [6] 1 mg/m ³ [5] [7]

[4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH 398141-87-2	2.5 mg/kg bw/day [4] [6]		4.35 mg/m ³ [4] [6]
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC 64742-56-9	0.74 mg/kg bw/day [4] [6]		1.19 mg/m ³ [5] [6]
ALKARYL AMINE 36878-20-3	0.25 mg/kg bw/day [4] [6]		
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4- HYDROXYPHENYL)PROPIONATE 125643-61-0	0.43 mg/kg/day [4] [6]	4.30 mg/kg/day [4] [6]	0.74 mg/m ³ [4] [6]
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED 72623-87-1	0.74 mg/kg bw/day [4] [6]		1.19 mg/m ³ [5] [6]
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC 64742-55-8	0.74 mg/kg bw/day [4] [6]		1.2 mg/m ³ [5] [6]
DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC 64742-65-0	0.74 mg/kg bw/day [4] [6]		1.2 mg/m ³ [5] [6]
C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES 1213789-63-9	40 µg/kg bw/day [4] [6]		0.035 mg/m ³ [4] [6]

[4] Systemic health effects.
 [5] Local health effects.

[6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH 398141-87-2	2.4 µg/L	24 µg/L	0.33 µg/L	3.3 µg/L	
ALKARYL AMINE 36878-20-3	0.412 mg/L	1 mg/L	0.0412 mg/L		
C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLA MINES 1213789-63-9	0.26 µg/L	1.6 µg/L	0.026 µg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH 398141-87-2	0.433 mg/kg sediment dw	59.6 µg/kg sediment dw	100 mg/L	85.3 µg/kg soil dw	111.11 mg/kg food
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC 64742-56-9					9.33 mg/kg food
ALKARYL AMINE 36878-20-3	1 mg/kg sediment dw	0.1 mg/kg sediment dw			
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4- HYDROXYPHENYL)PRO PIONATE 125643-61-0	0.37 mg/kg	0.037 mg/kg		0.632 mg/kg	10.00 mg/l
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED 72623-87-1					9.33 mg/kg food
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC 64742-55-8					9.33 mg/kg food
DISTILLATES (PETROLEUM) SOLVENT					9.33 mg/kg food

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
DEWAXED HEAVY PARAFFINIC 64742-65-0					
C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYL MINES 1213789-63-9	3.76 mg/kg sediment dw	0.376 mg/kg sediment dw	550 µg/L	10 mg/kg soil dw	

8.2. Exposure controls

Engineering controls

No information available.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166.

Hand protection

Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Neoprene gloves. Nitrile rubber. Gloves must conform to standard EN 374.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Viscous liquid
Colour	Amber
Odour	No information available.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point		No information available.
Initial boiling point and boiling range	> 300.00 °C	
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	201.00 °C	
Autoignition temperature		No information available.
Decomposition temperature		No information available.

pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity	38.95 cSt	40 °C.
Dynamic viscosity		No information available.
Water solubility	Immiscible in water	
Solubility(ies)		No information available.
Partition coefficient		No information available.
Vapour pressure		No information available.
Relative density	0.84	
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		No information available.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No information available	
Oxidising properties	No information available	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Excessive heat.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). Phosphorus oxides. Oxides of sulphur.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation May cause irritation.

Eye contact May cause temporary eye irritation.

Skin contact Causes mild skin irritation.

Ingestion Gastrointestinal discomfort.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 454,545.50 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
DEC-1-ENE, HOMOPOLYMER, HYDROGENATED	-	-	> 5.2 mg/L (Rat) 4 h
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH	-	4000 - 8000 mg/kg (Rabbit)	-
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5399 mg/m ³ (Rat) 4 h
ALKARYL AMINE	> 5000 mg/kg (Rat)	-	-
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE	-	> 2000 mg/kg (Rat)	-
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC	-	-	= 3900 mg/m ³ (Rat) 4 h
DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m ³ (Rat) 4 h
C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES	= 1689 mg/kg (Rat)	> 2000 mg/kg bodyweight (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES (1213789-63-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes severe

					burns
--	--	--	--	--	-------

Serious eye damage/eye irritation No information available.

C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES (1213789-63-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Causes serious eye damage

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	United Kingdom
DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC	-

Reproductive toxicity No information available.

STOT - single exposure No information available.

C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES (1213789-63-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause damage to organs through prolonged or repeated exposure if swallowed

STOT - repeated exposure No information available.

C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES (1213789-63-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test NOAEL		Oral	100 mg/kg	90 days	May cause respiratory irritation

Aspiration hazard No information available.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES (1213789-63-9)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Fish	LC50	0.06 mg/L		
	Crustacea	EC50	0.011 mg/L		
	Algae Desmodesmus subspicatus	EC50	0.46 mg/L	72 hours	
	Algae Desmodesmus subspicatus	EC50	0.38 mg/L	72 hours	
	Algae	ErC50	0.04 mg/L		
Chronic toxicity		LOEC	0.032 mg/L	21 days	
Chronic toxicity		NOEC	0.013 mg/L	21 days	
Chronic toxicity	Algae	NOEC	0.013 mg/L		

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
ALKARYL AMINE	-	LC50: >1000mg/L (96h, Pimephales promelas)	-	-
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE	-	LC50: >1000mg/L (96h, Danio rerio)	-	-
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)

12.2. Persistence and degradability**Persistence and degradability**

No information available.

C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES (1213789-63-9)

Method	Exposure time	Value	Results
		Biodegradation 66 %	

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient
DEC-1-ENE, HOMOPOLYMER, HYDROGENATED	6.5
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH	4.11
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4- HYDROXYPHENYL)PROPIONATE	9.2

12.4. Mobility in soil

Mobility in soil Insoluble.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
DEC-1-ENE, HOMOPOLYMER, HYDROGENATED	The substance is not PBT / vPvB
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH	The substance is not PBT / vPvB
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC	The substance is not PBT / vPvB
REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4- HYDROXYPHENYL)PROPIONATE	The substance is not PBT / vPvB
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED	The substance is not PBT / vPvB
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC	The substance is not PBT / vPvB
DISTILLATES (PETROLEUM) SOLVENT DEWAXED HEAVY PARAFFINIC	The substance is not PBT / vPvB
C16-18-(EVEN NUMBERED, SATURATED AND UNSATURATED)-ALKYLAMINES	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

- 14.1 UN number or ID number UN3082
- 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH, ALKYL PHOSPHITES)
- 14.3 Transport hazard class(es) 9
- 14.4 Packing group III
- 14.5 Environmental hazards Yes

14.6 Special precautions for user

Special Provisions A97, A158, A197
ERG Code 9L

IMDG

14.1 UN number or ID number UN3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH, ALKYL PHOSPHITES)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions 274, 335, 969
EmS-No F-A, S-F
14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number UN3082
14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH, ALKYL PHOSPHITES)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions 274, 335, 375, 601
Classification code M6

ADR

14.1 UN number or ID number UN3082
14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11-ISOALKYLOXY) DERIVS., C10-RICH, ALKYL PHOSPHITES)
14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions 274, 335, 601, 375
Classification code M6
Tunnel restriction code (-)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC - 64742-56-9	Use restricted. See item 28. Restricted Carcinogen 1B	-
DISTILLATES (PETROLEUM) SOLVENT	-	-

DEWAXED HEAVY PARAFFINIC - 64742-65-0		
---------------------------------------	--	--

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories**TSCA**

Contact supplier for inventory compliance status

DSL/NDL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC

Contact supplier for inventory compliance status

KECL

Contact supplier for inventory compliance status

PICCS

Contact supplier for inventory compliance status

AIIC

Contact supplier for inventory compliance status

NZIoC

Contact supplier for inventory compliance status

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**15.2. Chemical safety assessment****Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet**

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed
 H304 - May be fatal if swallowed and enters airways
 H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage
 H335 - May cause respiratory irritation
 H373 - May cause damage to organs through prolonged or repeated exposure
 H400 - Very toxic to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects
 H411 - Toxic to aquatic life with long lasting effects
 H413 - May cause long lasting harmful effects to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note ***Indicates updated data since last publication

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Jitendra Panchal

Revision date 27-Feb-2024

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet