

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 27-Sep-2021

Revision date 20-Apr-2026

Revision Number 6.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s)	21588
Safety data sheet number	21588
Product Name	WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST
EC Number	232-455-8
CAS No	8042-47-5
Synonyms	MARCOL 52 PH, WHITE OIL EP WINOG 20, WINOG 16, WIOL SHH 22, PARAFFINE OIL WINOG 20, PARAFFINE OIL WINOG 4.5, PIONIER 4281, PIONIER 2076, PARACOS KF-85, PARAFFINE OIL WIOL SHH 22, PIONIER T 017, LIGHT LIQUID PARAFF CODEX AA B2, TECHN WHITE OIL 82, MEDICWAY 7, PIONIER 2076 P, MARCOL 52, KLEAROL WHITE MINERAL OIL, PETRONAS WHITE OIL P 15
Pure substance/mixture	Substance
Contains WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Industry/Professional Consumer use Lubricant Cosmetics Pharmaceuticals Plastics Rubber products Cleaning agent Coatings Binder Laboratory chemicals Polymer additive Water treatment chemical Additive for Agrochemicals Petrochemical industry
Uses advised against	Not to be used in nasal, oral or lip care products or as a food additive other than for food contact materials.

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
 Aquarius House
 6 Mid Point Business Park
 Bradford
 GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Aspiration hazard	Category 1 - (H304)
-------------------	---------------------

2.2. Label elements

Contains WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST



Signal word
Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

Precautionary statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST 8042-47-5	90 - 100%	232-455-8	-	Asp. Tox. 1 (H304)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Difficulty in breathing. Coughing and/or wheezing. Dizziness.
Inhalation	Coughing and/or wheezing. Difficulty in breathing. Dizziness.
Ingestion	May be fatal if swallowed and enters airways

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Water spray, carbon dioxide (CO ₂), dry chemical, alcohol-resistant foam.
-------------------------------------	---

Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
-------------------	--

Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
---------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Closed containers can burst violently when heated, due to excess pressure build-up.
---	---

Hazardous combustion products	Carbon dioxide (CO ₂). Carbon monoxide.
--------------------------------------	---

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
---	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid breathing vapours or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Use personal protective equipment as required.
-----------------------------	--

Other information	Refer to protective measures listed in Sections 7 and 8. Refer to protective measures listed in Sections 7 and 8.
--------------------------	---

For emergency responders	Use personal protection recommended in Section 8.
---------------------------------	---

6.2. Environmental precautions

Environmental precautions	Do not allow runoff to sewer, waterway or ground. Prevent entry into drains. Local authorities should be advised if significant spillages cannot be contained.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
--------------------------------	--

Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
--------------------------------	---

Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
--	--

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Ensure that eyewash stations and safety showers are close to the workstation location. Avoid contact with skin, eyes and inhalation of vapours.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from food, drink and animal feedingstuffs. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Specific use(s)
See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST 8042-47-5	-	217.05 mg/kg bw/day [4] [6]	164.56 mg/m ³ [4] [6]

[4] Systemic health effects.
[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST	25 mg/kg bw/day [4] [6]	93.02 mg/kg/day [4] [6]	34.78 mg/m ³ [4] [6]

Chemical name	Oral	Dermal	Inhalation
8042-47-5			

[4] Systemic health effects.
[6] Long term.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Ensure adequate ventilation. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection according to EN 166. If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Nitrile rubber. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Nitrile rubber	0.55 mm	>8 hours

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection None under normal use conditions. In case of inadequate ventilation wear respiratory protection.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing and wash it before reuse.

Environmental exposure controls Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Viscous liquid
Colour Colourless
Odour Odourless.
Odour threshold No information available

Property	Values	Remarks • Method
Melting point / freezing point	< -6 °C	
Initial boiling point and boiling range	> 218 °C	
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		

Lower flammability or explosive limits		
Flash point	> 112 °C	
Autoignition temperature	325 - 355 °C	
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity		No information available.
Dynamic viscosity	7.4 - 17.5 cSt	@ 40 °C.
Water solubility	Insoluble in water	
Solubility(ies)		No information available.
Partition coefficient	log Pow: >3.5	
Vapour pressure	<0.013	@ 20 °C.
Relative density	0.830 - 0.865	@ 15 °C.
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density	> 2 @ 101 kPa	
Particle characteristics		Not applicable.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No information available	
Oxidising properties	Does not meet the criteria for classification as oxidising	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Excessive heat.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	May cause temporary eye irritation. Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	May cause slight irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Difficulty in breathing. Coughing and/or wheezing. Dizziness. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
-----------------	--

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5 mg/l (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data the classification criteria are not met.
----------------------------------	--

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal			non-irritant

Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
--	---

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit				Mild eye irritation

Respiratory or skin sensitisation	Based on available data the classification criteria are not met.
--	--

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig		Not classified

Germ cell mutagenicity Based on available data the classification criteria are not met.

Component Information

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Results
	in vitro	Not mutagenic

Carcinogenicity Based on available data the classification criteria are not met.

Component Information

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Results
	Mouse	Not Carcinogenic
	Animal Data.	Not Carcinogenic

Reproductive toxicity Based on available data the classification criteria are not met.

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Results
	Rat	Negative NOAEL 4,350 mg/kg/day
	Rat	Negative NOAEL 4,350 mg/kg/day
	Rat	Negative NOAEL 4,350 mg/kg/day

STOT - single exposure Based on available data the classification criteria are not met.

STOT - repeated exposure Based on available data the classification criteria are not met.

Component Information

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat	Ingestion	1.381 mg/kg	90 days	Not classified
	Rat	Ingestion	1.336 mg/kg	90 days	Not classified

Aspiration hazard May be fatal if swallowed and enters airways.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
	Daphnia magna	NOEL	>100 mg/L	21 days	
OECD Test No. 203: Fish, Acute Toxicity Test	Oncorhynchus mykiss (rainbow trout)	LL50	>100 mg/L	96 hours	
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	EL50	>100 mg/L	48 hours	
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Pseudokirchneriella subcapitata	NOELR	100 mg/L	72 hours	

12.2. Persistence and degradability

Persistence and degradability Inherently Biodegradable.

WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST (8042-47-5)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	28 days	0% Biodegradation	Not readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation May bioaccumulate.

Component Information

Chemical name	Partition coefficient
WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST	>4

12.4. Mobility in soil

Mobility in soil Insoluble.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
WHITE MINERAL OIL (PETROLEUM) VISCOSITY <20.5 CST	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

Contaminated packaging Empty remaining contents. Do not reuse empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).
This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECI	Complies
PICCS	Complies
AIIC	Complies
NZIoC	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

Legend

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

+ Sensitisers

Revision Note ***Indicates updated data since last publication

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Prepared By Jitendra Panchal

Supersedes date 27-Sep-2021

Revision date 20-Apr-2026

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet