

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 23-Oct-2019

Revision date 19-Feb-2026

Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 64831

Safety data sheet number 64831

Product Name HYDROCARBONS C9 AROMATICS

EC Number 918-668-5

CAS No 128601-23-0

Synonyms SOLVESSO 100 ULC, FIRIN TNER 100 ULC

Pure substance/mixture Substance

Contains HYDROCARBONS C9 AROMATICS

Molecular weight 125

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

- Solvent
- Agriculture
- Cleaning agent
- Laboratory chemicals
- Lubricant
- Polymers
- Water treatment chemical
- Fuels
- oil gas

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com

Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable liquids	Category 3 - (H226)
Specific target organ toxicity — single exposure	Category 3 - (H335, H336)
Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains HYDROCARBONS C9 AROMATICS



Signal word

Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapour

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P273 - Avoid release to the environment

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P391 - Collect spillage

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
HYDROCARBONS C9 AROMATICS	90 - 100%	918-668-5	-	Flam. Liq. 3 (H226) STOT SE 3 (H335)	-	-	-

128601-23-0				(H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411)			
-------------	--	--	--	---	--	--	--

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Inhalation	May cause drowsiness or dizziness. May cause respiratory irritation.
Dermal	Repeated exposure may cause skin dryness or cracking.
Ingestion	May be fatal if swallowed and enters airways

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Risk of chemical pneumonia after aspiration.
------------------------	--

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use

according to package label instructions. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store away from other materials.

Packaging materials Suitable container/equipment material: Carbon Steel. Polyester. Teflon. stainless steel. Unsuitable container/equipment material: Ethylene-propylene-diene monomer (EPDM). Polyvinyl chloride (PVC). Polypropylene. Polystyrene. Polyethylene (PE). Butyl rubber. Natural rubber.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
HYDROCARBONS C9 AROMATICS 128601-23-0		25 mg/kg/bw/day [4] [6]	150 mg/m ³ [4] [6]

[4] Systemic health effects.
[6] Long term.

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). According to EN 16321-1.														
Hand protection	Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374.														
<table><tr><th colspan="4">Gloves</th></tr><tr><td>Duration of contact</td><td>PPE - Glove material</td><td>Glove thickness</td><td>Break through time</td></tr><tr><td>Long term (repeated)</td><td>Viton™</td><td>0.71 mm</td><td>> 8 hours</td></tr></table>				Gloves				Duration of contact	PPE - Glove material	Glove thickness	Break through time	Long term (repeated)	Viton™	0.71 mm	> 8 hours
Gloves															
Duration of contact	PPE - Glove material	Glove thickness	Break through time												
Long term (repeated)	Viton™	0.71 mm	> 8 hours												
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.														
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.														
Type A.															
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.														

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Clear liquid
Colour	Colourless
Odour	Aromatic.
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point		No information available.
Initial boiling point and boiling range	140 - 200 °C	
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits	7.0%	
Lower flammability or explosive limits	1.0%	
Flash point	> 35 °C	
Autoignition temperature	> 400 °C	
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)		No information available.
Kinematic viscosity		No information available.
Dynamic viscosity	1.03 cSt	@ 20.0 °C.
Water solubility	Insoluble in water	
Solubility(ies)		No information available.
Partition coefficient	log Pow: < 4.5	
Vapour pressure	<0.1 kPa	
Relative density	0.801 - 0.951	15.0 °C.
Bulk density	800 kg/m³	
Liquid Density	No information available	No information available
Relative vapour density	>1	
Particle characteristics		No information available.
Particle Size	No information available	

Particle Size Distribution	No information available
Explosive properties	No information available
Oxidising properties	No information available

9.2. Other information

Molecular weight	125 < 1 (butyl acetate = 1)
------------------	-----------------------------

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	Stable under recommended storage conditions.
------------	--

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
------------------------------------	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	Heat, flames and sparks.
---------------------	--------------------------

10.5. Incompatible materials

Incompatible materials	Strong oxidising agents.
------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon oxides.
----------------------------------	----------------

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation May cause respiratory irritation. May cause drowsiness or dizziness.

Eye contact May cause irritation.

Skin contact Repeated exposure may cause skin dryness or cracking.

Ingestion May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
----------	--

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROCARBONS C9 AROMATICS	= 3500 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 10.2 mg/l (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

HYDROCARBONS C9 AROMATICS (128601-23-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Prolonged contact may cause slight skin irritation with local redness Dryness and/or cracking

Serious eye damage/eye irritation No information available.

HYDROCARBONS C9 AROMATICS (128601-23-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Effects may be slow to heal. Corneal injury is unlikely Vapor may cause eye irritation experienced as mild discomfort and redness.

Respiratory or skin sensitisation No information available.

HYDROCARBONS C9 AROMATICS (128601-23-0)

Method	Species	Exposure route	Results
	Guinea pig	Dermal	Not a skin sensitiser

Germ cell mutagenicity No information available.

Component Information

HYDROCARBONS C9 AROMATICS (128601-23-0)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

HYDROCARBONS C9 AROMATICS (128601-23-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
		Inhalation			May cause respiratory irritation May cause drowsiness or dizziness respiratory tract Central nervous system

STOT - repeated exposure No information available.

Component Information

HYDROCARBONS C9 AROMATICS (128601-23-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					In animals, effects have been reported on the following organs: Blood Kidney Liver
					Narcotic effects

Aspiration hazard May be fatal if swallowed and enters airways.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

HYDROCARBONS C9 AROMATICS (128601-23-0)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test or Equivalent.	Oncorhynchus mykiss (rainbow trout)	LC50	9.2 mg/L	96 hours	
	Mysidopsis bahia	LC50	2.0 mg/L	96 hours	
	Pseudokirchneriella subcapitata	ErC50	2.9 mg/L	72 hours	
	Colinus virginianus	LC50	> 6500 mg/kg	8 days	
	Colinus virginianus	LD50	> 2150 mg/kg	21 days	

12.2. Persistence and degradability

Persistence and degradability Readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil Insoluble.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
HYDROCARBONS C9 AROMATICS	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number UN1268
 14.2 UN proper shipping name PETROLEUM DISTILLATES, N.O.S.
 14.3 Transport hazard class(es) 3
 14.4 Packing group III
 14.5 Environmental hazards Yes
 14.6 Special precautions for user
 Special Provisions A3
 ERG Code 3L

IMDG

14.1 UN number or ID number UN1268
 14.2 UN proper shipping name PETROLEUM DISTILLATES, N.O.S.
 14.3 Transport hazard class(es) 3
 14.4 Packing group III
 14.5 Environmental hazards Yes
 14.6 Special precautions for user
 Special Provisions 223, 955
 EmS-No F-E, S-E
 14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number UN1268
 14.2 UN proper shipping name PETROLEUM DISTILLATES, N.O.S.

14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	None
Classification code	F1

ADR

14.1 UN number or ID number	UN1268
14.2 UN proper shipping name	PETROLEUM DISTILLATES, N.O.S.
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	664
Classification code	F1
Tunnel restriction code	(D/E)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status

DSL/NDL

Contact supplier for inventory compliance status

EINECS/ELINCS

Contact supplier for inventory compliance status

ENCS

Contact supplier for inventory compliance status

IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Revision Note ***Indicates updated data since last publication

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

Ozone

Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Prepared By Jitendra Panchal

Supersedes date 23-Oct-2019

Revision date 19-Feb-2026

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet