

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Supersedes date 08-Jun-2010

Revision date 26-Mar-2025

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s)	126082
Safety data sheet number	126082
Product Name	ACETIC ACID 4.5%
Index No	607-002-00-6
EC Number	200-580-7
CAS No	64-19-7
Synonyms	ACETIC ACID 4.5% SOL
Pure substance/mixture	Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Chemical For further information, see attached Exposure Scenario
------------------------	---

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address	SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone	SGS - +32 (0)3 575 55 55 (24h)
----------------------------	--------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified

2.2. Label elements

Not classified

Hazard statements

Not classified

EUH210 - Safety data sheet available on request

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
ACETIC ACID ...% 64-19-7	4.5%	200-580-7 (607-002-00-6)	-	Flam. Liq. 3 (H226) Skin Corr. 1A (H314)	Eye Irrit. 2 :: 10%≤C<25% Skin Corr. 1A :: C≥90% Skin Corr. 1B :: 25%≤C<90% Skin Irrit. 2 :: 10%≤C<25%	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration ≥ 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	First aid personnel should wear appropriate protective equipment during any rescue.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth thoroughly with water. Drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	See Section 11 for additional Toxicological Information.
Eyes	May cause irritation.
Dermal	May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media Dry chemical, CO₂, alcohol-resistant foam or water spray.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of toxic and corrosive gases/vapours.

Hazardous combustion products Carbon dioxide (CO₂). Carbon monoxide.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Evacuate personnel to safe areas. Cool containers with flooding quantities of water until well after fire is out. Collect contaminated fire extinguishing water separately. Do not allow it to enter drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Avoid contact with eyes, skin and clothing. Do not touch or walk through spilled material. Use personal protection recommended in Section 8. Provide adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Following product recovery, flush area with water.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations. Observe good chemical hygiene practices.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Avoid contact with skin and eyes. Do not breathe vapour or mist. Ensure adequate ventilation.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from other materials. Strong acids. Strong bases. Strong oxidising agents. Strong reducing agents. Alcohols. Glycols.

7.3. Specific end use(s)**Specific use(s)**

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	United Kingdom
ACETIC ACID ...% 64-19-7	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm STEL: 50 mg/m ³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
ACETIC ACID ...% 64-19-7			25 mg/m ³ [5] [6] 25 mg/m ³ [5] [7]

[5] Local health effects.

[6] Long term.

[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
ACETIC ACID ...% 64-19-7			25 mg/m ³ [5] [6] 25 mg/m ³ [5] [7]

[5] Local health effects.

[6] Long term.

[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
ACETIC ACID ...% 64-19-7	3.058 mg/L	30.58 mg/L	0.3058 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
ACETIC ACID ...% 64-19-7	11.36 mg/kg sediment dw	1.136 mg/kg sediment dw	85 mg/L	0.47 mg/kg soil dw	85 mg/l

8.2. Exposure controls**Engineering controls**

Ensure adequate ventilation. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment**Eye/face protection**

Tight sealing safety goggles. Use eye protection according to EN 166.

Hand protection

Wear protective butyl rubber gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374.

Skin and body protection

Wear suitable protective clothing. Chemical resistant apron. Rubber boots.

Respiratory protection**Recommended filter type:**

In case of inadequate ventilation wear respiratory protection. full face mask (DIN EN 136). Acid gases filter conforming to EN 14387.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas.

Environmental exposure controls

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Liquid
Colour	Colourless
Odour	Characteristic.
Odour threshold	No information available

Property	Values
Melting point / freezing point	~ -3 °C
Initial boiling point and boiling range	> 100 °C
Flammability	
Flammability Limit in Air	
Upper flammability or explosive limits	

Remarks • Method
No information available.
No information available.
No information available.
No information available.

Lower flammability or explosive limits			
Flash point			No information available.
Autoignition temperature	427 °C		No information available.
Decomposition temperature			No information available.
pH	2.7		Estimated.
pH (as aqueous solution)			No information available.
Kinematic viscosity			No information available.
Dynamic viscosity			No information available.
Water solubility	Soluble in water		No information available.
Solubility(ies)			No information available.
Partition coefficient			No information available.
Vapour pressure	15.7 mbar		No information available.
Relative density	1.01 - 1.03		@ 20 °C.
Bulk density			No information available
Liquid Density	No information available		No information available
Relative vapour density			No information available.
Particle characteristics			No information available.
Particle Size	No information available		
Particle Size Distribution	No information available		
Explosive properties	No information available		
Oxidising properties	No information available		

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reactive hazards known/expected.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents. Strong reducing agents. Alcohols. Glycols.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Vapours may be irritating to eyes, nose, throat, and lungs.
Eye contact	May cause irritation.
Skin contact	May cause slight irritation.
Ingestion	May irritate mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause slight skin irritation. May cause eye irritation.

Acute toxicity**Numerical measures of toxicity**

Based on available data, the classification criteria are not met

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ACETIC ACID ...%	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/l (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data the classification criteria are not met. May cause slight skin irritation.

ACETIC ACID ...% (64-19-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 404	Rabbit	Dermal			Corrosive

Serious eye damage/eye irritation Based on available data the classification criteria are not met. May cause eye irritation.

ACETIC ACID ...% (64-19-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 405	Rabbit	eye			Corrosive

Respiratory or skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity Based on available data the classification criteria are not met.

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity Based on available data the classification criteria are not met.

STOT - single exposure Based on available data the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

ACETIC ACID ...% (64-19-7)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
Acute toxicity	Oncorhynchus mykiss (rainbow trout)	LC50	>300.82 mg/L	96 hours	Harmless to aquatic organisms up to the tested concentration
Acute toxicity	Daphnia magna	EC50	>300.82 mg/L	48 hours	Harmless to aquatic organisms up to the tested concentration
Acute toxicity	Skeletonema costatum	EC50	>300.82 mg/L	72 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 204: Fish, Prolonged Toxicity Test: 14-Day Study	Oncorhynchus mykiss (rainbow trout)	LC50	52 mg/L	21 days	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 202: Daphnia sp., Acute Immobilisation Test	Daphnia magna	NOEC	31.4 mg/L	21 days	Harmless to aquatic organisms up to the tested concentration

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ACETIC ACID ...%	-	LC50: =79mg/L (96h, Pimephales promelas) LC50: =75mg/L (96h, Lepomis macrochirus)	-	EC50: =65mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability Readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation Not likely to bioaccumulate.

Component Information

Chemical name	Partition coefficient
ACETIC ACID ...%	-0.17

12.4. Mobility in soil

Mobility in soil No information available.

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
ACETIC ACID ...%	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.
Contaminated packaging	Do not reuse empty containers. Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).
This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
ACETIC ACID ...% - 64-19-7	Simplified procedure - Category A

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment**Chemical Safety Report**

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H226 - Flammable liquid and vapour

H314 - Causes severe skin burns and eye damage

Legend

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		
Revision Note Not applicable			

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Prepared By J Forth
Supersedes date 08-Jun-2010
Revision date 26-Mar-2025

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
 Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Formulation & (re)packing of substances and mixtures
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC2 - Formulation of preparations (mixtures)
Specific Environmental Release Category	ESVOC SpERC 2.2.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 - Mixing or blending in batch processes for formulation of preparations and articles (multi-stage and/or significant contact) PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC14 - Production of preparations or articles by tableting, compression, extrusion, pelettising PROC15 - Use as laboratory reagent
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC2 - Formulation of preparations (mixtures)
Specific Environmental Release Category - ESVOC SpERC 2.2.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC2 - Formulation of preparations (mixtures)
Specific Environmental Release Category - ESVOC SpERC 2.2.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by soil

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method	Used ECETOC TRA model
--------------------	-----------------------

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Use as an intermediate or Process Additive
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Specific Environmental Release Category	ESVOC SpERC 6.1a.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC15 - Use as laboratory reagent
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Specific Environmental Release Category - ESVOC SpERC 6.1a.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Specific Environmental Release Category - ESVOC SpERC 6.1a.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg

Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method Used EUSES model

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method Used ECETOC TRA model

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Use in Cleaning Agents (Industrial)
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Specific Environmental Release Category	ESVOC SpERC 4.4a.v1
Process category(ies)	PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC7 - Industrial spraying PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC10 - Roller application or brushing PROC13 - Treatment of articles by dipping and pouring
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Specific Environmental Release Category - ESVOC SpERC 4.4a.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Specific Environmental Release Category - ESVOC SpERC 4.4a.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg

Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method	Used ECETOC TRA model
--------------------	-----------------------

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Use in Cleaning Agents (Professional)
Type	Worker
Main user group	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies)	ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category	ESVOC SpERC 8.11a.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC10 - Roller application or brushing PROC11 - Non industrial spraying PROC13 - Treatment of articles by dipping and pouring
Product Code(s)	66881
Sector(s) of use	SU22 - Professional uses

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.11a.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.11a.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l

Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):	
Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method	Used ECETOC TRA model
--------------------	-----------------------

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Consumer Use in cleaning agents
Type	Consumer
Main user group	Consumer uses: Private households (= general public = consumers)
Environmental release category(ies)	ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category	ESVOC SpERC 8.4c.v1
Product category(ies)	PC3 - Air care products PC4 - Anti-freeze and de-icing products PC8 - Biocidal Products (e.g. disinfectants, pest control) PC9 - Coatings and paints, fillers, putties, thinners PC15 - Non-metal-surface treatment products PC24 - Lubricants, greases, release products PC35 - Washing and cleaning products (including solvent based products)
Product Code(s)	66881
Sector(s) of use	SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.4c.v1

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.4c.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Inhalation

25 mg/m³

Calculation method

The ECETOC TRA tool has been used to estimate consumer exposures unless otherwise indicated

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Oil field drilling and production operations
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Specific Environmental Release Category	ESVOC SpERC 4.5a.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Specific Environmental Release Category - ESVOC SpERC 4.5a.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Specific Environmental Release Category - ESVOC SpERC 4.5a.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg

Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method	Used ECETOC TRA model
--------------------	-----------------------

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Use in agrochemicals Professional
Type	Worker
Main user group	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies)	ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category	ESVOC SpERC 8.4b.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC11 - Non industrial spraying PROC13 - Treatment of articles by dipping and pouring
Product Code(s)	66881
Sector(s) of use	SU22 - Professional uses

Section 2 - Operational conditions and risk management measures

Section 2.1 - Control of environmental exposure

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.4b.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.4b.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg

Impact on Sewage Treatment 85 mg/l

Calculation method Used EUSES model

Remarks Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local 25 mg/m³

Worker - inhalative, short-term - local 25 mg/m³

Calculation method Used ECETOC TRA model

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Consumer Use in agrochemicals
Type	Consumer
Main user group	Consumer uses: Private households (= general public = consumers)
Environmental release category(ies)	ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category	ESVOC SpERC 8.11b.v1
Product category(ies)	PC12 - Fertilisers PC27 - Plant protection products
Product Code(s)	66881
Sector(s) of use	SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.11b.v1

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.11b.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Inhalation	25 mg/m ³
------------	----------------------

Calculation method

The ECETOC TRA tool has been used to estimate consumer exposures unless otherwise indicated

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Industrial Laboratory activities
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Process category(ies)	PROC10 - Roller application or brushing PROC15 - Use as laboratory reagent
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method Used EUSES model

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method

Used ECETOC TRA model

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Industrial Laboratory activities
Type	Worker
Main user group	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Environmental release category(ies)	ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category	ESVOC SpERC 8.17.v1
Process category(ies)	PROC10 - Roller application or brushing PROC15 - Use as laboratory reagent
Product Code(s)	66881
Sector(s) of use	SU22 - Professional uses

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.17.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.17.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method Used EUSES model

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method Used ECETOC TRA model

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Use in process water treatment, use in sewage water treatment (Industrial)
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Specific Environmental Release Category	ESVOC SpERC 3.22a.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC13 - Treatment of articles by dipping and pouring
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Specific Environmental Release Category - ESVOC SpERC 3.22a.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Specific Environmental Release Category - ESVOC SpERC 3.22a.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l

Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater sediment

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method	Used ECETOC TRA model
--------------------	-----------------------

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Water Treatment Professional use
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category	ESVOC SpERC 8.22b.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC13 - Treatment of articles by dipping and pouring
Product Code(s)	66881
Sector(s) of use	SU22 - Professional uses

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.22b.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC8d - Wide dispersive outdoor use of processing aids in open systems
Specific Environmental Release Category - ESVOC SpERC 8.22b.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method	Used ECETOC TRA model
--------------------	-----------------------

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Formulation Industrial use
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC3 - Formulation in materials
Specific Environmental Release Category	ESVOC SpERC 1.1b.v1
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC15 - Use as laboratory reagent
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC3 - Formulation in materials
Specific Environmental Release Category - ESVOC SpERC 1.1b.v1

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC3 - Formulation in materials
Specific Environmental Release Category - ESVOC SpERC 1.1b.v1

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg

Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method	Used ECETOC TRA model
--------------------	-----------------------

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	Hydraulic Fracturing Industrial use
Type	Worker
Main user group	Industrial uses: Uses of substances as such or in preparations at industrial sites
Environmental release category(ies)	ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles
Process category(ies)	PROC1 - Use in closed process, no likelihood of exposure PROC2 - Use in closed, continuous process with occasional controlled exposure PROC3 - Use in closed batch process (synthesis or formulation) PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities PROC8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
Product Code(s)	66881
Sector(s) of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Covers concentrations up to 100%

Section 3 - Exposure estimation

Environmental release category(ies) - ERC4 - Industrial use of processing aids in processes and products, not becoming part of articles

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method Used EUSES model

Remarks Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Worker - inhalative, long-term - local	25 mg/m ³
Worker - inhalative, short-term - local	25 mg/m ³

Calculation method Used ECETOC TRA model

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.

Annex to the Safety Data Sheet according to Regulation (EC) No 1907/2006 [REACH]

Chemical name	Acetic acid
Pure substance/mixture	Mixture
REACH registration number	01-2119475328-30-XXXX
Supplier	Univar Solutions UK Ltd Aquarius House 6 Mid Point Business Park Bradford GBR
Non-Emergency Telephone Number	+44 1274 267300 / +44 1274 267306
E-mail address	SDS.EMEA@univarsolutions.com

Section 1 - Title

Title	pH Neutralisation in Textile dyes and impregnating products
Type	Consumer
Main user group	Consumer uses: Private households (= general public = consumers)
Environmental release category(ies)	ERC9a - Wide dispersive indoor use of substances in closed systems
Product category(ies)	PC34 - Textile dyes, finishing and impregnating products
Product Code(s)	66881
Sector(s) of use	SU21 - Consumer uses

Section 2 - Operational conditions and risk management measures**Section 2.1 - Control of environmental exposure**

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems

Section 3 - Exposure estimation

Environmental release category(ies) - ERC9a - Wide dispersive indoor use of substances in closed systems

Predicted No Effect Concentration (PNEC)

Freshwater	3.058 mg/l
Freshwater sediment	11.36 mg/kg
Marine water	0.3058 mg/l
Marine sediment	1.136 mg/kg
Soil	0.478 mg/kg
Impact on Sewage Treatment	85 mg/l

Calculation method	Used EUSES model
Remarks	Risk from environmental exposure is driven by freshwater

Derived No Effect Level (DNEL):

Inhalation	25 mg/m ³
-------------------	----------------------

Calculation method	The Consexpo model has been used to estimate consumer exposures unless otherwise
---------------------------	--

indicated

Section 4 - Guidance to check compliance with the exposure scenario

Further details on scaling and control technologies are provided in SpERC factsheet (<http://cefic.org/en/reach-for-industries-libraries.html>). Where other risk management measures/operational conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.