

This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Revision date 11-Feb-2025

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 125597
Safety data sheet number 125597
Product Name GLYTECH BASIC 70

Pure substance/mixture Mixture

Contains GLYCOLIC ACID

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Washing and cleaning agent

1.3. Details of the supplier of the safety data sheet

Supplier

Univar Solutions UK Ltd
Aquarius House
6 Mid Point Business Park
Bradford
GBR

For further information, please contact

E-mail address SDS.EMEA@univarsolutions.com
Non-Emergency Telephone Number +44 1274 267300 / +44 1274 267306

1.4. Emergency telephone number

Emergency Telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Corrosive to metals	Category 1 - (H290)
Acute toxicity - Inhalation (Vapours)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)

2.2. Label elements

Contains GLYCOLIC ACID



Signal word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H290 - May be corrosive to metals

EUH071 - Corrosive to the respiratory tract

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing and eye/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
GLYCOLIC ACID 79-14-1	69-71%	201-180-5	-	Skin Corr. 1B (H314) Acute Tox. 4 (H332) Met. Corr. 1 (H290)	-	-	-
SODIUM CHLORIDE 7647-14-5	<=10%	231-598-3	-	Not Classified	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical attention. Drink plenty of water.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
Inhalation	Coughing and/ or wheezing. Difficulty in breathing.
Eyes	Burning sensation. May cause permanent damage if eye is not immediately irrigated.
Dermal	Burning sensation. Causes severe burns.
Ingestion	Can burn mouth, throat, and stomach

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
------------------------	---

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the
-------------------------------------	--

surrounding environment.

Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture**Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.

5.3. Advice for firefighters**Special protective equipment and precautions for fire-fighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapours or mists.

Other information

Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up**Methods for containment**

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Collect with absorbent, non-combustible material into suitable containers.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections**Reference to other sections**

See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Avoid breathing vapours or mists.

General hygiene considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of

the workplace. Wash hands before breaks and immediately after handling the product. Ensure that eyewash stations and safety showers are close to the workstation location.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from other materials. Store at room temperature. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific use(s)

See section 1 for more information.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
GLYCOLIC ACID 79-14-1		57.69 mg/kg bw/day [4] [6]	10.56 mg/m ³ [4] [6] 9.2 mg/m ³ [4] [7] 1.53 mg/m ³ [5] [6] 9.2 mg/m ³ [5] [7]
SODIUM CHLORIDE 7647-14-5		295.52 mg/kg bw/day [4] [6] 295.52 mg/kg bw/day [4] [7]	2068.62 mg/m ³ [4] [6] 2068.62 mg/m ³ [4] [7]

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
GLYCOLIC ACID 79-14-1	0.75 mg/kg bw/day [4] [6]		2.6 mg/m ³ [4] [6] 2.3 mg/m ³ [4] [7] 2.3 mg/m ³ [5] [7]
SODIUM CHLORIDE 7647-14-5	126.65 mg/kg bw/day [4] [6] 126.65 mg/kg bw/day [4] [7]	126.65 mg/kg bw/day [4] [6] 126.65 mg/kg bw/day [4] [7]	443.28 mg/m ³ [4] [6] 443.28 mg/m ³ [4] [7]

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.

[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
GLYCOLIC ACID 79-14-1	0.0312 mg/L	0.312 mg/L	0.0031 mg/L		
SODIUM CHLORIDE 7647-14-5	5 mg/L	19 mg/l			

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
GLYCOLIC ACID 79-14-1	0.115 mg/kg sediment dw	0.0115 mg/kg sediment dw	7 mg/L	0.007 mg/kg soil dw	16.66 mg/kg food
SODIUM CHLORIDE 7647-14-5			500 mg/L	4.86 mg/kg soil dw	

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield. Use eye protection according to EN 166.

Hand protection

Wear suitable gloves. Impervious gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Neoprene gloves	0.6 mm	>480 minutes

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

General hygiene considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance	Liquid
Colour	light yellow
Odour	Odourless.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No information available.
Initial boiling point and boiling range	110 - 120 °C	No information available.
Flammability		No information available.
Flammability Limit in Air		No information available.
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point		No information available.
Autoignition temperature		No information available.
Decomposition temperature		No information available.
pH		No information available.
pH (as aqueous solution)	0.5	solution (70 %).
Kinematic viscosity		No information available.
Dynamic viscosity		No information available.
Water solubility	Soluble in water	No information available.
Solubility(ies)		No information available.
Partition coefficient	Log Pow -1.11	No information available.
Vapour pressure		No information available.
Relative density	1.33-1.37 @ 20°C	No information available.
Bulk density		No information available
Liquid Density	No information available	No information available
Relative vapour density		No information available.
Particle characteristics		No information available.
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No information available	
Oxidising properties	No information available	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	May be corrosive to metals.
------------	-----------------------------

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
------------------------------------	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	No information available.
---------------------	---------------------------

10.5. Incompatible materials

Incompatible materials Strong bases. Metals.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. Harmful by inhalation.
Eye contact	Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Corrosive. (based on components). Causes burns.
Ingestion	Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,746.50 mg/kg
ATEmix (inhalation-vapour)	15.50 mg/l
ATEmix (inhalation-dust/mist)	5.07 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
GLYCOLIC ACID	= 1950 mg/kg (Rat)	-	> 5.2 mg/L (Rat) 4 h = 3.6 mg/L (Rat) 4 h
SODIUM CHLORIDE	> 3500 mg/kg (Rat)	10000 mg/kg (Rabbit)	> 42 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye damage.

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Brief contact is essentially non-irritating to skin. Prolonged contact may cause slight skin irritation with local redness May cause more severe response if skin is abraded (scratched or cut).

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes burns.

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					May cause slight eye irritation Dust may irritate eyes

Respiratory or skin sensitisation Based on available data the classification criteria are not met.

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Results
		Inhalation	No signs of respiratory sensitization have been reported.

Germ cell mutagenicity Based on available data the classification criteria are not met.

Component Information

SODIUM CHLORIDE (7647-14-5)

Method	Species	Results
	in vitro	Negative
		Negative Did not show mutagenic effects in animal experiments

Carcinogenicity Based on available data the classification criteria are not met.

Component Information

SODIUM CHLORIDE (7647-14-5)

Method	Species	Results
		Did not cause cancer in laboratory animals.

Reproductive toxicity Based on available data the classification criteria are not met.

STOT - single exposure No information available.

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Evaluation of available data suggests that this material is not an STOT-SE toxicant

STOT - repeated exposure

No information available.

Component Information

SODIUM CHLORIDE (7647-14-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
					Medical experience with sodium chloride has shown a strong association between elevated blood pressure and prolonged dietary overuse. Related effects could occur in the kidneys.

Aspiration hazard

No information available.

Other adverse effects

No information available.

SECTION 12: Ecological information**12.1. Toxicity**

Ecotoxicity

Possible harmful effect would result from the pH effect of releasing the product into the aquatic environment.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

SODIUM CHLORIDE (7647-14-5)

Method	Species	Endpoint type	Effective dose	Exposure time	Results
OECD Test No. 203: Fish, Acute Toxicity Test	Lepomis macrochirus	LC50	5840 mg/L	96 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 203: Fish, Acute Toxicity Test	Pimephales promelas	LC50	10610 mg/L	96 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 203: Fish, Acute Toxicity Test	Daphnia magna	EC50	1900 mg/L	48 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Algae	EC50	2430 mg/L	120 hours	Harmless to aquatic organisms up to the tested concentration
OECD Test No. 209: Activated Sludge, Respiration Inhibition Test	activated sludge	IC50	> 1000 mg/L		Harmless to aquatic organisms up to the tested concentration

(Carbon and Ammonium Oxidation)					
Chronic aquatic toxicity	Pimephales promelas	NOEC	252 mg/L	33 days	Harmless to aquatic organisms up to the tested concentration
Chronic aquatic toxicity	Daphnia pulex	NOEC	314 mg/L	21 days	Harmless to aquatic organisms up to the tested concentration

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
GLYCOLIC ACID	-	LC50: >5000mg/L (96h, Brachydanio rerio)	-	-

12.2. Persistence and degradability

Persistence and degradability Readily biodegradable.

SODIUM CHLORIDE (7647-14-5)

Method	Exposure time	Value	Results
			Not applicable Inorganic.

12.3. Bioaccumulative potential

Bioaccumulation Not likely to bioaccumulate.

Component Information

Chemical name	Partition coefficient
GLYCOLIC ACID	0.3

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
GLYCOLIC ACID	The substance is not PBT / vPvB
SODIUM CHLORIDE	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	UN3265
14.2 UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	A3, A803
ERG Code	8L

IMDG

14.1 UN number or ID number	UN3265
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	274
EmS-No	F-A, S-B
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3265
14.2 UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	274
Classification code	C3

ADR

14.1 UN number or ID number	UN3265
14.2 UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (GLYCOLIC ACID)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	274
Classification code	C3
Tunnel restriction code	(E)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

This product does not contain substances subject to authorisation (UK REACH - Annex XIV).

Product restricted per REACH Annex XVII: 3

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
GLYCOLIC ACID - 79-14-1	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 3: Veterinary hygiene Product-type 4: Food and feed area

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
IECSC	- China Inventory of Existing Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AIIC	- Australian Inventory of Industrial Chemicals
NZIoC	- New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report	Not applicable
-------------------------------	----------------

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H332 - Harmful if inhaled

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		
Revision Note Not applicable			

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Prepared By K Winter

Revision date 11-Feb-2025

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)
 Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet